

# Section B: Vital Statistics and Health

**R.D. Fraser, *Queen's University***

Statistics in the tables of Section B are in two divisions. Series B1-81 contain data on vital statistics and series B82-543 on health. Data on social welfare, formerly contained in this section, are presented separately in Section C.

The principal sources for vital statistics (series B1-81) are: Statistics Canada, *Vital Statistics*, 1921 to 1970, (Ottawa, Queen's Printer); Statistics Canada, *Vital Statistics*, vol. I, *Births*; vol. II, *Marriages and Divorces*; vol. III, *Deaths*; all three volumes published annually since 1971 (Ottawa, Queen's Printer). Additional sources on historical series are given in the first edition of *Historical Statistics of Canada*, p. 30.

The principal sources for health (series B82-543) are: Department of National Health and Welfare, *Canada Health Manpower Inventory*, annual (Ottawa, Department of National Health and Welfare); Statistics Canada, *Hospital Statistics*, vols. I-VII, (Ottawa, Queen's Printer); Statistics Canada, *Mental Health Statistics*, vols. I-III, annual (Ottawa, Queen's Printer); Department of National Health and Welfare, *National Health Expenditures in Canada*, 1960-1973, updated every two years (Ottawa, Department of National Health and Welfare).

## Vital Statistics (Series B1-81)

### General note

Data for the Yukon Territory and the Northwest Territories are included in all tables unless otherwise noted.

Data for Newfoundland, which entered Confederation in 1949, are included in all historical tables unless otherwise specified. Available figures prior to 1949 were extracted from the appropriate provincial reports. Similarly, 1921 to 1925 data for Quebec, which entered the vital statistics system in 1926, have been extracted from the reports of the provincial health department.

Population figures for 1921, 1931, 1941, 1951, 1956, 1961, 1966 and 1971, are those of the census at 1 June; for 1926, 1936 and 1946, for the provinces of Manitoba, Saskatchewan and Alberta, the figures are those of the quinquennial censuses of 1 June; for all other years they are estimates as of 1 June.

Causes of death are classified according to the appropriate revision of the International Statistical Classification of Diseases, Injuries and Causes of Death and since 1969 they have been classified according to the 8th (1965) Revision which was put into effect on 1 January 1969. Tables on causes of death use the International Intermediate "A" List of 150 categories, unless otherwise specified; those for perinatal deaths use the International "P" List.

Prior to 1959 the following definitions of 'live birth' and 'stillbirth' were incorporated in the vital statistics legislation of the provinces.

'Live birth' means the birth of a foetus which, after complete separation from the mother, shows any sign of life.

'Stillbirth' means the birth of a foetus, after at least 28 weeks' pregnancy, which, after complete separation from the mother, does not show any sign of life.

Subsequently, the above definitions were revised to conform to new definitions of 'live birth' and 'fetal death' recommended by the World Health Organization. At the same time the compulsory registration of stillbirths was extended to 20 weeks' gestation. Following are the new definitions adopted by each province, with minor modification of the stillbirth definition in one province.

'Live birth' means the complete expulsion or extraction from its mother, irrespective of the duration of pregnancy, of a product of conception in which after such expulsion or extraction, there is breathing, beating of the heart, pulsation of the umbilical cord, or unmistakable movement of voluntary muscle, whether or not the umbilical cord has been cut or the placenta is attached.

'Stillbirth' means the complete expulsion or extraction from its mother, after at least 20 weeks' pregnancy, of a product of conception in which, after such expulsion or extraction, there is no breathing, beating of the heart, pulsation of the umbilical cord, or unmistakable movement of voluntary muscle.

Following is the month and year in which the new definitions were implemented: Nova Scotia, March 1959; Manitoba, August 1959; Alberta, January 1960 and January 1963; Quebec and Saskatchewan, January 1961; Ontario, December 1961; New Brunswick, January 1962; British Columbia, July 1962; Prince Edward Island, January 1964.

Hospital: an institution operated for the regular accommodation of in-patients in which medical or obstetrical care is provided and which is recognized as a hospital by a federal agency or by the provincial government in which the hospital is located, or by a municipality duly authorized under the laws of that province. The term 'hospital' includes institutions for tuberculosis and mental diseases, but excludes institutions which provide custodial or domiciliary care only.

Since 1944 births and stillbirths have been classified according to the residence of the mother; deaths by the residence of the deceased; marriages by the place in which the marriage was solemnized. Prior to 1944 all events were classified by place of occurrence. Except for marriages, events occurring in the United States to Canadian residents are included and events occurring in Canada to United States residents are excluded.

## Definitions

*Population: de jure* (resident) population as enumerated in census years or estimated for intercensal years.

*Births:* unless otherwise indicated, infants born alive (excluding stillbirths).

*Stillbirths:* unless otherwise indicated, foetal deaths of 28 or more weeks' gestation.

*Deaths:* unless otherwise indicated, exclude stillbirths. Types of deaths are as follows: infant, deaths under one year of age; neonatal, deaths under 28 days of age; postneonatal, deaths between 28 days and one year of age; maternal, deaths due to delivery and complications of pregnancy, childbirth and the puerperium (categories 630-678 International List); perinatal, foetal deaths of 28 or more weeks' gestation plus infant deaths under seven days of age.

*Natural increase:* excess of births over deaths.

*Crude rates:* birth, marriage, death and natural increase rates per 1,000 population.

*Total births:* live births and stillbirths.

*Age:* completed ages in years, months, etc. Average age is the arithmetic mean and median age is the age above and below which half of the total events occur.

## **B1-14. Live births, crude birth rate, age-specific fertility rates, gross reproduction rate and percentage of births in hospital, Canada, 1921 to 1974**

SOURCE: for 1921 to 1974, Statistics Canada, *Vital Statistics*, vol. I, *Births*, (Catalogue 82-204).

**B1.** The criteria adopted for defining live births and stillbirths were changed in 1955. Before this date a live birth was defined as the birth of a child who breathes after the body of the foetus is outside the body of the mother. Since 1955, following the definition of the World Health Organization, a live birth is the complete expulsion from its mother of a product of conception which, after such separation, breathes or shows any other evidence of life. See above for the dates when the provinces implemented these new definitions.

**B2-3.** Illegitimate births are births for which parents reported themselves as not having been married to each other at the time of birth or registration. In the case of Ontario, since 1949, they are births for which the marital status of the mother was reported as single.

**B5-11.** The age-specific fertility rates are the annual number of births to women in a specified age group per 1,000 female population in that age group.

**B12.** The total fertility rate is the sum of the fertility rates of women at each year of age. This sum represents the number of children that a thousand women would have throughout their lifetime, assuming no mortality, if they experienced at each age the fertility observed during the year for which the age-specific fertility rates have been calculated.

**B13.** The gross reproduction rate is similar to the total fertility rate except that only female children are considered. It represents the number of daughters a cohort of a thousand women would have during their lives under the same hypotheses as for the total fertility rate.

## **B15-22. Total number of deaths, crude and standardized death rates by sex, natural increase and rate, Canada, 1921 to 1974**

SOURCE: for 1921 to 1974, Statistics Canada, *Vital Statistics*, vol. III, *Deaths*, (Catalogue 84-206).

**B19-20.** Standardized death rates are death rates corrected for differences in age composition. See definitions above.

## **B23-34. Average age-specific death rates, both sexes, Canada, for five-year periods, 1921 to 1974**

SOURCE: same as series B15-22. Death rates by age groups are published annually, for the current year and for each province.

#### **B35-50. Average annual number of deaths and death rates for leading causes of death, Canada, for five-year periods, 1921 to 1974**

SOURCE: same as in series B15-22. Number of deaths and death rates by cause and sex are published annually for the current year for each province on the basis of the intermediate international list of causes of deaths. They are also published for Canada by sex and age groups.

Comparison of rates between years should be made with caution. The system of classification of deaths by cause has to change from time to time to be consistent with current medical knowledge and terminology and discontinuities are introduced into the time trends of death rates for certain causes of death.

#### **B51-58. Stillbirths and rate, infant deaths and rate by sex, neonatal death rate and maternal mortality rate, Canada, 1921 to 1974**

SOURCE: same as series B1-14 and B15-22. In the same publications, these data are also given for each province; for the current year, infant deaths are given by sex and month of death for selected causes of death, and by sex and age for selected causes of death. Neonatal deaths and rates are also given for selected causes of death, as well as maternal mortality.

**B51-52.** Since 1955, stillbirths are defined as the birth of a foetus, after at least 28 weeks of pregnancy, which, after complete separation from the mother, does not show any sign of life. Prior to this date a stillbirth was defined as the birth of a foetus, after at least 28 weeks of pregnancy, which after complete separation from the mother, does not breathe (see general note). The registration of stillbirths is probably less complete than for live births and the criteria for defining a stillbirth are more or less subject to medical practice.

**B53-57.** Neonatal deaths are included in infant deaths. Neonatal deaths until 1950 included deaths under one calendar month; since 1951, they include deaths under 28 days.

#### **B59-64. Average annual infant death rates for selected causes, Canada, for five-year periods, 1931 to 1970, and single years, 1971 to 1975**

SOURCE: same as series B15-22. Numbers and rates of infant deaths by cause are published annually for the current year and for each province.

The same caution as the one given for series B35-50 would apply here, probably with greater emphasis on the lack of comparability of rates between periods, particularly for immaturity.

#### **B65-74. Life expectancy by sex, at selected ages, Canada, census years, 1871 to 1971**

SOURCE: same as series B15-22.

The life expectancy at a specified age is the average number of years to be lived by members of a hypothetical cohort of individuals, assumed to be subject throughout the remainder of their lives to the age-specific mortality rates observed in a given time period. Figures for 1871, 1881 and 1921 are interpolated from original figures which were not given for the ages appearing in our table. They are to be interpreted with caution because of difficulties in registration of deaths in these early years.

#### **B75-81. Number of marriages and rate, average age at marriage for brides and bridegrooms, number of divorces and rate, net family formation, Canada, 1921 to 1974**

SOURCE: *Vital Statistics*, vol. I, *Births*, (Catalogue 84-205). In this publication, these series are also given for each province. Source of net family formation: for 1951 to 1975, Central Mortgage and Housing Corporation, *Canadian Housing Statistics*; for 1921 to 1950, O.J. Firestone, *Canada's Economic Development 1867-1953*, pp. 240 and 241.

Net family formation is the number of marriages, plus married female immigrants, less deaths of married persons, less married female emigrants, less divorces. Marriages, married female immigrants and deaths of married persons and divorces are obtained from registration statistics; married female emigrants are assumed to be one-fifth of the total number of emigrants (see O.J. Firestone, *Residential Real Estate in Canada*, (Toronto, 1951), pp. 436-437).

### **Health (Series B82-543)**

#### **General note**

The framework within which the data on the health care sector are presented follows as closely as was deemed possible to that of 'inputs', 'production processes' and 'outputs'. Data on physicians, dentists and nurses are presented first. In the case of the number of physicians, the series has been redeveloped starting with the year 1951. In addition, data on the immigration of physicians to Canada and the emigration of physicians to the United States has been included, starting with the years 1946 and 1950, respectively.

Presented in the second and principal part of the data on health is information on hospitals in Canada. These data provide an indication of inputs, production processes, and outputs. It should be noted that these data series represent a major rebuilding of the historical information on hospitals in Canada. The basic classification system has been changed from that of the 'type of service', as was used in the first edition of *Historical Statistics of Canada*, to that of 'type of ownership' and then, within type of ownership, type of service.

The three categories of type of ownership are public, private, and federal hospitals. A public hospital is 'one which is not operated for profit, accepts all patients regardless of their ability to pay, and is recognized as a public hospital by the province in which it is located', Statistics Canada, *Hospital Statistics, 1956*, vol. 1, (p. 10). Private hospitals are those set up with restrictions on admissions; usually they are established for profit and accept paying patients only. Federal hospitals are those set up and operated by departments of the federal government for the care of special groups of patients. Included are such facilities as internment camp hospitals, military hospitals, veterans homes, quarantine hospitals, Indian hospitals, military camp hospitals, and health and occupational centres.

Within type of ownership, hospitals are classified by type of service. There are four principal types: general, including paediatric; allied special; mental; tuberculosis.

When hospitals offer more than one type of service, the predominant type is applied to the entire hospital with one exception: if an institution contains a 'general' unit, it will be classed as general. 'Allied special' category includes: chronic, communicable disease, convalescent, maternity, orthopaedic hospitals and unclassified hospitals. Almost all mental and tuberculosis beds are in public hospitals. The great majority of 'general beds' are also in public hospitals but a significant amount are in federal hospitals. 'Allied special' beds is the only category where there is a significant proportion of beds in private hospitals (approximately 20 per cent).

Data on public and private mental hospitals include psychiatric units. These are units, within a hospital or sanatorium, which are organized for the treatment of patients with psychiatric disorders. Treatment in these units is generally more intensive and shorter than in mental hospitals.

These newly reconstructed historical data for the years 1932 to 1975 are presented in 15 tables each one of which, to the extent the availability of data permitted, involves the classification of hospitals by type of ownership and within that, by type of service. Data for the grand total of all hospitals and that for all hospitals of a given type of ownership are also presented.

For historical data describing the hospital sector prior to 1932, the reader is referred to the provincial data on hospitals in Ontario for the period 1900 to 1935 and that on hospitals in Quebec for quinquennial years 1885 to 1930, as presented in series B182-194 and series B195-215, respectively, in the original *Historical Statistics of Canada*.

Data on expenditures on health care by type of expenditure completes the presentation of evidence on the inputs.

Selected data on the growth of enrolment in non-profit health insurance plans supplement the data on the nature of the hospital system.

The last group of data provide some evidence on the nature of the 'outputs' of the health care sector. Included in this group are data on annual rates of notifiable diseases and on hospital morbidity by major diagnosis.

## **B82-92. Number of physicians, dentists and nurses, population per physician, dentist and nurse, number of graduates of medical and dental schools and nursing programs, immigration and emigration of physicians, Canada, 1871 to 1975**

### **B82-84. Physicians and graduates.**

SOURCE: for 1968 to 1974, computer tapes purchased from Sales Management Systems, Don Mills, Ontario, and provincial sources of data on interns and residents in 1973 and 1974; for 1962 to 1967, Department of National Health and Welfare, *Review of Health Services in Canada, 1973 and 1974*; for 1951 to 1961, S. Judek, *Medical Manpower in Canada*, (Ottawa, Queen's Printer, 1964); for 1901 to 1950, Department of National Health and Welfare, *Survey of Physicians in Canada, 1954*, pp. 10 and 18; for the years 1881 and 1891, *Census of Canada, 1921*, vol. IV, p. 6; for 1871, *Census of Canada, 1871*, vol. II, p. 341.

Figures on physicians for 1943 to 1950 are based on individual records of Canadian doctors kept by the Department of National Health and Welfare; for other years, they are census figures. In the *Survey of Physicians*, the distribution of physicians is given by province, sex, age groups, nature of major work and urban concentration. The records of the Department of National Health and Welfare are checked periodically by surveys; six were made between 1943 and 1954. Much more detailed data are now available for recent years from the Department of National Health and Welfare, and the computer tapes mentioned above. For example, as of 31 December 1974, there were in Canada 1,643 interns, 4,546 residents, 15,565 specialists, and 15,543 general or family practitioners; there were 33,467 registered physicians and 3,830 not registered; there were 24,896 physicians in fee practice and 6,212 not in fee practice, excluding interns and residents.

In particular, other data on physicians, from 1968 and for each year after that, appear in the annual *Canada Health Manpower Inventory*. Included, for example, in the 1973 inventory, are the number of active physicians by province; physicians to population ratios, from 1963; number of general practitioners and specialists by province; number of graduates of Canadian medical schools and year of graduation for 1961 to 1972; number of Canadian graduates and graduates of foreign universities, by specialty and province of practice, 1971 and 1972.

The *Canada Health Manpower Inventory* series also contain data on dentists, nurses and other health personnel. This publication is intended to present much of the available basic data on all categories of health manpower. Furthermore, detailed data for registered nurses, physicians and surgeons, radiological technicians, and physiotherapists and for eleven occupational groups associated with hospitals are presented in the four-volume series, *Health Manpower*, (Catalogues 83-220 and 83-223 to 83-225), and in the eleven-volume series, *Health Manpower in Hospitals*, (Catalogues 83-508 through 83-518).

For graduates of Canadian medical schools, for 1951 to 1974, see Association of Canadian Medical Colleges, *Forum*, vol. 7, no. 5 (September-October, 1974).

**B85-86.** Immigrant physicians and emigrants to the United States.

SOURCE: for immigrant physicians, for 1962 and 1975, Department of Manpower and Immigration; for 1946 to 1961, S. Judek, *Medical Manpower in Canada*, table 2-6, (Ottawa, Queen's Printer, 1964); for physicians emigrating to the United States, for 1972 to 1974, Department of National Health and Welfare, Health Manpower Directorate; for 1953 to 1971, R. Stevens and J. Vermeulen, *Foreign Trained Physicians and American Medicine*, Department of Health, Education and Welfare Publication No. (NIH) 73-325, table A5, (Washington, United States Department of Health, Education and Welfare, June, 1972); for 1950 to 1952, S. Judek, *Medical Manpower in Canada*.

Data on emigration of physicians to other countries are not available but are not thought to be significant compared to emigration to the United States.

**B87-89.** Dentists and graduates.

SOURCE: for 1961 to 1974, Bureau of Dental Statistics, Canadian Dental Association; for number of dentists, 1947 to 1960. "Statistical Data re Dentists"; for other years, *Census of Canada, 1941*, vol. VII, p. 32; *Census of Canada, 1931*, vol. VII, p. 72; *Census of Canada, 1921*, vol. IV, p. 6; *Census of Canada, 1871*, vol. II, p. 337; for number of graduates, *Canadian Dental Students Register*.

In the publications of the Canadian Dental Association, data are presented on distribution of dentists by province, sex, specialty, on deaths, retirements, additions, relocations of dentists, on distribution of students by province and university, and on average cost for a four-year course.

**B90-92.** Nurses and graduates.

SOURCE: for graduates from initial Canadian nursing programs for 1950 to 1974 and for nurses for 1961 to 1973, Canadian Nurses Association, *Countdown*; for nurses for 1951 to 1959, *Facts and Figures About Nursing*; for 1941 to 1950, *Information on Nurses and Nursing*; for other years, *Census of Canada, 1931*, vol. VII, p. 72; *Census of Canada, 1921*, vol. IV, p. 6. Other data on distribution by province, sex, major field, institutions, students and nurse migrations are given in *Facts and Figures About Nursing*.

**B93-503.** Number of hospitals operating and reporting, rated bed capacity, number of patient days, number of separations, percentage occupancy, and average length of stay, total paid hours of employees, number of full-time and part-time personnel, number of graduate nurses, costs per patient day and operating expenditures and revenues by type of ownership and by service, Canada, 1932 to 1975

SOURCE: special tabulations and historical tables prepared by Statistics Canada at the beginning of the 1960s; annual listing of hospitals; and annual publications on hospitals, mental institutions, and tuberculosis facilities. Most of these figures are published, albeit sometimes in another form, in the following publications of Statistics Canada: *List of Canadian Hospitals and Related Institutions and Facilities*, (Catalogue 83-201); *Hospital Statistics*, six volumes on beds, services, personnel, balance sheets, revenues, and expenditures, (Catalogues 83-210 through 83-215); *Mental Health Statistics*, three volumes, on admissions and separations, on facilities, services and finances, and on patients, (Catalogues 83-204, 83-205, and 83-208); *Tuberculosis Statistics*, two volumes on morbidity and mortality and on facilities, services, and finances, (Catalogues 83-206 and 83-207). Both provincial data and much more detailed data on patient characteristics, manpower, and facilities are provided in these publications.

The figures for rated bed capacity, number of patient days, number of separations, percentage occupancy, and average length of stay refer to adults and children.

**B93-140.** Number of operating and reporting hospitals by type of ownership and service. From 1932 to 1955, federal hospitals reported irregularly and since many small base hospitals opened and closed during and after the wars, there were large variations in the numbers reporting.

**B141-188.** Rated bed capacity in reporting hospitals. Rated bed capacity is defined as the number of beds which the hospital is designed to accommodate on the basis of established standards of floor area per bed as at 31 December of the reporting year. It is, therefore, a theoretical number, representing the number of beds that could be placed on a given hospital structure if a standard number of square feet were allowed for each bed. This number may be equal to, or be greater or less than the actual number of beds in regular use (referred to as beds set up) .... It is not possible to ascertain to what extent standards have been scrupulously applied (by province or hospitals) but it is known that their application is becoming more general (see *Hospital Statistics, 1956*, p. 9).

It must be pointed out that, except for most recent years, data on bed capacity were collected for beds set up and not for rate capacity. Moreover, beds set up were usually overestimated. In these conditions, the Statistics Canada estimates of rated bed capacity should be interpreted cautiously.

**B189-236.** Number of patient days in reporting hospitals. A patient-day is defined as the period of service to an in-patient between the census-taking hours on two successive days; the day of admission is counted as a patient-day but the day of separation is not.

**B237-260.** Number of separations in reporting hospitals. In general and allied special hospitals, a separation is defined as the number of discharges and deaths of in-patients. In tuberculosis sanatoria, it is defined as the number of direct discharges on or against medical advice, discharges to continue treatment, reviews out, discharges for disciplinary reasons, and transfers out and deaths. In mental health institutions, a separation is defined as the number of deaths, discharges and transfers out.

**B261-284.** Percentage occupancy in reporting hospitals. Percentage occupancy is defined as the number of actual patient-days recorded during the year expressed as a percentage of the potential patient-days in that year based either on rated bed capacity or actual beds set up.

**B285-297.** Average length of stay of separated patients in reporting hospitals. Average length of stay is defined as the mean number of days' stay in hospital from the date of admission of patients separated during the reporting year.

**B298-303.** Total paid hours of all employees in reporting public hospitals.

**B304-351.** Total personnel (full- and part-time) in reporting hospitals. The figures are for personnel employed on 31 December of the reporting year and include: all nursing staff, all paid medical staff, interns and residents, professional and technical staff, and all other staff.

**B352-399.** Total full-time personnel in reporting hospitals. Personnel are as defined in series B304-351 and include persons employed on a full-time basis, that is, regularly employed throughout the hospital's full work week.

**B400-431.** Total part-time personnel in reporting hospitals. Personnel are as defined in series B304-351 and include persons employed on a part-time basis, that is, regularly employed on selected days or partial days in the hospital's work week.

**B432-455.** Number of graduate nurses (full- and part-time) in reporting hospitals. Graduate nurses are persons who have graduated from a recognized formal nursing educational program. These nurses can be registered according to appropriate provincial legislation, or non-registered.

**B456-460.** Operating expenditure per patient-day in reporting public hospitals. Included in expenditures are the costs on an accrual basis, of operating and maintaining the hospital during the year, per patient-day.

**B461-475.** Operating expenditures of reporting public hospitals by salary and non-salary expenditures. Operating expense is defined as the cost, on an accrual basis, of operating and maintaining the hospital during the year, regardless of the amounts of disbursements made during the year.

Salary expenditures include the gross salaries and wages earned during the year by all hospital personnel except those engaged in special research projects, ambulance service, and ancillary operations, whether or not actually paid during the year. Gross salaries and wages comprise the following:

(1) Salaries, wages and other remuneration earned by paid personnel, including special allowances paid and perquisites supplied to such personnel; also any earned fees or other remuneration, perquisites, and special allowances to physicians for services rendered to the hospital.

(2) The value of contributed services of regular staff members working without pay, and of perquisites supplied to such personnel, calculated on the basis of salary scales for similar services in the community and supported by regular payroll records.

The distribution of the gross salary or wages of an employee working in more than one department of a hospital, including allowances for student nurses and interns, normally are made proportionately to the numbers of paid hours of work done by the employee in each of the several departments; however, if the employee received separate remuneration for services in each department, these amounts are charged to the departments concerned.

Non-salary expenditures are the difference between operating expense and salary expense.

**B476-499.** Operating expenditures of public general and allied special hospitals by selected services.

Nursing services consist of: nursing administration, nursing units, newborn nursery, delivery room, operating room, emergency unit and central supply services.

Special services consist of organized out-patient department, special clinics, electrocardiogram<sup>1</sup>, electroencephalogram<sup>1</sup>, radioisotope services<sup>1</sup>, pharmacy, physical medicine and rehabilitation, special research projects, and other services<sup>2</sup>.

Laboratory consists of laboratory services.

Radiology consists of radiology services.

Educational services consist of: medical education, nursing education, laboratory technologist training, radiology technician training, and other student training services.

General services<sup>3</sup> consist of general administration, medical records<sup>3</sup> and medical library, dietary, laundry, linen service and housekeeping<sup>4</sup>, plant operation and hospital security and plant maintenance<sup>4</sup>, and other services.

From 1959 to 1973, "Other" did not exist. Prior to 1959, "Other" consisted of those gross salaries and wages which were not distributed to any of the departments.

**B500-503.** Operating revenue of reporting mental institutions by source. Operating revenue is defined as income that accrues during the year for the purpose of operation and maintenance of the hospital.

#### **B504-513. Health expenditures, Canada, 1926 to 1975**

SOURCE: for 1960 to 1973, Department of National Health and Welfare, *National Health Expenditures in Canada, 1960-1973*, tables 1, 12, 37, 42 and 47, and their basic data; for 1957 to 1959, Department of National Health and Welfare, *Expenditures on Personal Health Care in the Provinces of Canada, 1957-69*; for 1953 to 1956, Department of National Health and Welfare, *Expenditures on Personal Health Care in Canada, 1953-1961*, tables 1, 5, 12, 16, 20 and 25; for 1926 to 1952, *Royal Commission on Health Services 1964*, vol. I (Ottawa: Queen's Printer, 1964), table 11-1, pp. 426-427.

#### **B514-516. Estimated enrolment in non-profit medical insurance plans, Canada, at 31 December, 1937 to 1975**

SOURCE: for 1961 to 1968, data are summarized in the annual series, *Health and Welfare Services in Canada*, comparable with the annual series contained in the *Canada Year Book*, and in more detail in *Survey of Voluntary Health Insurance in Canada*, an annual series prepared by the Canadian Health Insurance Association; for 1954, 1959 and 1960, unpublished compilation, Department of National Health and Welfare, Research and Statistics Division; for 1955 to 1958, annual issues of *Voluntary Hospital and Medical Insurance in Canada*; for 1937 to 1953, Department of National Health and Welfare, *Voluntary Medical Care Insurance, A Study of Non-Profit Plans in Canada*, pp. 29, 47, 187. Public medical care insurance plans had supplanted most of the voluntary sector by 1970.

The material relating to enrolment has been assembled in co-operation with the non-profit plans. The first plan was introduced in 1937, in Ontario. A comprehensive plan is one which provides a wide range of benefits, including payments for each of the following services: physicians' calls in office, home and hospitals consultations; surgical operations and procedures; confinements; anaesthesia; X-ray, laboratory and other diagnostic procedures. A limited plan is one which provides only a limited selection of these benefits such as surgical and obstetrical care, with or without medical (non-surgical) care in hospital (see Department of National Health and Welfare, *Voluntary Medical Care Insurance*, p. 24).

The figures give the number of persons covered. In addition to enrolments in non-profit plans which are covered in the data of series B514-516 there were private plans carried, in the main, with insurance companies. In 1968 the number in such private plans, reported in the annual series *Survey of Voluntary Health Insurance in Canada* was 5,303,000 persons. A total of 4,870,000 were enrolled in comprehensive plans covering both surgical and medical care, and another 433,000 in limited plans comprising 'major medical' or 'extended' health benefits. A small proportion of the 433,000 would be duplicated in the 5,303,000 count.

Provincial data on the enrolment in government insurance plans for hospital services and medical care separately are available from Health and Welfare Canada for census years, 1941 to 1961, and on an annual basis from 1968.

#### **B517-525. Annual rates of notifiable diseases, Canada, 1926 to 1975**

SOURCE: Statistics Canada, *Annual Report of Notifiable Diseases*, (Catalogue 82-201), especially the 1969 edition which contains historical data for the years 1921 to 1969.

These rates are based on reports to their respective provincial governments of local medical officers of health on notifiable diseases reported to them. Each provincial officer of health consolidates these reports and submits them to Statistics Canada. The reporting of notifiable diseases on a national level was affected by provincial differences in lists of reportable diseases, variations between provinces concerning exact international categories associated with each reportable disease and the proportion of cases reported by physicians.

There is evidence that the number of cases reported is far from being complete. In the national survey on sickness conducted in Canada during 1950 and 1951, the number of persons reporting illness as commencing during the survey year for the same diseases as those reported here is much greater. The ratio of the number of cases reported in the survey is as follows: measles, 13.8 per cent; whooping cough, 10.9 per cent; chickenpox, 17.3 per cent; mumps, 13.9 per cent; German measles, 17.1 per cent (see Lossing, 'Reporting of Notifiable Diseases', pp. 444-448; also, *Canadian Sickness Survey, 1950-51*, no. 10, table 7). At least the figures in the table presented here may represent the evolution of each disease. But in the paper quoted above, the author says that reporting is probably more incomplete during epidemic periods than during periods of lesser incidence. It should be noted that revised figures and analysis of the principal findings of the Canadian Sickness Survey have been assembled in *Illness and Health Care, 1950-51*, (Catalogue 82-518), a joint study of Statistics Canada and the Department of National Health and Welfare.

#### **B526-543. Separations and days of stay by major diagnosis, 1967 to 1975**

SOURCE: Statistics Canada, *Hospital Morbidity*, (Catalogue 82-206); *Hospital Morbidity, Canadian Diagnostic List*, (Catalogue 82-209); and *Hospital Morbidity, Historical Summary, Canada, 1964, 1966 and 1968*, (Catalogue 82-532).

This information on hospital morbidity, like that on annual rates of notifiable diseases, provides some indication of the health care needs toward which the manpower and facilities of the health care sector are being directed. Care must be exercised in interpreting changes from 1967 and 1968 to 1969 and later years since the former data are classified according to the 7th Revision of the International Classification of Diseases Adapted (ICDA) and the latter according to the 8th Revision of the ICDA. Similar information for males and females taken separately and for the 188 diagnostic subcategories of the 8th ICDA, namely the Canadian List, are also available. Selected data are available back to 1960.

Detailed information on patients treated, medical services rendered, and rates and costs per patient by diagnostic group has been assembled for the province of Saskatchewan in 1971 and is presented in *Medical Services and Associated Diagnosis, Saskatchewan, 1971*, (Catalogue 82-533), a joint publication of Statistics Canada and the Saskatchewan Medical Care Insurance Commission.

With regard to the numbers of actual services rendered, some data are available in Statistics Canada publications, *Surgical Procedures and Treatments*, (Catalogue 82-208), and *Surgical Procedures and Treatments, 1968*, (Catalogue 82-529).

#### **Footnotes**

<sup>1</sup> In some instances these services may be provided by other departments.

<sup>2</sup> Includes ambulance service and office of the medical staff.

<sup>3</sup> Definitions or components of departments for all years are based on information given for 1973, in the "Hospital Statistics" publications. Differences in organization have resulted in changes in department names and components. Because of this it was necessary to extract components and to recombine them in order to be comparable with information given in 1973. It was decided to list, for the years in which department names and components were changed, 1973 department names and their historical components, in order to give a better understanding of how the figures were arrived at. Prior to 1969 an expense under the name of "Other Non-Departmental Expenses", which is now included in "General Services" under "General Administration" and "Plant Operation, Hospital Security and Plant Maintenance", was listed separately under "General Services". This expense was also called "Other Revenue Fund Expense".

<sup>4</sup> These are separate departments but have been combined for purposes of consistence with tabular presentations.



**Series B1-14. Live births, crude birth rate, age-specific fertility rates, gross reproduction rate and percentage of births in hospital, Canada, 1921 to 1974**

(all fertility rates based on live births per thousand women for the specified group)

Year	Live births			Crude birth rate <sup>3</sup>	Fertility rates by age of mother <sup>1</sup>							Total fertility rate <sup>1</sup>	Net reproduction rate (per thousand women) <sup>1</sup>	Percentage of births occurring in hospital <sup>4</sup>
	Total number	Number illegitimate <sup>2</sup>	Percentage illegitimate <sup>2</sup>		15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years			
	1	2	3	4	5	6	7	8	9	10	11	12	13	14
1974	350,650	..	..	15.4	35.3	113.1	131.1	66.4	23.0	5.5	0.4	1,875	886	99.7
1973	343,373	31,005	9.0	15.5	37.2	117.7	131.6	67.1	25.7	6.4	0.4	1,931	909	99.6
1972	347,319	31,257	9.0	15.9	38.5	119.8	137.1	72.1	28.9	7.8	0.6	2,024	953	99.6
1971	362,187	32,693	9.0	16.8	40.1	134.4	142.0	77.3	33.6	9.4	0.6	2,187	1,029	99.6
1970	371,988	35,588	9.6	17.5	42.8	143.3	147.2	81.8	39.0	11.3	0.9	2,331	1,099	99.6
1969	369,647	34,041	9.2	17.6	42.2	147.7	149.8	85.0	42.6	12.5	1.1	2,405	1,136	99.5
1968	364,310	32,629	9.0	17.6	43.0	152.6	148.7	86.3	44.8	13.8	1.4	2,453	1,150	99.5
1967	370,894	30,915	8.3	18.2	45.2	161.4	152.6	91.8	50.9	15.9	1.5	2,597	1,224	99.4
1966	387,710	29,391	7.6	19.4	48.2	169.1	163.5	103.3	57.5	19.1	1.7	2,812	1,322	99.2
1965	418,595	28,078	6.7	21.3	49.3	188.6	181.9	119.4	65.9	22.0	2.0	3,145	1,476	99.0
1964	452,915	26,556	5.9	23.5	50.2	212.8	203.1	134.9	72.0	25.1	2.1	3,502	1,644	98.7
1963	465,767	24,458	5.3	24.6	53.1	226.0	210.6	140.3	75.8	25.9	2.1	3,669	1,718	98.3
1962	469,693	22,443	4.8	25.3	55.0	231.6	214.6	143.1	77.1	27.6	2.1	3,756	1,759	97.8
1961	475,700	21,490	4.5	26.1	58.2	233.6	219.2	144.9	81.1	28.5	2.4	3,840	1,795	96.9
1960	478,551	20,413	4.3	26.8	59.8	233.5	224.4	146.2	84.2	28.5	2.4	3,895	1,893	94.6
1959	479,275	20,221	4.2	27.4	60.4	233.8	226.7	147.7	87.3	28.5	2.7	3,935	1,915	93.1
1958	470,118	19,027	4.0	27.5	59.2	226.5	223.3	147.9	87.6	28.9	2.7	3,880	1,886	91.7
1957	469,093	18,629	4.0	28.2	60.2	227.1	224.1	149.4	90.7	30.7	2.8	3,925	1,907	90.2
1956	450,739	17,510	3.9	28.0	55.9	222.2	220.1	150.3	89.6	30.8	2.9	3,858	1,874	88.4
1955	442,937	17,034	3.8	28.2	54.2	218.3	215.1	153.8	89.8	32.3	2.9	3,831	1,863	86.5
1954	436,198	16,947	3.9	28.5	54.3	217.4	213.2	156.5	88.5	32.4	3.2	3,828	1,861	84.6
1953	417,884	16,064	3.8	28.1	52.0	208.2	208.4	153.2	88.1	31.2	2.9	3,721	1,812	83.4
1952	403,559	15,174	3.8	27.9	50.4	201.0	205.2	150.7	87.4	30.7	2.8	3,641	1,763	81.4
1951	381,092	14,537	3.8	27.2	48.1	188.7	198.8	144.5	86.5	30.9	3.1	3,503	1,701	79.1
1950	372,009	14,510	3.9	27.1	46.0	181.3	200.6	141.3	87.9	30.8	3.0	3,455	1,678	76.0
1949	367,092	14,390	3.9	27.3	45.2	181.5	201.2	139.7	88.8	31.5	3.2	3,456	1,678	74.3
1948	359,860	15,302	4.3	27.3	43.2	181.1	197.6	141.4	89.0	32.6	3.3	3,441	1,676	72.3
1947	372,589	14,912	4.0	28.9	42.6	189.1	206.4	150.5	93.1	34.1	3.3	3,595	1,753	71.0
1946	343,504	14,102	4.1	27.2	36.5	169.6	191.4	146.0	93.1	34.5	3.8	3,374	1,640	67.6
1945	300,587	13,394	4.5	24.3	31.6	143.3	166.8	134.3	90.3	33.5	3.7	3,018	1,462	63.2
1944	293,967	12,409	4.2	24.0	31.3	143.3	168.7	134.1	88.1	33.0	3.4	3,010	1,457	61.0
1943	292,943	11,944	4.1	24.2	32.1	146.8	175.4	131.9	86.5	31.9	3.5	3,041	1,478	54.7
1942	281,569	11,531	4.1	23.5	32.0	145.1	168.7	128.0	83.0	32.3	3.6	2,964	1,434	53.7
1941	263,993	10,430	4.0	22.4	30.7	138.4	159.8	122.3	80.0	31.6	3.7	2,832	1,377	48.9
1940	252,577	9,822	3.9	21.6	29.3	130.3	152.6	122.8	81.7	32.7	3.7	2,766	1,348	45.3
1939	237,991	9,346	3.9	20.6	27.2	119.7	144.0	120.4	83.0	32.6	3.9	2,654	1,294	41.7
1938	237,091	9,452	4.0	20.7	26.9	121.2	145.3	123.9	84.8	34.0	4.1	2,701	1,314	39.4
1937	227,869	8,843	3.9	20.1	25.6	113.6	142.2	123.4	85.3	34.7	4.2	2,646	1,286	36.4
1936	227,980	8,917	3.9	20.3	25.7	112.1	144.3	126.5	90.0	36.3	4.4	2,696	1,310	34.5
1935	228,396	8,527	3.7	20.5	26.5	112.5	148.5	128.6	92.6	37.3	4.9	2,755	1,346	32.3
1934	228,296	8,321	3.6	20.7	26.2	113.1	151.2	133.1	93.0	39.2	4.9	2,803	1,368	30.0
1933	229,791	8,644	3.8	21.0	27.4	117.8	155.6	132.8	94.9	39.3	5.1	2,864	1,394	28.5
1932	242,698	8,655	3.6	22.5	28.7	129.6	168.3	140.6	100.5	43.7	5.5	3,084	1,499	27.5
1931	247,205	8,543	3.5	23.2	29.9	137.1	175.1	145.3	103.1	44.0	5.5	3,200	1,555	26.8
1930	250,335	8,255	3.3	23.9	30.5	143.0	176.0	148.0	106.7	46.6	5.5	3,282	1,599	26.6
1929	242,226	7,670	3.2	23.5	30.3	139.9	172.5	144.2	104.8	46.2	5.4	3,217	1,565	24.5
1928	243,616	7,436	3.1	24.1	30.2	140.3	172.8	149.9	111.0	48.8	5.9	3,294	1,604	21.5
1927	241,149	6,865	2.8	24.3	29.6	140.0	173.6	151.2	113.8	49.4	6.2	3,319	1,609	19.3
1926	240,015	6,307	2.6	24.7	29.0	139.9	177.4	153.8	114.6	50.7	6.0	3,357	1,628	17.8
1925	249,365	4,201 <sup>5</sup>	2.6 <sup>5</sup>	26.1	-	-	-	-	-	-	-	-	-	-
1924	251,351	3,848 <sup>5</sup>	2.3 <sup>5</sup>	26.7	-	-	-	-	-	-	-	-	-	-
1923	247,404 <sup>6</sup>	3,556 <sup>5</sup>	2.2 <sup>5</sup>	26.7 <sup>3</sup>	-	-	-	-	-	-	-	-	-	-
1922	259,825 <sup>6</sup>	3,515 <sup>5</sup>	2.1 <sup>5</sup>	28.3 <sup>3</sup>	-	-	-	-	-	-	-	-	-	-
1921	264,879 <sup>6</sup>	3,334 <sup>5</sup>	2.0 <sup>5</sup>	29.3 <sup>3</sup>	-	-	-	-	-	-	-	-	-	-

<sup>1</sup> Data for the Yukon Territory and the Northwest Territories not available prior to 1950; Newfoundland excluded throughout.

<sup>2</sup> Excludes the Yukon Territory and the Northwest Territories prior to 1950.

<sup>3</sup> Number of live births per thousand population; excludes the Yukon Territory and the Northwest Territories, 1921 to 1923.

<sup>4</sup> Excluding the province of Newfoundland; excludes the Yukon Territory and the Northwest Territories, 1926 to 1949.

<sup>5</sup> Excluding the province of Quebec, 1921 to 1925; excluding Newfoundland, 1921.

<sup>6</sup> Excludes the Yukon Territory and the Northwest Territories.

**Series B15-22. Total number of deaths, crude and standardized death rates by sex, natural increase and rate, Canada, 1921 to 1974**  
(all rates are per thousand population)

Year	Total number of deaths	Crude death rates			Standardized death rates <sup>1</sup>		Natural increase	
		Male <sup>1</sup>	Female <sup>1</sup>	Both sexes	Male	Female	Number	Rate
	15	16	17	18	19	20	21	22
1974	166,794	8.6	6.2	7.4	8.4	5.0	178,851	8.0
1973	164,039	8.6	6.2	7.4	8.5	5.1	179,334	8.1
1972	162,413	8.7	6.2	7.4	8.6	5.2	184,906	8.5
1971	157,272	8.5	6.1	7.3	8.4	5.2	204,915	9.5
1970	155,961	8.5	6.1	7.3	8.5	5.4	216,027	10.1
1969	154,477	8.6	6.1	7.4	8.6	5.5	215,170	10.3
1968	153,196	8.6	6.2	7.4	8.7	5.6	211,114	10.2
1967	150,283	8.6	6.1	7.4	8.7	5.6	220,611	10.8
1966	149,863	8.7	6.2	7.5	8.8	5.7	237,847	11.9
1965	148,939	8.8	6.3	7.6	8.8	5.9	269,656	13.7
1964	145,850	8.8	6.3	7.6	8.8	5.9	307,065	15.9
1963	147,367	9.0	6.5	7.8	9.0	6.2	318,400	16.8
1962	143,699	8.9	6.5	7.7	8.9	6.2	325,994	17.6
1961	140,985	9.0	6.5	7.7	9.0	6.3	334,715	18.4
1960	139,693	9.0	6.6	7.8	9.1	6.4	338,858	19.0
1959	139,913	9.2	6.8	8.0	9.3	6.7	339,362	19.4
1958	135,201	9.1	6.7	7.9	9.3	6.6	334,917	19.6
1957	136,579	9.5	6.9	8.2	9.6	6.9	332,514	20.0
1956	131,961	9.4	7.0	8.2	9.4	7.0	318,778	19.8
1955	128,476	9.4	6.9	8.2	9.4	6.9	314,461	20.0
1954	124,855	9.3	7.0	8.2	9.3	7.0	311,343	20.3
1953	127,791	9.8	7.4	8.6	9.8	7.5	290,093	19.5
1952	126,385	10.0	7.5	8.7	9.9	7.6	277,174	19.2
1951	125,823	10.1	7.8	9.0	10.0	8.0	255,269	18.2
1950	124,220	10.1	7.9	9.1	10.1	8.1	247,789	18.0
1949	124,567	10.3	8.1	9.3	10.3	8.3	242,525	18.0
1948	122,974	10.4	8.3	9.3	10.4	8.5	236,886	18.0
1947	121,503	10.4	8.3	9.4	10.6	8.7	251,086	19.5
1946	118,785	10.3	8.4	9.4	10.7	9.0	224,719	17.8
1945	117,325	10.3	8.5	9.5	10.9	9.2	183,262	14.8
1944	120,393	10.5	8.9	9.8	11.3	9.7	173,574	14.2
1943	122,640	10.9	9.2	10.1	11.8	10.1	170,303	14.1
1942	117,110	10.6	8.8	9.8	11.6	9.8	164,459	13.7
1941	118,797	10.8	9.1	10.1	12.0	10.3	145,196	12.3
1940	114,717	10.5	9.0	9.8	11.8	10.2	137,860	11.8
1939	112,729	10.4	9.0	9.7	11.8	10.4	125,262	10.9
1938	110,647	10.3	8.9	9.7	11.8	10.4	126,444	11.0
1937	118,019	10.9	9.7	10.4	12.7	11.4	109,850	9.7
1936	111,111	10.2	9.3	9.9	12.0	11.0	116,869	10.4
1935	109,724	10.2	9.2	9.9	12.1	11.0	118,672	10.6
1934	105,277	10.0	8.9	9.5	11.9	10.8	123,019	11.2
1933	105,603	10.0	9.2	9.7	12.0	11.2	124,188	11.3
1932	108,161	10.3	9.5	10.0	12.5	11.6	134,537	12.5
1931	108,446	10.5	9.6	10.2	12.7	11.7	138,759	13.0
1930	113,283	11.2	10.2	10.8	13.5	12.4	137,052	13.1
1929	117,622	11.8	10.8	11.4	14.3	13.3	124,604	12.1
1928	113,176	11.6	10.6	11.2	14.0	13.0	130,440	12.9
1927	109,104	11.4	10.4	11.0	13.8	12.7	132,045	13.3
1926	111,055	11.9	10.9	11.4	14.3	13.4	128,960	13.3
1925	102,528	10.3	9.5	10.7	12.5	11.7	146,837	15.4
1924	102,820	10.3	9.6	10.9	12.6	11.9	148,531	15.8
1923	108,858 <sup>2</sup>	11.0	10.4	11.8 <sup>2</sup>	13.5	12.9	138,546 <sup>2</sup>	14.9 <sup>2</sup>
1922	106,068 <sup>2</sup>	11.0	10.3	11.6 <sup>2</sup>	13.4	12.6	153,757 <sup>2</sup>	16.7 <sup>2</sup>
1921	104,531 <sup>2</sup>	10.9	10.2	11.6 <sup>2</sup>	13.3	12.4	160,348 <sup>2</sup>	17.7 <sup>2</sup>

<sup>1</sup> Excluding the province of Quebec for 1921 to 1925, Newfoundland for 1921 to 1948 and the Yukon Territory and the Northwest Territories for 1921 to 1949.

<sup>2</sup> Excluding the Yukon Territory and the Northwest Territories.

**Series B23-34. Average age-specific death rates, both sexes, Canada, for five-year periods, 1921 to 1974**

(per thousand population)

Period <sup>1</sup>	All ages	0 years	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
	<b>23</b>	<b>24</b>	<b>25</b>	<b>26</b>	<b>27</b>	<b>28</b>	<b>29</b>	<b>30</b>	<b>31</b>	<b>32</b>	<b>33</b>	<b>34</b>
1974	7.4	15.0	0.8	0.4	1.2	1.1	2.2	5.7	13.6	31.6	74.1	177.5
1973	7.4	15.5	0.8	0.4	1.2	1.1	2.3	5.6	13.9	31.1	75.0	179.0
1972	7.4	17.1	0.9	0.4	1.2	1.2	2.3	5.6	13.7	32.1	75.4	178.8
1971	7.3	17.5	0.8	0.4	1.1	1.1	2.3	5.6	13.5	31.3	75.4	177.3
1966-70	7.4	20.8	0.9	0.5	1.0	1.2	2.3	5.7	14.2	33.0	78.6	187.9
1961-65	7.7	25.9	1.1	0.5	1.0	1.2	2.3	5.9	14.7	34.7	84.0	196.8
1960	7.8	28.3	1.2	0.5	1.0	1.2	2.3	6.0	15.0	35.5	86.8	207.4
1959	8.0	29.6	1.2	0.6	1.0	1.3	2.3	6.0	15.2	36.7	89.1	211.3
1956-60	8.0	31.3	1.3	0.5	1.0	1.3	2.3	6.1	15.4	36.2	88.7	208.7
1951-55	8.5	37.5	1.7	0.7	1.1	1.5	2.6	6.6	15.9	36.9	90.6	213.1
1946-50 <sup>1</sup>	9.3	49.0	2.4	0.9	1.5	1.8	3.2	7.2	16.7	39.3	93.6	213.5
1941-45	9.8	61.0	3.6	1.2	1.9	2.4	3.8	7.7	17.3	41.1	102.0	233.0
1936-40	9.8	70.8	5.0	1.5	2.2	2.9	4.4	8.0	17.7	42.2	103.2	227.5
1931-35	9.8	<u>80.7</u>	<u>5.5</u>	1.5	2.5	3.4	4.7	8.2	17.7	42.1	103.2	225.2
1926-30	11.1	26.7		2.2	3.3	4.0	5.5	8.7	18.3	44.7	109.6	255.1
1921-25 <sup>1</sup>	10.3	23.5		2.2	3.1	3.9	5.2	8.2	17.6	43.2	105.7	243.5

<sup>1</sup> Excluding Quebec, 1921 to 1925; Newfoundland, 1921 to 1948; and the Yukon Territory and the Northwest Territories, 1921 to 1949.

**Series B35-50. Average annual number of deaths and death rates for leading causes of death, Canada, for five-year periods, 1921 to 1974**

(all rates are per 100,000 population)

Period <sup>1</sup>	Cardiovascular renal diseases, 330-4, 400-68, 592-4 <sup>1</sup>		Cancer, 140-205 <sup>1</sup>		Accidents, 800-962 <sup>1</sup>		Tuberculosis, 001-019 <sup>1</sup>		Diseases of early infancy, <sup>2</sup> 760-76 <sup>1</sup>		Influenza, bronchitis and pneumonia, <sup>2</sup> 480-3, 490-3, 500-2, 763 <sup>1</sup>		Gastritis, duodenitis, enteritis and colitis, 543, 571, 572 <sup>1</sup>		Communicable diseases, <sup>3</sup> 055, 056, 085, 050, 040, 041 <sup>1</sup>	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
1974	82,651	368.2	33,751	150.4	12,945	57.7	330	1.5	–	–	7,171	31.9	686	3.1	29	0.1
1973	80,849	365.9	33,069	149.7	13,167	59.6	408	1.8	–	–	7,352	33.3	716	3.2	18	0.1
1972	80,372	368.3	32,265	147.9	12,825	58.8	453	2.1	–	–	7,592	34.8	747	3.4	4	–
1971	78,395	363.5	31,036	143.9	12,031	55.8	447	2.1	–	–	7,393	34.3	685	3.2	25	0.1
1966-70	77,103	372.9	28,718	138.9	11,526	55.7	602	2.9	–	–	7,601	36.8	702	3.4	49	0.2
1961-65	73,653	388.9	24,987	131.9	10,304	54.4	735	3.9	–	–	7,205	38.0	835	4.4	111	0.6
1960	70,754	395.9	23,181	129.7	9,403	52.6	823	4.6	7,085	39.6	7,223	40.4	974	5.5	149	0.8
1959	70,152	401.3	22,243	127.2	9,439	54.0	959	5.5	7,453	42.6	8,227	47.1	995	5.7	145	0.8
1956-60	68,083	399.9	21,895	128.6	9,385	55.1	1,050	6.2	7,527	44.2	7,652	44.9	964	5.7	195	1.1
1951-55	61,522	414.0	19,120	128.7	8,531	57.4	2,175	14.6	7,355	49.5	6,816	45.9	1,152	7.8	376	2.5
1946-50 <sup>4</sup>	53,466	413.0	16,737	129.3	7,624	58.9	4,803	37.1	7,543	58.3	7,159	55.3	1,840	14.2	639	4.9
1941-45	47,498	403.3	14,521	123.3	7,139	60.6	5,898	50.1	6,740	57.2	8,139	69.1	2,261	19.2	1,145	9.7
1936-40	37,617	337.6	12,682	113.8	6,225	55.9	6,265	56.2	6,708	60.2	10,864	97.5	2,690	24.1	1,733	15.6
1931-35	31,559	297.5	10,699	100.9	5,555	52.4	6,950	65.5	7,900	74.5	10,674	100.6	3,757	35.4	1,888	17.8
1926-30	26,818	273.1	8,638	88.0	5,772	58.8	7,884	80.3	9,597	97.7	13,138	133.8	5,387	54.9	3,436	35.0
1921-25	20,008	221.9	6,848	75.9	4,643	51.5	7,671	85.1	10,009 <sup>5</sup>	111.0 <sup>5</sup>	12,772	141.1	6,514	72.2	4,251	47.1

<sup>1</sup> Numbers refer to categories of the International Statistical Classification of Diseases, Injuries and Causes of Death (Seventh Revision), although these may not be strictly comparable over the period for some diseases.

<sup>2</sup> Pneumonia of the newborn included in both 'diseases of early infancy' and 'influenza, bronchitis and pneumonia' for all years (except for the province of Quebec, 1921 to 1925).

<sup>3</sup> Includes diphtheria, whooping cough, measles, scarlet fever, typhoid fever.

<sup>4</sup> Newfoundland included in 1949 and following years. The Yukon Territory and the Northwest Territories included in 1950 and following years.

<sup>5</sup> Excludes pneumonia of the newborn for the province of Quebec.

**Series B51-58. Stillbirths and rate, infant deaths and rate by sex, neonatal death rate and maternal mortality rate, Canada, 1921 to 1974**

(all rates are per thousand live births)

Year	Stillbirths <sup>1</sup>		Infant deaths (under one year of age)				Neonatal death rate <sup>3</sup>	Maternal mortality
	Number	Rate	Number	Infant death rates				
				Male <sup>2</sup>	Female <sup>2</sup>	Both sexes		
51	52	53	54	55	56	57	58	
1974	2,766	8.0	5,192	17	13	15	10	0.1
1973	2,866	8.3	5,339	17	14	16	11	0.1
1972	3,046	8.8	5,938	19	15	17	12	0.2
1971	3,396	9.4	6,356	20	15	18	12	0.2
1970	3,687	9.9	7,001	21	16	19	14	0.2
1969	3,694	10.0	7,149	22	17	19	14	0.2
1968	3,926	10.8	7,583	23	19	21	15	0.3
1967	4,248	11.5	8,151	24	20	22	15	0.2
1966	4,429	11.4	8,960	26	20	23	16	0.4
1965	4,847	11.6	9,862	26	21	24	16	0.3
1964	5,520	12.2	11,169	28	21	25	17	0.3
1963	5,732	12.3	12,270	30	23	26	18	0.4
1962	5,882	12.5	12,941	31	24	28	19	0.4
1961	6,019	12.7	12,940	31	24	27	18	0.5
1960	6,471	13.5	13,077	31	24	27	18	0.4
1959	6,560 <sup>1</sup>	13.7 <sup>1</sup>	13,595	32	25	28	18	0.5
1958	6,726	14.3	14,178	34	26	30	19	0.6
1957	6,837	14.6	14,517	34	27	31	20	0.5
1956	6,976	15.5	14,399	35	29	32	20	0.6
1955	6,918	15.6	13,884	35	27	31	19	0.8
1954	7,231	16.6	13,934	36	28	32	19	0.7
1953	6,991	16.7	14,859	40	31	36	21	0.8
1952	7,277	18.0	15,408	43	34	38	23	0.9
1951	7,023	18.4	14,673	43	34	39	23	1.1
1950	7,192	19.3	15,441	46	37	42	24	1.1
1949	7,285	19.8	15,935	48 <sup>2</sup>	38 <sup>2</sup>	43	24 <sup>3</sup>	1.5
1948	7,071	19.6	15,965	49	39	44	26	1.5
1947	7,646	20.5	17,229	52	40	46	27	1.6
1946	7,368	21.4	16,407	53	42	48	27	1.8
1945	6,884	22.9	15,779	57	47	52	29	2.3
1944	6,895	23.5	16,541	62	50	56	30	2.8
1943	6,988	23.9	16,117	61	49	55	30	2.9
1942	7,319	26.0	15,585	61	49	55	28	3.1
1941	7,091	26.9	16,117	68	53	61	31	3.6
1940	6,810	27.0	14,542	64	51	58	30	4.0
1939	6,515	27.4	14,607	69	53	61	31	4.3
1938	6,595	27.8	15,233	71	57	64	32	4.3
1937	6,433	28.2	17,628	86	68	77	34	4.9
1936	6,531	28.6	15,442	75	60	68	34	5.6
1935	6,594	28.9	16,549	81	63	72	35	4.9
1934	6,613	29.0	16,603	81	64	73	36	5.3
1933	6,988	30.4	17,022	83	65	74	37	5.0
1932	7,396	30.5	18,098	83	66	75	38	5.0
1931	7,778	31.5	21,269	96	76	86	42	5.1
1930	7,847	31.3	22,677	100	81	91	43	5.8
1929	7,720	31.9	22,501	103	82	93	44 <sup>3</sup>	5.7
1928	7,673	31.5	21,979	100	80	90	44	5.6
1927	7,464	31.0	22,784	105	84	95	45	5.5
1926	7,245	30.2	24,377	113 <sup>2</sup>	90 <sup>2</sup>	102	48	5.6 <sup>4</sup>
1925	8,176	32.8	23,128	87 <sup>2</sup>	70 <sup>2</sup>	93	41 <sup>3</sup>	4.9 <sup>4</sup>
1924	8,401	33.4	23,602	86	71	94	42	5.3 <sup>4</sup>
1923	8,425	34.1	25,571 <sup>4</sup>	98	77	103 <sup>4</sup>	44	5.0 <sup>4</sup>
1922	8,536	32.9	26,399 <sup>4</sup>	97	76	102 <sup>4</sup>	44	5.1 <sup>4</sup>
1921	9,089	34.3	27,051 <sup>4</sup>	98	77	102 <sup>4</sup>	43	4.7 <sup>4</sup>

<sup>1</sup> See the note to series B51-52 for definition of stillbirth in text. Beginning in 1959, some provinces reduced the gestation period to 20 weeks and broadened the definition of 'live' by giving specific criteria. Excludes the Yukon Territory and the Northwest Territories in 1921 to 1926.

<sup>2</sup> Quebec is excluded for 1921 to 1925; Newfoundland for 1921 to 1926; and the Yukon Territory and the Northwest Territories for 1921 to 1949.

<sup>3</sup> See the note to series B53-57 in text for definition. Quebec is excluded for 1921 to 1925; Newfoundland for 1921 to 1929; and the Yukon Territory and the Northwest Territories for 1921 to 1949.

<sup>4</sup> Excludes the Yukon Territory and the Northwest Territories.

**Series B59-64. Average annual infant death rates for selected causes, Canada, for five-year periods, 1931 to 1974**

*(average annual rates per 100,000 live births)*

Period <sup>1</sup>	Immaturity <sup>2</sup>	Congenital malformations and birth injuries, 750-61 <sup>3</sup>	Bronchitis and pneumonia, 490-3, 500-2, 763 <sup>3</sup>	Diarrhoea and enteritis, 571.0, 572.2, 572.3, 573, 764 <sup>3</sup>	Asphyxia and atelectasis, 762 <sup>3</sup>	Communicable diseases <sup>4</sup>
	<b>59</b>	<b>60</b>	<b>61</b>	<b>62</b>	<b>63</b>	<b>64</b>
1974	–	498	96	26	109	14
1973	–	523	113	29	124	15
1972	–	583	139	29	123	17
1971	–	584	157	25	148	19
1966-70	–	627	213	38	213	26
1961-65	–	712	328	81	292	..
1960	1,079	698	412	119	318	57
1959	1,107	740	406	129	320	64
1956-60	1,140	773	447	136	339	76
1951-55	1,159	865	522	211	332	143
1946-50 <sup>1</sup>	1,163	989	628	433	–	245
1941-45	1,167	1,092	780	625	–	449
1936-40	1,436	980	826	793	–	681
1931-35	1,647	1,002	864	1,227	–	743

<sup>1</sup> Newfoundland included for 1949 and following years. The Yukon Territory and the Northwest Territories included for 1950 and following years.

<sup>2</sup> Due to changes in classification, not strictly comparable over the period; includes all deaths involving immaturity either as the underlying cause or as a complication.

<sup>3</sup> Numbers refer to categories of the International Statistical Classification of Diseases, Injuries and Causes of Death (Seventh Revision), although these may not be strictly comparable over the period for some diseases.

<sup>4</sup> Includes measles, scarlet fever, whooping cough, diphtheria, influenza, erysipelas, acute poliomyelitis, cerebrospinal meningitis, tuberculosis and syphilis.

**Series B65-74. Life expectancy by sex, at selected ages, Canada, census years, 1871 to 1971**

Year	At birth		At age 20		At age 40		At age 60		At age 80	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
	<b>65</b>	<b>66</b>	<b>67</b>	<b>68</b>	<b>69</b>	<b>70</b>	<b>71</b>	<b>72</b>	<b>73</b>	<b>74</b>
1971	69.34	76.36	51.71	58.18	33.22	38.99	16.95	21.39	6.41	7.88
1966	68.75	75.18	51.50	57.37	33.01	38.15	16.81	20.58	6.36	7.26
1961	68.35	74.17	51.51	56.65	32.96	37.45	16.73	19.90	6.14	6.90
1956	67.61	72.92	51.19	55.80	32.74	36.69	16.54	19.34	5.89	6.75
1951	66.33	70.83	50.76	54.41	32.45	35.63	16.49	18.64	5.84	6.38
1941	62.96	66.30	49.57	51.76	31.87	33.99	16.06	17.62	5.54	6.03
1931	60.00	62.10	49.05	49.76	31.98	33.02	16.29	17.15	5.61	5.92
1921 <sup>1</sup>	–	–	49.1	49.2	32.2	33.0	16.6	17.1	6.0	6.1
1881 <sup>2</sup>	–	–	48.0	47.8	33.2	33.8	18.0	19.0	6.9	7.5
1871 <sup>2</sup>	–	–	47.9	47.3	33.4	33.6	18.2	18.2	6.8	6.5

<sup>1</sup> Includes all provinces except Quebec.

<sup>2</sup> Includes Ontario, Quebec, Nova Scotia and New Brunswick.

**Series B75-81. Number of marriages and rate, average age at marriage for brides and bridegrooms, number of divorces and rate, net family formation, Canada, 1921 to 1974**

Year	Marriages		Average age at marriage (years) <sup>1</sup>		Divorces <sup>2</sup>		Net family formation <sup>2</sup> (thousands of families)
	Number	Rate per thousand population	Brides	Bridegrooms	Number	Rate per hundred thousand population	
	75	76	77	78	79	80	81
1974	198,824	8.9	24.7	27.4	45,019	200.6	111
1973	199,064	9.0	24.8	27.3	36,704	166.1	111
1972	200,470	9.2	24.7	27.1	32,389	148.4	105
1971	191,324	8.9	24.8	27.3	29,685	137.6	100
1970	188,428	8.8	24.9	27.3	29,775	139.8	103
1969	182,183	8.7	24.9	27.3	26,093	124.2	103
1968	171,766	8.3	24.4	26.8	11,343	54.8	111
1967	165,879	8.1	24.4	26.8	11,165	54.8	117
1966	155,596	7.8	24.4	27.0	10,239	51.2	101
1965	145,519	7.4	24.5	27.2	8,974	45.7	81
1964	138,135	7.2	24.5	27.3	8,623	44.7	69
1963	131,111	6.9	24.6	27.5	7,686	40.6	60
1962	129,381	7.0	24.6	27.5	6,768	36.4	58
1961	128,475	7.0	24.7	27.7	6,563	36.0	67
1960	130,338	7.3	24.7	27.7	6,980	39.1	67
1959	132,474	7.6	24.8	27.7	6,543	37.4	67
1958	131,525	7.7	24.8	27.8	6,279	36.8	71
1957	133,186	8.0	24.9	27.8	6,688	40.3	103
1956	132,713	8.3	25.0	27.9	6,002	37.4	84
1955	128,029	8.2	25.1	28.0	6,053	38.6	74
1954	128,629	8.4	25.2	28.1	5,923	38.8	86
1953	131,034	8.8	25.3	28.2	6,160	41.6	91
1952	128,474	8.9	25.3	28.3	5,650	39.1	90
1951	128,408	9.2	25.3	28.3	5,270	37.7	93
1950	125,083	9.1	25.3	28.5	5,386	39.3	71
1949	124,087	9.2	25.4 <sup>1</sup>	28.7 <sup>1</sup>	6,052	45.1	74
1948	126,118	9.6	25.4 <sup>1</sup>	28.6 <sup>1</sup>	6,978	54.5	79 <sup>2</sup>
1947	130,400	10.1	25.3	28.6	8,213	65.6	72
1946	137,398	10.9	25.3	28.6	7,757	63.2	104
1945	111,376	9.0	25.5	29.0	5,101	42.3	50
1944	104,656	8.5	25.6	29.2	3,827	32.1	48
1943	113,827	9.4	25.4	29.0	3,398	28.9	55
1942	130,786	10.9	25.2	29.0	3,091	26.6	72
1941	124,644	10.6	25.1	28.9	2,462	21.4	68
1940	125,797	10.8	25.2	28.9	2,416	21.3	70
1939	106,266	9.2	25.1	29.0	2,073	18.4	54
1938	90,709	7.9	25.3	29.3	2,228	20.0	39
1937	89,983	7.9	25.2	29.3	1,833	16.6	39
1936	82,941	7.4	25.0	29.1	1,570	14.4	32
1935	78,908	7.1	25.0	29.0	1,431	13.2	30
1934	75,034	6.8	24.9	29.1	1,123	10.5	28
1933	65,516	6.0	24.9	29.2	931	8.8	20
1932	64,141	5.9	24.9	29.2	1,007	9.6	19
1931	68,239	6.4	24.9	29.2	700	6.8	29
1930	73,341	7.0	25.0	29.2	875	8.6	39
1929	78,977	7.7	24.9	29.1	817	8.2	48
1928	76,009	7.5	25.0	29.3	790	8.0	47
1927	71,071	7.2	25.1	29.3	748	7.8	44
1926	68,378	7.0	25.1	29.3	608	6.4	38
1925	66,378	6.9	25.3 <sup>1</sup>	29.8 <sup>1</sup>	550	5.9	31
1924	66,573	7.1	25.2	29.7	540	5.9	29
1923	67,820 <sup>3</sup>	7.3 <sup>3</sup>	25.3	29.7	505	5.6	25
1922	65,861 <sup>3</sup>	7.2 <sup>3</sup>	25.4	29.9	543	6.1	20
1921	71,254 <sup>3</sup>	7.9 <sup>3</sup>	25.5	29.9	558	6.4	37

<sup>1</sup> Excluding the province of Quebec for 1921 to 1925; Newfoundland for 1921 to 1948; and the Yukon Territory and the Northwest Territories for 1921 to 1949.

<sup>2</sup> Excluding Newfoundland for 1921 to 1948. For the definition of net family formation, see the text.

<sup>3</sup> Excluding the Yukon Territory and the Northwest Territories.



Series B82-92. Number of physicians, dentists and nurses, population per physician, dentist and nurse, number of graduates of medical and dental schools, Canada, 1871 to 1975

Year	Physicians <sup>1</sup>		Graduates of Canadian medical schools <sup>4</sup>	Number of immigrant physicians	Emigrant number of physicians <sup>5</sup>	Dentists <sup>6</sup>		Graduates of Canadian dental schools <sup>8</sup>	Nurses <sup>9</sup>		Graduates from initial Canadian nursing programs
	Number <sup>2</sup>	Population per physician <sup>3</sup>				Number <sup>7</sup>	Population per dentist <sup>3</sup>		Number <sup>10</sup>	Population per nurse <sup>3</sup>	
	82	83	84	85	86	87	88	89	90	91	92
1975	39,104	585	1,548	806	286	8,930	2,563	436	177,182	129	9,778
1974	37,297	605	1,562	1,090	222	8,679	2,600	448	168,530	134	9,899
1973	35,923	619	1,332	1,170	274	8,325	2,671	401	162,976	136	9,594
1972	34,508	636	1,280	988	439	7,981	2,749	398	156,630	140	10,083
1971	32,942	659	1,152	987	474	7,664	2,833	363	148,767	146	10,058
1970	31,166	689	1,070	1,113	240	7,413	2,873	344	141,173	151	8,625
1969	29,659	714	1,016	1,347	236	7,156	2,935	339	134,184	157	8,359
1968	28,209	740	1,016	1,277	314	6,932	2,986	306	126,712	163	7,891
1967	27,544	747	923	1,213	449	6,713	3,036	307	117,614	173	7,522
1966	26,528	763	888	995	393	6,532	3,064	296	109,513	182	7,387
1965	25,481	779	835	792	380	6,396	3,071	290	104,349	189	7,360
1964	24,847	785	787	668	440	6,218	3,102	253	88,558	220	7,261
1963	24,082	795	818	687	467	6,103	3,102	260	80,670	237	6,935
1962	23,248	808	817	530	280	5,999	3,098	225	76,183	246	6,394
1961	21,290	857	834	445	287	5,906	3,088	174	70,647	258	6,188
1960	20,517	879	863	441	245	5,780	3,018	215	68,502	255	5,483
1959	19,800	893	859	439	210	5,753	2,963	193	64,666	264	5,710
1958	19,096	905	828	394	218	5,564	2,981	203	60,864	273	5,244
1957	18,523	920	893	635	256	5,481	2,934	186	59,419	271	5,034
1956	17,871	928	816	415	151	5,416	2,898	168	54,518	288	4,866
1955	17,221	934	894	333	128	5,354	2,855	174	50,131	305	4,995
1954	16,431	955	896	311	116	5,298	2,802	172	47,775 <sup>11</sup>	303 <sup>11</sup>	5,055
1953	15,829	960	825	402	130	5,215	2,773	178	43,880	321	4,753
1952	15,135	968	783	293	186	5,071	2,763	215	43,924	311	4,434
1951	14,325	976	858	166	173	4,912	2,792	295	41,088	325	4,349
1950	—	—	791	68	260	4,627	2,906	306	41,159	318	4,068
1949	13,873	969	679	78	—	4,549 <sup>11</sup>	2,819 <sup>11</sup>	180	38,292	335	—
1948	13,373 <sup>11</sup>	959 <sup>11</sup>	632	95	—	4,601	2,728	99	37,917	331	—
1947	13,263 <sup>12</sup>	945 <sup>12</sup>	567	81	—	4,602	2,671	149	34,929	352	—
1946	—	—	513	56	—	—	—	102	33,348	362	—
1945	—	—	769	—	—	—	—	116	31,389	381	—
1944	—	—	523	—	—	—	—	140	31,087	379	—
1943	11,620	1,014	496	—	—	—	—	166	29,595	394	—
1942	—	—	539	—	—	—	—	120	27,853	413	—
1941	11,873	968	562	—	—	4,210 <sup>12</sup>	2,729 <sup>12</sup>	97	25,826	441	—
1940	—	—	606	—	—	—	—	117	—	—	—
1939	—	—	—	—	—	—	—	115	—	—	—
1931	10,020	1,034	482	—	—	4,039	2,566	—	20,462 <sup>12</sup>	506 <sup>12</sup>	—
1921	8,706	1,008	406	—	—	3,158	2,779	—	21,385 <sup>13</sup>	410 <sup>13</sup>	—
1911	7,411	970	351	—	—	2,183	3,294	—	5,600	1,284	—
1901	5,442	978	—	—	—	1,310	4,064	—	280	19,014	—
1891	4,448	1,065	—	—	—	753	6,290	—	—	—	—
1881	3,507	1,217	—	—	—	510	8,369	—	—	—	—
1871 <sup>14</sup>	2,792	1,249	—	—	—	319	10,928	—	—	—	—

<sup>1</sup> Active civilian; census figures for 1941 and earlier years.

<sup>2</sup> As of September for 1949 and 1948; July for 1947; March for 1943; June for other years up to 1967; 31 December for 1968 to 1975.

<sup>3</sup> Based on census data and Statistics Canada intercensal estimates of population; for dentists, 1947 to 1975, and nurses, 1941 to 1970, population is for June of previous year and from 1971 to 1975 it is 31 December of the same year.

<sup>4</sup> Number of schools producing graduates increased from eight in 1911 to nine in 1925; 10 in 1951; 11 in 1954; 12 in 1957 and to 16 in 1970.

<sup>5</sup> Physicians emigrating to the United States; fiscal year data.

<sup>6</sup> Registered dentists for 1947 to 1975; census figures for 1941 and earlier years; includes active service personnel for 1941 and later years.

<sup>7</sup> As of January for 1947 to 1968; June for 1969 to 1973; and 31 December for 1974 to 1975.

<sup>8</sup> Schools producing graduates totalled five prior to 1961, but had reached 10 in number by 1972.

<sup>9</sup> Registered nurses for 1941 to 1975; census figures for 1931 (graduate nurses) and earlier years ('nurses').

<sup>10</sup> As of January for 1941 to 1973; June for earlier years; and 31 December for 1974 to 1975.

<sup>11</sup> Excludes Newfoundland for this and earlier years.

<sup>12</sup> Excludes the Yukon Territory and the Northwest Territories for this and earlier years.

<sup>13</sup> Includes nurses-in-training.

<sup>14</sup> Provinces of Nova Scotia, New Brunswick, Quebec and Ontario.

Series B93-140. Operating and reporting hospitals, by type and service, Canada, 1932 to 1975

Year	Public											
	All hospitals		Total general and allied special		General, including paediatric		Allied special		Mental		Tuberculosis	
	Operating	Reporting	Operating	Reporting	Operating	Reporting	Operating	Reporting	Operating	Reporting	Operating	Reporting
	93	94	95	96	97	98	99	100	101	102	103	104
1975	1,163	1,154	1,043	1,041	865	864	178	177	114	107	6	6
1974	1,158	1,148	1,043	1,040	868	866	175	174	108	102	7	6
1973	1,171	1,162	1,049	1,047	868	866	181	181	110	104	12	11
1972	1,175	1,168	1,051	1,049	870	869	181	180	111	106	13	13
1971	1,176	1,174	1,043	1,043	867	867	176	176	110	108	23	23
1970	1,173	1,170	1,039	1,038	866	865	173	173	107	105	27	27
1969 <sup>3</sup>	1,180	1,176	1,040	1,038	871	869	169	169	108	106	32	32
1968	1,181	1,179	1,043	1,043	881	881	162	162	104	102	34	34
1967	1,173	1,169	1,036	1,035	874	873	162	162	100	97	37	37
1966	1,164	1,162	1,027	1,027	869	869	158	158	99	97	38	38
1965	1,149	1,147	1,011	1,009	852	850	159	159	96	96	42	42
1964	1,129	1,126	996	996	845	845	151	151	91	88	42	42
1963	1,098	1,090	976	975	838	838	138	137	83	76	39	39
1962	1,086	1,071	964	956	832	830	132	126	79	72	43	43
1961	1,076	1,068	946	946	856	856	90	90	80	72	50	50
1960 <sup>4</sup>	1,059	1,044	936	925	852	844	84	81	70	67	53	52
1959	1,085	1,059	963	940	855	846	108	94	69	69	53	50
1958	1,080	1,044	957	922	848	833	109	89	71	71	52	51
1957	1,046	1,020	920	894	833	820	87	74	72	72	54	54
1956	1,035	998	909	872	821	796	88	76	71	71	55	55
1955	1,028	983	896	858	808	781	88	77	74	70	58	55
1954	1,008	946	870	817	794	762	76	55	76	73	62	56
1953 <sup>7</sup>	990	939	855	810	782	751	73	59	73	69	62	60
1952	924	899	795	777	730	721	65	56	67	66	62	56
1951 <sup>10</sup>	905	879	780	778	—	707	—	71	63	44	62	57
1950	892	834	770	741	—	692	—	49	62	39	60	54
1949	859	809	743	719	—	617	—	102	59	38	57	52
1948	785	774	688	678	—	588	—	90	55	55	42	41
1947	769	752	669	653	—	567	—	86	56	55	44	44
1946	718	695	618	595	—	514	—	81	56	56	44	44
1945	711	681	617	587	—	507	—	80	54	54	40	40
1944	702 <sup>e</sup>	680	608	586	—	509	—	77	54	54	40	40
1943	689	687	596	594	512	512	84	82	54	54	39	39
1942	688	684	597	594	511	511	86	83	54	54	37	36
1941	691 <sup>e</sup>	685	598	592	507	507	91	85	54	54	39	39
1940	700 <sup>e</sup>	680	607	587	500	500	107	87	54	54	39	39
1939	699	680	607	588	497	497	110	91	53	53	39	39
1938	700 <sup>e</sup>	700	610	610	496 <sup>e</sup>	496	114	114	51	51	39	39
1937 <sup>13</sup>	673 <sup>e</sup>	673	584	584	480	480	104	104	51	51	38	38
1936	661 <sup>e</sup>	661	573	573	474	474	99	99	51	51	37	37
1935	658	658	572	572	470	470	102	102	50	50	36	36
1934	652	651	568	568	463	463	105	105	50	49	34	34
1933	658	656	572	571	467	466	105	105	52	51	34	34
1932	643	633	555	547	470	462	85	85	54	52	34	34

## Series B93-140. Operating and reporting hospitals, by type and service, Canada, 1932 to 1975 (continued)

Year	Private											
	All hospitals		Total general and allied special		General		Allied special		Mental		Tuberculosis	
	Operating	Reporting	Operating	Reporting	Operating	Reporting	Operating	Reporting	Operating	Reporting	Operating	Reporting
	105	106	107	108	109	110	111	112	113	114	115	116
1975	101	100	90	89	9	9	81	80	11	11	—	—
1974	111	107	99	95	11	10	88	85	12	12	—	—
1973	115	113	103	101	12	11	91	90	12	12	—	—
1972 <sup>2</sup>	124	120	112	108	15	12	97	96	12	12	—	—
1971	137	132	125	120	24	21	101	99	12	12	—	—
1970	148	144	136	132	35	31	101	101	12	12	—	—
1969 <sup>3</sup>	156	151	144	139	41	37	103	102	12	12	—	—
1968	164	159	153	148	44	41	109	107	11	11	—	—
1967	173	169	165	161	52	49	113	112	8	8	—	—
1966	181	177	172	168	52	50	120	118	9	9	—	—
1965	197	195	187	185	62	60	125	125	9	9	1	1
1964	207	205	197	196	65	64	132	132	9	9	1	—
1963	209	204	199	96	70	68	129	128	9	8	1	—
1962	215	197	206	190	68	57	138	133	8	7	1	—
1961	214	159	204	152	86	59	118	93	9	7	1	—
1960 <sup>4</sup>	200	158	192	152	85	62	107	90	7	6	1	—
1959	336	237	331	232	93	68	238	164	5	5	—	—
1958	269	210	264	205	81	55	183	150	5	5	—	—
1957 <sup>5</sup>	314	237	309	232	86	63	223	169	5	5	—	—
1956	271	209	266	204	84	65	182	139	4	4	1	1
1955	280	180	275	175	98	55	177	120	4	4	1	1
1954	266	172	263	169	—	62	—	107	2	2	1	1
1953 <sup>7</sup>	241 <sup>8</sup>	148 <sup>8</sup>	236 <sup>8</sup>	143 <sup>8</sup>	—	52 <sup>8</sup>	—	91 <sup>8</sup>	4	4	1	1
1952	250	194	243	187	—	61	—	126	6	6	1	1
1951	—	225	—	220	—	—	—	—	5	4	1	1
1950	235	229	230	225	—	—	—	—	4	3	1	1
1949	255	198	251	194	—	—	—	—	3	3	1	1
1948	236	212	233	209	—	—	—	—	2	2	1	1
1947	228	215	225	212	—	—	—	—	2	2	1	1
1946	255	238	252	235	—	—	—	—	2	2	1	1
1945	255	238	251	234	—	—	—	—	3	3	1	1
1944	271	271	267	267	—	—	—	—	3	3	1	1
1943	269	267	265	263	—	—	—	—	3	3	1	1
1942	291	291	287	287	—	—	—	—	3	3	1	1
1941	327	327	322	322	—	—	—	—	4	4	1	1
1940	298	297	293	292	—	—	—	—	4	4	1	1
1939	281	281	276	276	—	—	—	—	4	4	1	1
1938	272	272	267	267	—	—	—	—	4	4	1	1
1937 <sup>13</sup>	248	246	243	241	—	—	—	—	4	4	1	1
1936	264	264	259	259	—	—	—	—	4	4	1	1
1935	272	272	267	267	—	—	—	—	4	4	1	1
1934	269	269	261	261	—	—	—	—	6	6	2	2
1933 <sup>14</sup>	238	238	230	230	—	—	—	—	6	6	2	2
1932	218	214	212	208	—	—	—	—	4	4	2	2

Series B93-140. Operating and reporting hospitals, by type and service, Canada, 1932 to 1975 (continued)

Year	Federal											
	All hospitals <sup>1</sup>		Total general and allied special <sup>1</sup>		General <sup>1</sup>		Allied special <sup>1</sup>		Mental		Tuberculosis	
	Operating	Reporting	Operating	Reporting	Operating	Reporting	Operating	Reporting	Operating	Reporting	Operating	Reporting
	117	118	119	120	121	122	123	124	125	126	127	128
1975	107	94	107	94	26	24	81	70	-	-	-	-
1974	99	90	99	90	26	24	73	66	-	-	-	-
1973	100	94	100	94	27	25	73	69	-	-	-	-
1972	97	91	97	91	26	25	71	66	-	-	-	-
1971	94	90	94	90	26	26	68	64	-	-	-	-
1970	87	82	87	82	26	25	61	57	-	-	-	-
1969	77	71	77	71	25	25	52	46	-	-	-	-
1968	74	71	73	70	25	24	48	46	-	-	1	1
1967	77	74	76	73	28	28	48	45	-	-	1	1
1966	76	73	74	71	27	27	47	44	-	-	2	2
1965	87	86	85	84	41	41	44	43	-	-	2	2
1964	78	78	76	76	32	32	44	44	-	-	2	2
1963	77	74	75	72	35	35	40	37	-	-	2	2
1962	84	70	80	66	37	36	43	30	-	-	4	4
1961	85	74	80	69	76	66	4	3	-	-	5	5
1960	94	79	86	71	82	69	4	2	2	2	6	6
1959	60	54	53	47	44	44	9	3	2	2	5	5
1958	51	49	44	42	35	33	9	9	2	2	5	5
1957	52	50	44	42	35	33	9	9	2	2	6	6
1956	62	52	54	44	45	35	9	9	2	2	6	6
1955	62	53	55	46	46	37	9	9	- <sup>6</sup>	- <sup>6</sup>	7	7
1954	61	53	51	44	41	37	10	7	2	2	8	7
1953 <sup>7</sup>	57	56	46	46	-	40	-	6	2	2	9	8
1952 <sup>9</sup>	59	52	47	42	-	40	-	2	2	2	10	8
1951	-	88	-	78	-	67	-	11	2	2	10	8
1950	85	77	73	67	-	54	-	13	2	2	10	8
1949	94	85	81	76	-	57	-	19	2	2	11	7
1948	82	74	68	66	-	44	-	22	2	2	12	6
1947	83	74	71	66	-	45	-	21	2	2	10	6
1946	78	73	70	66	-	43	-	23	2	2	6	5
1945	136	21 <sup>11</sup>	130	15 <sup>11</sup>	-	-	-	-	2	2	4	4
1944	98	17 <sup>11</sup>	93	13 <sup>11</sup>	-	10 <sup>11</sup>	-	3 <sup>11</sup>	2	2	3	2
1943	17	17 <sup>11</sup>	13	13 <sup>11</sup>	-	7 <sup>11</sup>	-	6 <sup>11</sup>	2	2	3	2
1942	16	16 <sup>11</sup>	13	13 <sup>11</sup>	-	7 <sup>11</sup>	-	6 <sup>11</sup>	2	2	2	1
1941	21	21 <sup>11</sup>	18	18 <sup>11</sup>	-	-	-	-	2	2	2	1
1940	194	194	191	191	-	-	-	-	2	2	1	1
1939 <sup>12</sup>	127	84	124	81	-	-	-	-	2	2	1	1
1938	34	32	32	30	-	-	-	-	2	2	-	-
1937	34	32	32	30	-	-	-	-	2	2	-	-
1936	34	32	32	30	-	-	-	-	2	2	-	-
1935	34	33	32	31	-	-	-	-	2	2	-	-
1934	34	32	32	30	-	-	-	-	2	2	-	-
1933	34	32	32	30	-	-	-	-	2	2	-	-
1932	35	35	33	33	-	-	-	-	2	2	-	-

Series B93-140. Operating and reporting hospitals, by type and service, Canada, 1932 to 1975 (concluded)

Year	Total											
	All hospitals		Total general and allied special		General, including paediatric		Allied special		Mental		Tuberculosis	
	Operating	Reporting	Operating	Reporting	Operating	Reporting	Operating	Reporting	Operating	Reporting	Operating	Reporting
	129	130	131	132	133	134	135	136	137	138	139	140
1975	1,371	1,348	1,240	1,224	900	897	340	327	125	118	6	6
1974	1,368	1,345	1,241	1,225	905	900	336	325	120	114	7	6
1973	1,386	1,369	1,252	1,242	907	902	345	340	122	116	12	11
1972	1,396	1,379	1,260	1,248	911	906	349	342	123	118	13	13
1971	1,407	1,396	1,262	1,253	917	914	345	339	122	120	23	23
1970	1,408	1,396	1,262	1,252	927	921	335	331	119	117	27	27
1969	1,413	1,398	1,261	1,248	937	931	324	317	120	118	32	32
1968	1,419	1,409	1,269	1,261	950	946	319	315	115	113	35	35
1967	1,423	1,412	1,277	1,269	954	950	323	319	108	105	38	38
1966	1,421	1,412	1,273	1,266	948	946	325	320	108	106	40	40
1965	1,433	1,428	1,283	1,278	955	951	328	327	105	105	45	45
1964	1,414	1,409	1,269	1,268	942	941	327	327	100	97	45	44
1963	1,384	1,368	1,250	1,243	943	941	307	302	92	84	42	41
1962	1,385	1,338	1,250	1,212	937	923	313	289	87	79	48	47
1961	1,375	1,301	1,230	1,167	1,018	981	212	186	89	79	56	55
1960	1,353	1,281	1,214	1,148	1,019	975	195	173	79	75	60	58
1959	1,481	1,350	1,347	1,219	992	958	355	261	76	76	58	55
1958	1,400	1,303	1,265	1,169	964	921	301	248	78	78	57	56
1957	1,412	1,307	1,273	1,168	954	916	319	252	79	79	60	60
1956	1,368	1,259	1,229	1,120	950	896	279	224	77	77	62	62
1955	1,370	1,216	1,226	1,079	952	873	274	206	78	74	66	63
1954	1,335	1,173	1,184	1,032	-	863	-	169	80	77	71	64
1953 <sup>7</sup>	1,288	1,143	1,137	999	-	842	-	157	79	75	72	69
1952 <sup>9</sup>	1,233	1,145	1,085	1,006	-	822	-	184	75	72	73	67
1951	-	1,192	-	1,076	-	-	-	-	70	50	-	66
1950	1,212	1,140	1,073	1,033	-	-	-	-	68	44	71	63
1949	1,208	1,092	1,075	989	-	-	-	-	64	43	69	60
1948	1,103	1,060	989	953	-	-	-	-	59	59	55	48
1947	1,080	1,041	965	931	-	-	-	-	60	59	55	51
1946	1,051	1,006	940	896	-	-	-	-	60	60	51	50
1945	1,102	940	998	836	-	-	-	-	59	59	45	45
1944	1,071	968	968	866	-	-	-	-	59	59	44	43
1943	972	971	870	870	-	-	-	-	59	59	43	42
1942	993	991	894	894	-	-	-	-	59	59	40	38
1941	1,034	1,033	932	932	-	-	-	-	60	60	42	41
1940	1,171	1,171	1,070	1,070	-	-	-	-	60	60	41	41
1939 <sup>12</sup>	1,107	1,045	1,007	945	-	-	-	-	59	59	41	41
1938	1,006	1,004	909	907	-	-	-	-	57	57	40	40
1937	955	951	859	855	-	-	-	-	57	57	39	39
1936	959	957	864	862	-	-	-	-	57	57	38	38
1935	964	964	871	870	-	-	-	-	56	56	37	37
1934	955	955	861	859	-	-	-	-	58	57	36	36
1933	930	926	834	831	-	-	-	-	60	59	36	36
1932	896	882	800	788	-	-	-	-	60	58	36	36

<sup>1</sup> Federal hospitals include such facilities as aid stations and base hospitals. This fact could explain in part the irregular fluctuations of operating and reporting hospitals.

<sup>2</sup> Private hospitals decreased due to provincial government concern about duplication of services.

<sup>3</sup> Reorganized hospital classification structure.

<sup>4</sup> Reclassification of hospitals resulted in 36 hospitals being reclassified to related institutions (nursing stations, homes for the aged, etc.).

<sup>5</sup> The increase in private hospitals is mainly due to an increase of 30 private hospitals in Quebec. However, 56 of Quebec's private hospitals did not report.

<sup>6</sup> The two mental hospitals were differently classified for this year only.

<sup>7</sup> Introduction of Newfoundland into national statistics.

<sup>8</sup> Only 39 of 101 private hospitals in Quebec reported; only 60 per cent of overall reported data for private hospitals.

<sup>9</sup> Reclassification of federal hospitals to avoid overlap with tuberculosis report; drop in Department of National Defence hospitals from 40 down to 8.

<sup>10</sup> Includes 23 incurables in public hospitals.

<sup>11</sup> Includes only Indian health services hospitals of Department of National Health and Welfare.

<sup>12</sup> Expansion of federal government hospitals for Department of National Defence from 9 to 67 hospitals.

<sup>13</sup> Tuberculosis is a separate report.

<sup>14</sup> Forty-three new private hospitals opened while 19 closed.

Series B141-188. Rated bed capacity in reporting hospitals, Canada, 1932 to 1975

Year	Public											
	All hospitals		Total general and allied special		General, including paediatric		Allied special		Mental		Tuberculosis	
	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity
	141	142	143	144	145	146	147	148	149	150	151	152
1975	1,154	197,601	1,041	151,761	864	128,509	177	23,252	107	45,489	6	351
1974	1,148	194,827	1,040	147,113	866	126,419	174	20,694	102	47,278	6	436
1973	1,162	194,652	1,047	142,011	866	120,988	181	21,023	104	51,644	11	997
1972	1,168	195,140	1,049	140,704	869	120,356	180	20,348	106	53,018	13	1,418
1971	1,174	197,224	1,043	138,280	867	118,470	176	19,810	108	56,084	23	2,860
1970	1,170	198,405	1,038	135,867	865	115,961	173	19,151	105	59,237	27	3,301
1969	1,176	197,244	1,038	132,293	869	114,022	169	18,271	106	61,232	32	3,719
1968	1,179	197,319	1,043	129,856	881	111,886	162	17,970	102	63,355	34	4,108
1967	1,169	194,189	1,035	126,082	873	108,403	162	17,679	97	63,652	37	4,455
1966	1,162	191,681	1,027	122,315	869	105,501	158	16,814	97	64,535	38	4,831
1965	1,147	187,780	1,009	116,981	850	110,562	159	16,419	96	65,249	42	5,550
1964	1,126	184,896	996	114,545	845	98,825	151	15,720	88	64,368	42	5,983
1963	1,090	179,633	975	111,105	838	95,029	137	16,076	76	60,497	39	8,031
1962	1,071	175,880	956	101,558	830	88,320	126	13,238	72	67,446	43	9,254
1961	1,068	177,269	946	100,506	856	88,625	90	11,881	72	66,606	50	10,157
1960	1,044	168,863	925	96,594	844	85,427	81	11,167	67	61,662	52	10,607
1959	1,059	167,719	940	97,610	846	83,916	94	13,694	69	59,022	50	11,087
1958	1,044	162,334	922	93,271	833	80,123	89	13,148	71	57,032	51	12,031
1957	1,020	155,728	894	88,158	820	77,372	74	10,786	72	54,367	54	13,203
1956	998	154,593	872	86,018	796	75,384	76	10,634	71	54,994	55	13,581
1955	983	150,392	858	82,330	781	71,699	77	10,631	70	54,327	55	13,735
1954	946	141,406	817	75,478	762	66,081	55	9,397	73	51,986	56	13,942
1953 <sup>2</sup>	939	134,663	810	70,223	751	62,102	59	8,121	69	49,290	60	15,150
1952	899	128,103	777	68,033	721	59,816	56	8,217	66	46,417	56	13,653
1951	879	126,775	778	68,674	707	58,732	71	9,942	44	44,205	57	13,896
1950	834	118,404	741	61,415	692	56,172	49 <sup>3</sup>	5,243 <sup>3</sup>	39	43,250	54	13,739
1949	809	112,906	719	57,885	617	52,310	102	5,575	38	42,395	52	12,626
1948	774	110,611	678	55,899	588	50,909	90	4,990	55	44,277	41	10,435
1947	752	108,726	653	54,075	567	49,139	86	4,936	55	43,789	44	10,862
1946	695	107,385	595	53,068	514	47,561	81	5,507	56	44,176	44	10,141
1945	681	105,060	587	51,670	507	46,169	80	5,501	54	43,678	40	9,712
1944	680	102,443	586	51,593	509	46,452	77	5,141	54	41,044	40	9,806
1943	687	101,046	594	50,544	512	44,749	82	5,795	54	40,912	39	9,590
1942	684	98,883	594	49,559	511	43,620	83	5,939	54	40,571	36	8,753
1941	685	97,525	592	50,070	507	44,130	85	5,940	54	38,800	39	8,655
1940	680	96,199	587	49,238	500	43,305	87	5,933	54	38,421	39	8,540
1939	680	95,423	588	48,414	497	42,318	91	6,096	53	38,276	39	8,733
1938	700	95,297	610	50,074	496	40,998	114	9,076	51	37,527	39	7,696
1937	–	–	584	48,345	480	39,711	104	8,634	51	36,654	–	–
1936	661	91,366	573	47,657	474	39,847	99	7,810	51	36,237	37	7,472
1935	658	79,122	572	46,879	470	38,927	102	7,952	50	24,839	36	7,404
1934	651	86,938	568	45,936	463	38,069	105	7,867	49	33,759	34	7,243
1933	656	84,512	571	45,027	466	37,608	105	7,419	51	32,255	34	7,230
1932	633	77,808	547	38,685	462	35,054	85	3,631	52	31,973	34	7,150

Series B141-188. Rated bed capacity in reporting hospitals, Canada, 1932 to 1975 (continued)

Year	Private											
	All hospitals		Total general and allied special		General		Allied special		Mental		Tuberculosis	
	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity
	153	154	155	156	157	158	159	160	161	162	163	164
1975	100	4,814	89	3,882	9	346	80	3,536	11	932	—	—
1974	107	4,833	95	3,831	10	361	85	3,470	12	1,002	—	—
1973	113	5,052	101	4,054	11	437	90	3,617	12	998	—	—
1972	120	5,802	108	4,833	12	446	96	4,387	12	969	—	—
1971	132	5,907	120	4,973	21	658	99	4,315	12	934	—	—
1970	144	6,125	132	5,189	31	953	101	4,196	12	936	—	—
1969	151	6,065	139	5,094	37	1,044	102	4,050	12	971	—	—
1968	159	6,226	148	5,356	41	1,420	107	3,936	11	870	—	—
1967	169	6,410	161	5,634	49	1,651	112	3,983	8	776	—	—
1966	177	6,391	168	5,688	50	1,718	118	3,970	9	703	—	—
1965	195	6,657	185	5,953	60	1,918	125	4,035	9	679	1	25
1964	205	6,295	196	5,661	64	2,027	132	3,634	9	634	—	—
1963	204	6,199	196	5,607	68	2,084	128	3,523	8	592	—	—
1962	197	5,515	190	5,050	57	1,585	133 <sup>1</sup>	3,465 <sup>1</sup>	7	465	—	—
1961	159	4,397	152	3,932	59	1,515	93	2,417	7	465	—	—
1960	158	4,067	152	3,652	62	1,488	90	2,164	6	415	—	—
1959	237	5,823	232	5,417	68	1,636	164	3,781	5	406	—	—
1958	210	5,114	205	4,721	55	1,211	150	3,510	5	393	—	—
1957	237	5,364	232	4,883	63	1,470	169	3,413	5	481	—	—
1956	209	4,581	204	4,138	65	1,335	139	2,803	4	428	1	15
1955	180	3,977	175	3,525	55	1,067	120	2,458	4	431	1	21
1954	172	3,781	169	3,465	62	1,180	107	2,285	2	295	1	21
1953 <sup>2</sup>	148	3,341	143	2,891	52	836	91	2,055	4	435	1	15
1952	194	3,922	187	3,351	61	1,112	126	2,239	6	559	1	12
1951	225	4,429	220	3,997	—	—	—	—	4	420	1	12
1950	229	4,398	225	3,955	—	—	—	—	3	431	1	12
1949	198	3,568	194	3,225	—	—	—	—	3	331	1	12
1948	212	3,645	209	3,350	—	—	—	—	2	280	1	15
1947	215	3,537	212	3,259	—	—	—	—	2	266	1	12
1946	238	3,608	235	3,356	—	—	—	—	2	240	1	12
1945	238	3,678	234	3,380	—	—	—	—	3	286	1	12
1944	271	4,977	267	4,579	—	—	—	—	3	386	1	12
1943	267	4,636	263	4,251	—	—	—	—	3	373	1	12
1942	291	4,000	287	3,761	—	—	—	—	3	223	1	16
1941	327	4,503	322	3,957	—	—	—	—	4	530	1	16
1940	297	3,738	292	3,480	—	—	—	—	4	242	1	16
1939	281	3,493	276	3,234	—	—	—	—	4	243	1	16
1938	272	3,017	267	2,704	—	—	—	—	4	297	1	16
1937	—	—	241	2,811	—	—	—	—	4	297	—	—
1936	—	—	259	2,860	—	—	—	—	4	295	—	—
1935	—	—	267	2,818	—	—	—	—	4	295	—	—
1934	—	—	261	2,919	—	—	—	—	6	306	—	—
1933	—	—	230	2,740	—	—	—	—	6	344	—	—
1932	214	2,267	208	1,895	—	—	—	—	4	306	2	66

Series B141-188. Rated bed capacity in reporting hospitals, Canada, 1932 to 1975 (continued)

Year	Federal											
	All hospitals		Total general and allied special		General		Allied special		Mental		Tuberculosis	
	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity
	165	166	167	168	169	170	171	172	173	174	175	176
1975	94	5,930	94	5,930	24	4,476	70	1,454	—	—	—	—
1974	90	5,946	90	5,946	24	4,576	66	1,370	—	—	—	—
1973	94	7,406	94	7,406	25	6,012	69	1,394	—	—	—	—
1972	91	7,422	91	7,422	25	6,053	66	1,369	—	—	—	—
1971	90	7,843	90	7,843	26	6,461	64	1,382	—	—	—	—
1970	82	7,754	82	7,754	25	6,388	57	1,308	—	—	—	—
1969	71	8,037	71	8,037	25	6,773	46	1,264	—	—	—	—
1968	71	8,323	70	8,173	24	6,868	46	1,305	—	—	1	150
1967	74	8,804	73	8,654	28	7,374	45	1,280	—	—	1	150
1966	73	9,125	71	8,788	27	7,348	44	1,440	—	—	2	337
1965	86	11,333	84	10,996	41	9,554	43	1,442	—	—	2	337
1964	78	11,455	76	11,113	32	9,665	44	1,448	—	—	2	342
1963	74	11,816	72	11,181	35	9,693	37	1,488	—	—	2	635
1962	70	11,621	66	10,659	36	9,332	30	1,327	—	—	4	962
1961	74	11,273	69	10,091	66	8,702	3	1,389	—	—	5	1,182
1960	79	13,309	71	10,583	69	10,404	2	179	2	1,371	6	1,355
1959	54	11,986	47	9,709	44	9,523	3	186	2	1,354	5	923
1958	49	13,820	42	11,458	33	10,886	9	572	2	1,375	5	987
1957	50	14,130	42	11,586	33	11,072	9	514	2	1,471	6	1,073
1956	52	15,200	44	11,793	35	11,137	9	656	2	2,325	6	1,082
1955	53	13,485	46	12,211	37	11,390	9	821	—	—	7	1,274
1954	53	14,686	44	12,004	37	11,696	7	308	2	1,471	7	1,211
1953 <sup>2</sup>	56	14,236	46	11,549	40	11,241	6	308	2	1,471	8	1,216
1952	52	14,007	42	11,326	40	11,092	2	234	2	1,471	8	1,210
1951	88	14,746	78	11,992	67	10,919	11	1,073	2	1,471	8	1,283
1950	77	14,414	67	11,826	54	10,365	13	1,461	2	1,398	8	1,190
1949	85	14,436	76	12,071	57	10,089	19	1,982	2	1,329	7	1,036
1948	74	13,484	66	11,410	44	9,448	22	1,962	2	1,125	6	949
1947	74	13,250	66	11,237	45	9,319	21	1,918	2	1,125	6	888
1946	73	13,533	66	11,748	43	9,454	23	2,294	2	1,207	5	578
1945	21 <sup>4</sup>	2,016 <sup>4</sup>	15 <sup>4</sup>	485 <sup>4</sup>	—	—	—	—	2	1,160	4	371
1944	17 <sup>4</sup>	1,603 <sup>4</sup>	13 <sup>4</sup>	235 <sup>4</sup>	10 <sup>4</sup>	196 <sup>4</sup>	3 <sup>4</sup>	39 <sup>4</sup>	2	1,070	2	298
1943	17 <sup>4</sup>	1,468 <sup>4</sup>	13 <sup>4</sup>	167 <sup>4</sup>	7 <sup>4</sup>	101 <sup>4</sup>	6 <sup>4</sup>	66 <sup>4</sup>	2	989	2	312
1942	16 <sup>4</sup>	1,432 <sup>4</sup>	13 <sup>4</sup>	139 <sup>4</sup>	7 <sup>4</sup>	97 <sup>4</sup>	6 <sup>4</sup>	42 <sup>4</sup>	2	968	1	325
1941	21 <sup>4</sup>	1,513 <sup>4</sup>	18 <sup>4</sup>	492 <sup>4</sup>	—	—	—	—	2	785	1	236
1940	194	10,337	191	9,554	—	—	—	—	2	751	1	32
1939	84	3,881	—	—	—	—	—	—	2	747	—	—
1938	32	3,398	30	2,575	—	—	—	—	2	823	—	—
1937	32	3,418	30	2,571	—	—	—	—	2	847	—	—
1936	32	3,393	30	2,551	—	—	—	—	2	842	—	—
1935	33	3,418	31	2,565	—	—	—	—	2	853	—	—
1934	32	2,222	30	1,369	—	—	—	—	2	853	—	—
1933	32	2,538	30	1,563	—	—	—	—	2	975	—	—
1932	35	3,427	33	2,477	—	—	—	—	2	950	—	—



Series B141-188. Rated bed capacity in reporting hospitals, Canada, 1932 to 1975 (concluded)

Year	Total											
	All hospitals		Total general and allied special		General, including paediatric		Allied special		Mental		Tuberculosis	
	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity	Reporting	Rated bed capacity
	177	178	179	180	181	182	183	184	185	186	187	188
1975	1,348	208,345	1,224	161,573	897	133,331	327	28,242	118	46,421	6	351
1974	1,345	205,606	1,225	156,890	900	131,356	325	25,534	114	48,280	6	436
1973	1,369	207,110	1,242	153,471	902	127,437	340	26,034	116	52,642	11	997
1972	1,379	208,364	1,248	152,959	906	126,855	342	26,104	118	53,987	13	1,418
1971	1,396	210,974	1,253	151,096	914	125,589	339	25,507	120	57,018	23	2,860
1970	1,396	212,284	1,252	148,810	921	123,302	331	24,655	117	60,173	27	3,301
1969	1,398	211,346	1,248	145,424	931	121,839	317	23,585	118	62,203	32	3,719
1968	1,409	211,868	1,261	143,385	946	120,174	315	23,211	113	64,225	35	4,258
1967	1,412	209,403	1,269	140,370	950	117,428	319	22,942	105	64,428	38	4,605
1966	1,412	207,197	1,266	136,791	946	114,567	320	22,224	106	65,238	40	5,168
1965	1,428	205,770	1,278	133,930	951	112,034	327	21,896	105	65,928	45	5,912
1964	1,409	202,646	1,268	131,319	941	110,517	327	20,802	97	65,002	44	6,325
1963	1,368	197,648	1,243	127,893	941	106,806	302	21,087	84	61,089	41	8,666
1962	1,338	193,016	1,212	121,131	923	102,916	289	18,215	79	61,669	47	10,216
1961	1,301	192,939	1,167	114,529	981	98,842	186	15,687	79	67,071	55	11,339
1960	1,281	186,239	1,148	110,829	975	97,319	173	13,510	75	63,448	58	11,962
1959	1,350	185,528	1,219	112,736	958	95,075	261	17,661	76	60,782	55	12,010
1958	1,303	181,268	1,169	109,450	921	92,220	248	17,230	78	58,800	56	13,018
1957	1,307	175,222	1,168	104,627	916	89,914	252	14,713	79	56,319	60	14,276
1956	1,259	174,374	1,120	101,949	896	87,856	224	14,093	77	57,747	62	14,678
1955	1,216	167,786	1,079	98,066	873	84,156	206	13,910	74	54,758	63	14,962
1954	1,173	159,873	1,032	90,947	863	78,957	169	11,990	77	53,752	64	15,174
1953 <sup>2</sup>	1,143	152,240	999	84,663	842	74,179	157	10,484	75	31,196	69	16,381
1952	1,145	146,032	1,006	82,710	822	72,020	184	10,690	72	48,447	67	14,875
1951	1,192	145,950	1,076	84,663	—	—	—	—	50	46,096	66	15,191
1950	1,140	137,216	1,033	77,196	—	—	—	—	44	45,079	63	14,941
1949	1,092	130,910	989	73,181	—	—	—	—	43	44,055	60	13,674
1948	1,060	127,740	953	70,659	—	—	—	—	59	45,682	48	11,399
1947	1,041	125,513	931	68,571	—	—	—	—	59	45,180	51	11,762
1946	1,006	124,526	896	68,172	—	—	—	—	60	45,623	50	10,731
1945	940	110,754	836	55,535	—	—	—	—	59	45,124	45	10,095
1944	968	109,023	866	56,407	—	—	—	—	59	42,500	43	10,116
1943	971	107,150	870	54,962	—	—	—	—	59	42,274	42	9,914
1942	991	104,315	894	53,459	—	—	—	—	59	41,762	38	9,094
1941	1,033	103,541	932	54,519	—	—	—	—	60	40,115	41	8,907
1940	1,171	110,274	1,070	62,272	—	—	—	—	60	39,414	41	8,588
1939	1,045	102,797	—	—	—	—	—	—	59	39,266	—	—
1938	1,004	101,712	907	55,353	—	—	—	—	57	38,647	40	7,712
1937	—	—	855	53,727	—	—	—	—	57	37,798	—	—
1936	—	—	862	53,068	—	—	—	—	57	37,374	—	—
1935	—	—	870	52,262	—	—	—	—	56	25,987	—	—
1934	—	—	859	50,224	—	—	—	—	57	34,918	—	—
1933	—	—	831	49,330	—	—	—	—	59	33,574	—	—
1932	882	83,502	788	43,057	—	—	—	—	58	33,229	36	7,216

<sup>1</sup> Includes 45 nursing homes temporarily approved by the Ontario Hospital Services Commission.

<sup>2</sup> Introduction of Newfoundland in national statistics.

<sup>3</sup> Red Cross hospitals previously under allied special are now under general.

<sup>4</sup> Includes only Indian health services.

Series B189-236. Patient-days (adult and children) in reporting hospitals, Canada, 1932 to 1975

Year	Public											
	All hospitals		Total general and allied special		General, including paediatric		Allied special		Mental		Tuberculosis	
	Reporting	Patient-days	Reporting	Patient-days	Reporting	Patient-days	Reporting	Patient-days	Reporting	Patient-days	Reporting	Patient-days
	189	190	191	192	193	194	195	196	197	198	199	200
1975	1,152	57,714,669	1,039	42,844,899	864	35,270,191	175	7,574,708	107	14,761,013	6	108,757
1974	1,145	57,419,029	1,037	41,758,504	865	34,980,581	172	6,777,923	102	15,547,115	6	113,410
1973	1,160	58,113,361	1,045	40,757,455	866	33,955,357	179	6,802,098	104	17,118,841	11	237,065
1972	1,168	58,749,541	1,049	40,521,589	869	33,896,615	180	6,624,974	106	17,928,613	13	299,339
1971	1,174	60,699,274	1,041	40,907,324	866	34,419,661	175	6,487,663	108	19,253,011	23	538,939
1970	1,169	60,833,453	1,037	40,040,656	864	33,722,833	173	6,317,823	105	20,112,599	27	680,198
1969	1,176	60,991,492	1,038	38,952,938	869	32,970,953	169	5,981,985	106	21,164,148	32	874,406
1968	1,177	60,853,147	1,041	38,312,318	879	32,402,654	162	5,909,664	102	21,533,497	34	1,007,332
1967	1,169	60,433,503	1,035	36,789,118	873	31,059,926	162	5,729,192	97	22,494,813	37	1,149,572
1966	1,162	60,651,671	1,027	35,905,717	869	30,576,544	158	5,329,173	96	23,535,843	38	1,210,111
1965	1,146	60,820,573	1,009	34,925,891	850	29,812,073	159	5,113,818	95	24,489,579	42	1,405,103
1964	1,126	60,643,663	996	33,995,691	845	29,241,414	151	4,754,277	88	25,059,761	42	1,588,211
1963	1,090	59,081,702	975	33,175,509	838	28,228,633	137	4,946,876	76	23,942,344	39	1,963,849
1962	1,071	57,588,508	956	31,595,855	830	27,344,396	126	4,251,459	72	23,626,910	43	2,365,743
1961	1,048	57,165,360	926	29,900,834	841	26,160,051	85	3,740,783	72	24,646,914	50	2,617,612
1960	1,044	56,158,350	925	28,980,106	844	25,257,143	81	3,722,963	67	24,199,750	52	2,978,494
1959	1,055	55,589,740	936	28,668,039	842	24,333,060	94	4,334,979	69	23,789,871	50	3,131,830
1958	1,044	54,626,077	922	27,270,087	833	23,267,730	89	4,002,357	71	23,942,562	51	3,413,428
1957	1,020	53,075,144	894	25,794,298	820	22,441,322	74	3,352,976	72	23,393,648	54	3,887,198
1956	998	52,365,312	872	24,855,330	796	21,712,949	76	3,142,381	71	23,269,402	55	4,240,580
1955	983	50,878,276	858	23,655,377	781	20,429,995	77	3,225,382	70	22,824,487	55	4,398,412
1954	-	-	817	21,978,256	762	19,033,664	55	2,944,592	-	-	55	4,765,751
1953 <sup>2</sup>	-	-	810	20,813,371	-	18,322,787	-	2,490,584	-	-	56	5,160,391
1952	-	-	-	20,186,443	-	17,568,587	-	2,617,851	-	-	56	4,808,365
1951	-	-	-	19,798,448	-	16,979,902	-	2,818,546	-	-	57	4,640,217
1950	-	-	-	17,373,569	-	16,071,732	-	1,311,837	-	-	52	4,670,008
1949	-	-	-	16,477,607	-	15,287,681	-	1,189,926	-	-	-	-
1948	-	-	-	15,821,293	-	14,566,514	-	1,254,779	-	-	-	-
1947	-	-	-	15,160,110	-	14,105,789	-	1,054,321	-	-	-	-
1946	-	-	-	14,827,360	-	13,538,987	-	1,288,373	-	-	-	-
1945	-	-	-	13,963,042	-	12,831,712	-	1,131,330	-	-	-	-
1944	-	-	-	13,298,090	-	12,141,957	-	1,156,133	-	-	-	-
1943	-	-	-	12,803,262	-	11,504,971	-	1,298,291	-	-	-	-
1942	-	-	-	12,170,518	-	10,861,154	-	1,309,364	-	-	-	-
1941	-	-	-	11,869,005	-	10,690,776	-	1,178,229	-	-	-	-
1940	-	-	-	11,504,063	-	10,294,961	-	1,209,102	-	-	-	-
1939	-	-	-	10,539,552	-	9,561,688	-	977,864	-	-	-	-
1938	-	-	-	12,003,676	-	9,841,206	-	2,162,470	-	-	-	-
1937	-	-	-	11,772,578	-	9,769,999	-	2,002,579	-	-	-	-
1936	-	-	-	11,726,871	-	9,921,146	-	1,805,725	-	-	-	2,483,249
1935	-	-	-	11,320,303	-	9,389,166	-	1,931,137	-	-	-	2,472,029
1934	-	-	-	10,471,459	-	8,639,491	-	1,831,968	-	-	-	2,420,671
1933	-	-	-	9,790,240	-	8,155,883	-	1,634,357	-	-	-	2,378,388
1932	-	-	547	8,782,933	462	8,155,836	85	627,097	-	-	34	2,225,202

Séries B189-236. Journées d'hospitalisation (adultes et enfants) dans les hôpitaux déclarants, Canada, 1932 à 1975 (suite)

Année	Tous hôpitaux		Total, généraux et spécialisés		Généraux, y compris pédiatriques		Spécialisés		Pour maladies mentales		Pour tuberculose	
	Déclarants	Journées d'hospitalisation	Déclarants	Journées d'hospitalisation	Déclarants	Journées d'hospitalisation	Déclarants	Journées d'hospitalisation	Déclarants	Journées d'hospitalisation	Déclarants	Journées d'hospitalisation
	201	202	203	204	205	206	207	208	209	210	211	212
<i>Privés</i>												
1975	100	1,620,345	89	1,294,006	9	97,514	80	1,196,492	11	326,339	-	-
1974	107	1,626,752	95	1,275,330	10	104,706	85	1,170,624	12	351,422	-	-
1973	113	1,718,088	101	1,366,707	11	130,375	90	1,236,332	12	351,381	-	-
1972	120	1,995,263	108	1,654,821	12	135,903	96	1,518,918	12	340,442	-	-
1971	132	2,017,174	120	1,682,035	21	195,577	99	1,486,458	12	335,139	-	-
1970	144	2,019,447	132	1,682,711	31	277,639	101	1,405,072	12	336,736	-	-
1969	149	1,968,910	137	1,630,310	37	297,223	100	1,333,087	12	338,600	-	-
1968	159	2,084,553	148	1,801,019	41	436,411	107	1,364,608	11	283,534	-	-
1967	169	2,115,757	161	1,850,800	49	514,490	112	1,336,310	8	264,957	-	-
1966	177	2,125,315	168	1,863,928	50	526,196	118	1,337,732	9	261,387	-	-
1965	195	2,091,349	185	1,838,378	60	579,308	125	1,259,070	9	252,731	1	240
1964	205	2,058,944	196	1,812,849	64	595,392	132	1,217,457	9	246,095	-	-
1963	204	1,950,040	196	1,739,519	68	593,112	128	1,146,407	8	210,521	-	-
1962	197	1,686,009	190	1,529,280	57	444,949	133 <sup>1</sup>	1,084,331 <sup>1</sup>	7	156,729	-	-
1961	149	1,218,732	142	1,063,264	55	372,105	87	691,159	7	155,468	-	-
1960	158	1,142,692	152	998,192	62	365,304	90	632,888	6	144,500	-	-
1959	237	1,730,726	232	1,599,417	68	435,220	164	1,164,197	5	131,309	-	-
1958	210	1,565,515	205	1,443,585	55	305,254	150	1,138,331	5	121,930	-	-
1957	237	1,560,262	232	1,410,249	-	-	-	-	5	150,013	-	-
1956	208	1,375,292	204	1,229,214	-	-	-	-	4	146,078	-	-
1955	179	1,080,788	175	935,189	-	-	-	-	4	145,599	-	-
1954	-	-	169	922,813	-	-	-	-	-	-	-	-
1953	-	-	143	793,135	-	-	-	-	-	-	-	-
1952	-	-	187	908,247	-	-	-	-	-	-	-	-
1951	-	-	220	983,079	-	-	-	-	-	-	-	-
1950	-	-	225	930,117	-	-	-	-	-	-	-	-
1949	-	-	194	877,054	-	-	-	-	-	-	-	-
1948	-	-	209	827,230	-	-	-	-	-	-	-	-
1947	-	-	212	828,071	-	-	-	-	-	-	-	-
1946	-	-	235	762,931	-	-	-	-	-	-	-	-
1945	-	-	234	825,882	-	-	-	-	-	-	-	-
1944	-	-	267	800,417	-	-	-	-	-	-	-	-
1943	-	-	263	748,789	-	-	-	-	-	-	-	-
1942	-	-	287	713,166	-	-	-	-	-	-	-	-
1941	-	-	322	686,135	-	-	-	-	-	-	-	-
1940	-	-	292	610,386	-	-	-	-	-	-	-	-
1939	-	-	276	519,909	-	-	-	-	-	-	-	-
1938	-	-	-	369,377	-	-	-	-	-	-	-	-
1937	-	-	-	374,897	-	-	-	-	-	-	-	-
1936	-	-	-	363,960	-	-	-	-	-	-	-	-
1935	-	-	-	358,171	-	-	-	-	-	-	-	-
1934	-	-	-	323,115	-	-	-	-	-	-	-	-
1933	-	-	-	317,950	-	-	-	-	-	-	-	-
1932	-	-	207	512,443	128	214,678	79	297,765	-	-	2	11,629



Series B189-236. Patient-days (adult and children) in reporting hospitals, Canada, 1932 to 1975 (concluded)

Year	Total											
	All hospitals		Total general and allied special		General, including paediatric		Allied special		Mental		Tuberculosis	
	Reporting	Patient-days	Reporting	Patient-days	Reporting	Patient-days	Reporting	Patient-days	Reporting	Patient-days	Reporting	Patient-days
	225	226	227	228	229	230	231	232	233	234	235	236
1975	1,343	60,730,126	1,219	45,534,017	897	36,386,860	322	9,147,157	118	15,087,352	6	108,757
1874	1,342	60,461,527	1,222	44,449,580	899	36,140,731	323	8,308,849	114	15,898,537	6	113,410
1973	1,365	61,701,549	1,238	43,994,262	902	35,590,382	336	8,403,880	116	17,470,222	11	237,065
1972	1,379	62,686,520	1,248	44,118,126	906	35,608,502	342	8,509,624	118	18,269,055	13	299,339
1971	1,392	64,746,534	1,247	44,619,445	913	36,296,797	334	8,322,648	120	19,588,150	23	538,939
1970	1,392	64,955,369	1,248	43,825,836	920	35,746,798	328	8,079,038	117	20,449,335	27	680,198
1969	1,395	65,005,490	1,245	42,628,336	930	34,946,663	315	7,681,673	118	21,502,748	32	874,406
1968	1,407	65,183,351	1,259	42,325,017	944	34,681,475	315	7,643,542	113	21,817,031	35	1,041,303
1967	1,412	64,954,428	1,269	41,008,406	950	33,574,279	319	7,434,127	105	22,759,770	38	1,186,252
1966	1,412	65,277,076	1,266	40,189,303	946	33,104,176	320	7,085,127	105	23,797,230	40	1,290,543
1965	1,427	65,938,850	1,278	39,698,834	951	32,909,900	327	6,788,934	104	24,742,310	45	1,497,706
1964	1,409	65,779,273	1,268	38,795,128	941	32,402,234	327	6,392,894	97	25,305,856	44	1,678,289
1963	1,368	64,167,021	1,243	37,884,136	941	31,370,962	302	6,513,174	84	24,152,865	41	2,130,020
1962	1,338	62,432,006	1,212	36,001,859	923	30,290,778	289	5,361,844	79	23,783,639	47	2,646,508
1961	1,270	61,432,209	1,136	33,669,190	961	28,803,015	175	4,866,175	79	24,802,382	55	2,960,637
1960	1,280	60,924,532	1,148	32,804,853	975	28,394,875	173	4,409,978	75	24,764,512	57	3,355,167
1959	1,346	60,653,945	1,215	32,862,507	954	27,320,502	261	5,542,005	76	24,372,216	55	3,419,222
1958	1,303	60,140,781	1,169	31,904,800	921	26,666,605	248	5,238,195	78	24,524,755	56	3,711,226
1957	1,307	58,232,560	1,168	30,013,628	-	-	-	-	79	24,012,098	-	4,206,834
1956	1,258	51,496,730	1,120	29,031,624	-	-	-	-	77	23,885,210	-	4,579,896
1955	1,208	55,825,793	1,071	28,107,212	-	-	-	-	74	23,644,000	-	-
1954	-	-	1,021	26,481,433	-	-	-	-	-	23,006,000	-	-
1953	-	-	-	-	-	-	-	-	-	22,081,000	-	-
1952	-	-	-	-	-	-	-	-	-	21,060,000	-	-
1951	-	-	-	-	-	-	-	-	-	20,299,000	-	-
1950	-	-	-	-	-	-	-	-	-	19,797,000	-	-
1949	-	-	-	-	-	-	-	-	-	19,292,000	-	-
1948	-	-	-	-	-	-	-	-	-	18,706,000	-	-
1947	-	-	-	-	-	-	-	-	-	18,286,000	-	-
1946	-	-	-	-	-	-	-	-	-	18,025,000	-	-
1945	-	-	-	-	-	-	-	-	-	17,642,000	-	-
1944	-	-	-	-	-	-	-	-	-	17,384,000	-	-
1943	-	-	-	-	-	-	-	-	-	17,044,000	-	-
1942	-	-	-	-	-	-	-	-	-	16,865,000	-	-
1941	-	-	-	-	-	-	-	-	-	16,525,000	-	-
1940	-	-	-	-	-	-	-	-	-	16,104,000	-	-
1939	-	-	-	-	-	-	-	-	-	15,786,000	-	-
1938	-	-	-	-	-	-	-	-	-	15,758,000	-	-
1937	-	-	-	-	-	-	-	-	-	15,036,000	-	-
1936	-	-	-	-	-	-	-	-	-	14,362,000	-	-
1935	-	-	-	-	-	-	-	-	-	13,889,000	-	-
1934	-	-	-	-	-	-	-	-	-	13,250,000	-	-
1933	-	-	-	-	-	-	-	-	-	-	-	-
1932	-	-	-	10,026,770	-	-	-	-	-	-	-	-

<sup>1</sup> Includes 45 nursing homes temporarily approved as hospitals by the Ontario Hospital Services Commission.

<sup>2</sup> Introduction of Newfoundland into national statistics.

<sup>3</sup> Excludes Department of National Defence hospitals as they did not report patient-days.

Series B237-260. Number of separations (adult and children) in reporting hospitals, Canada, 1932 to 1975

Year	Public						Private					
	All hospitals	Total general and allied special	General, including paediatric	Allied special	Mental	Tuber-culosis	All hospitals	Total general and allied special	General	Allied special	Mental	Tuber-culosis
	237	238	239	240	241	242	243	244	245	246	247	248
1975	3,760,800	3,701,473	3,616,839	84,634	58,009	1,318	27,249	24,962	12,383	12,579	2,287	—
1974	3,762,657	3,703,264	3,619,381	83,883	58,169	1,224	29,628	255,524	12,874	12,650	4,104	—
1973	3,719,819	3,652,620	3,564,442	93,178	59,840 <sup>1</sup>	2,359 <sup>1</sup>	31,327	27,565	15,385	12,180	3,762 <sup>1</sup>	—
1972	3,653,966	3,596,310	3,499,243	97,067	54,486 <sup>1</sup>	3,170 <sup>1</sup>	32,564	28,793	15,001	13,792	3,771 <sup>1</sup>	—
1971	3,615,851	3,556,442	3,461,739	94,703	54,019 <sup>1</sup>	5,390 <sup>1</sup>	38,701	34,674	20,578	14,096	4,027 <sup>1</sup>	—
1970	3,493,713	3,427,442	3,335,048	92,394	59,927 <sup>1</sup>	6,344 <sup>1</sup>	42,818	39,303	25,396	13,907	3,515 <sup>1</sup>	—
1969	3,350,586	3,284,851	3,198,308	86,543	57,981 <sup>1</sup>	7,754 <sup>1</sup>	44,653	41,136	27,853	16,283	3,517 <sup>1</sup>	—
1968	3,274,596	3,206,417	3,124,259	82,158	60,279 <sup>1</sup>	7,900 <sup>1</sup>	64,044	60,631	44,223	16,408	3,413 <sup>1</sup>	—
1967	3,150,108	3,084,105	2,997,482	86,623	57,076 <sup>1</sup>	8,927 <sup>1</sup>	72,015	68,694	52,147	16,547	3,321 <sup>1</sup>	—
1966	3,105,767	3,041,970	2,967,992	73,978	54,645 <sup>1</sup>	9,152 <sup>1</sup>	77,573	72,743	54,789	17,954	4,830 <sup>1</sup>	—
1965	3,051,747	2,988,795	2,904,327	84,468	52,713 <sup>1</sup>	10,239	87,651	83,161	66,667	16,494	4,490	—
1964	3,000,754	2,944,922	2,865,800	79,122	45,178	10,654	89,982	86,257	69,500	16,757	3,725	—
1963	2,908,089	2,856,519	2,768,623	87,896	40,307	11,261	92,558	88,632	72,310	16,322	3,926	—
1962	2,799,746	2,748,154	2,670,239	77,915	39,046	12,546	77,263	73,473	54,295	19,178	3,790	—
1961	2,706,936	2,657,984	2,598,283	59,701	34,883	14,069	66,021	62,766	49,127	13,639 <sup>2</sup>	3,255	—
1960	2,621,708	2,580,625	2,526,379	54,246	27,506	13,577	72,990	70,059	51,256	18,803	2,931	—
1959	2,528,282	2,488,900	2,436,572	52,328	25,605	13,777	76,661	73,907	53,078	20,829	2,754	—
1958	2,442,470	2,399,524	2,363,529	35,995	26,172	16,774	—	62,097	—	—	2,609	—
1957	—	2,316,558	2,282,564	33,994	—	18,937	—	60,092	—	—	—	—
1956	—	2,217,559	2,182,307	35,252	—	17,499	—	59,521	—	—	—	—
1955	—	2,083,345	2,042,774	40,571	—	17,152	—	63,413	—	—	—	—
1954	—	1,913,995	1,880,864	33,131	—	—	—	43,361	—	—	—	—
1953 <sup>5</sup>	—	1,846,841	1,810,069	36,772	—	—	—	38,052	—	—	—	—
1952	—	1,758,978	1,722,451	36,527	—	—	—	45,060	—	—	—	—
1951	—	1,677,895	1,624,715	53,180	—	—	—	51,100	—	—	—	—
1950	—	1,583,813	1,535,292	48,521	—	—	—	54,267	—	—	—	—
1949	—	1,523,712	1,461,711	62,001	—	—	—	60,852	—	—	—	—
1948	—	1,423,958	1,371,625	52,333	—	—	—	47,038	—	—	—	—
1947	—	1,347,225	1,297,813	49,412	—	—	—	46,691	—	—	—	—
1946	—	1,254,655	1,202,143	52,512	—	—	—	44,029	—	—	—	—
1945	—	1,139,916	1,094,669	45,247	—	—	—	38,379	—	—	—	—
1944	—	1,069,688	1,021,339	48,349	—	—	—	40,080	—	—	—	—
1943	—	1,005,822	954,351	51,471	—	—	—	39,630	—	—	—	—
1942	—	937,702	885,738	51,964	—	—	—	37,196	—	—	—	—
1941	—	890,187	841,274	48,913	—	—	—	36,494	—	—	—	—
1940	—	839,713	795,093	44,620	—	—	—	33,702	—	—	—	—
1939	—	760,542	719,685	40,857	—	—	—	29,103	—	—	—	—
1938	—	765,962	723,156	42,806	—	—	—	25,609	—	—	—	—
1937	—	740,574	699,657	40,917	—	—	—	29,844	—	—	—	—
1936	—	698,995	659,568	39,427	—	14,007	—	29,428	—	—	—	—
1935	—	645,023	609,501	35,522	—	13,133	—	24,617	—	—	—	—
1934	—	592,045	557,324	34,721	—	13,006	—	20,494	—	—	—	—
1933	—	550,559	521,421	29,138	—	11,171	—	19,949	—	—	—	—
1932	—	—	—	—	—	11,942 <sup>3</sup>	—	21,154 <sup>3</sup>	18,103 <sup>3</sup>	3,051 <sup>3</sup>	—	66 <sup>3</sup>

Series B237-260. Number of separations (adult and children) in reporting hospitals, Canada, 1932 to 1975 (concluded)

Year	Federal						Total					
	All hospitals	Total general and allied special	General	Allied special	Mental	Tuber- culosis	All hospitals	Total general and allied special	General, including paediatric	Allied special	Mental	Tuber- culosis
	249	250	251	252	253	254	255	256	257	258	259	260
1975	51,765	51,765	47,130	4,635	-	-	3,839,814	3,778,200	3,676,352	101,848	60,296	1,318
1974	49,813	49,813	46,184	3,629	-	-	3,842,098	3,778,601	3,678,439	100,162	62,273	1,224
1973	58,090	58,090	54,511	3,579	-	-	3,817,654	3,743,275	3,634,338	108,937	72,020	2,359
1972	60,838	60,838	57,045	3,793	-	-	3,747,368	3,685,941	3,571,289	114,652	58,257	3,170
1971	64,759	64,759	60,985	3,774	-	-	3,776,522	3,655,875	3,543,302	112,573	58,046	5,390
1970	63,410	63,410	59,990	3,420	-	-	3,599,941	3,530,155	3,420,434	109,721	63,442	6,344
1969	63,588	63,588	61,086	2,502	-	-	3,458,827	3,389,575	3,287,247	105,328	61,498	7,754
1968	60,480	60,480	57,590	2,890	-	-	3,399,120	3,327,528	3,226,072	101,456	63,692	7,900
1967	69,151	67,744	65,082	2,662	-	1,407 <sup>1</sup>	3,291,274	3,220,543	3,114,711	105,832	60,397	10,334
1966	71,453	70,849	67,820	3,029	-	1,604 <sup>1</sup>	3,254,793	3,185,562	3,090,601	94,961	59,475	9,756
1965	89,409	87,493	84,643	2,850	-	1,916 <sup>1</sup>	3,228,807	3,159,449	3,055,637	103,812	57,203	12,155
1964	85,831	85,527	82,559	2,968	-	304	3,176,567	3,116,706	3,017,859	98,847	48,903	10,958
1963	87,206	86,764	83,496	3,268	-	442	3,087,853	3,031,915	2,924,429	107,486	44,235	11,703
1962	86,970	86,238	-	-	-	732	2,963,979	2,907,865	-	-	42,836	13,278
1961	76,514	75,488	-	-	-	1,026	2,831,442	2,778,209	-	-	38,138	15,095
1960	81,597	81,833	81,524	309	-	764	2,776,295	2,732,517	2,659,159	73,358	30,437	14,341
1959	79,631	78,712	78,354	358	274	645	2,684,574	2,641,519	2,568,004	73,515	28,633	14,442
1958	-	76,488	-	-	-	1,050	2,584,714	2,538,109	-	-	28,781	17,824
1957	-	77,927	-	-	-	1,102	2,513,681	2,454,577	-	-	39,065	20,039
1956	-	82,829	-	-	-	1,046	2,415,111	2,359,909	-	-	36,657	18,545
1955	-	85,208	-	-	-	1,145	2,282,006	2,231,866	-	-	31,853	18,297
1954	-	83,475	-	-	-	-	2,091,167	2,040,831	-	-	28,803	21,533 <sup>3,4</sup>
1953 <sup>5</sup>	-	79,835	-	-	-	-	2,004,055	1,964,728	-	-	21,213	18,114
1952	-	71,458	-	-	-	-	1,914,354	1,875,496	-	-	21,284	17,574 <sup>3,4</sup>
1951	-	57,931	-	-	-	-	1,820,334	1,786,926	-	-	17,804	15,604 <sup>3,4</sup>
1950	-	56,428	-	-	-	-	1,726,642	1,694,508	-	-	16,472	15,622 <sup>3,4</sup>
1949	-	73,997	-	-	-	-	1,689,989	1,658,561	-	-	15,611	15,817 <sup>3,4</sup>
1948	-	61,895	-	-	-	-	1,563,135	1,532,891	-	-	14,156	16,088 <sup>3,4</sup>
1947	-	61,908	-	-	-	-	1,483,207	1,455,824	-	-	12,966	14,417 <sup>3,4</sup>
1946	-	-	-	-	-	-	-	-	-	-	13,715	14,230 <sup>3,4</sup>
1945	-	-	-	-	-	-	-	-	-	-	12,995	12,897 <sup>3,4</sup>
1944	-	-	-	-	-	-	-	-	-	-	12,221	11,868 <sup>3,4</sup>
1943	-	-	-	-	-	-	-	-	-	-	10,937	12,353 <sup>3,4</sup>
1942	-	-	-	-	-	-	-	-	-	-	10,771	12,054 <sup>3,4</sup>
1941	-	-	-	-	-	-	-	-	-	-	9,958	11,877 <sup>3,4</sup>
1940	-	30,087 <sup>6</sup>	-	-	-	-	-	903,500 <sup>6</sup>	-	-	10,262	11,230 <sup>3,4</sup>
1939	-	17,729 <sup>6</sup>	-	-	-	-	-	807,374 <sup>6</sup>	-	-	13,416	10,155 <sup>3,4</sup>
1938	-	14,760 <sup>6</sup>	-	-	-	-	-	806,331 <sup>6</sup>	-	-	10,369	9,423 <sup>3,4</sup>
1937	-	12,826 <sup>6</sup>	-	-	-	-	-	783,244 <sup>6</sup>	-	-	10,124	8,268 <sup>3,4</sup>
1936	-	-	-	-	-	-	-	-	-	-	10,246	-
1935	-	-	-	-	-	-	-	-	-	-	9,518	-
1934	-	-	-	-	-	-	-	-	-	-	8,630	-
1933	-	13,801 <sup>6</sup>	-	-	-	-	-	584,309 <sup>6</sup>	-	-	8,081	-
1932	-	14,214 <sup>6</sup>	-	-	-	-	-	-	-	-	7,870	-

<sup>1</sup> Figures are for operating hospitals and institutions, and include estimates.

<sup>2</sup> Certain maternity hospitals included in 1960 data were deleted in 1961, contributing to the drop in separations.

<sup>3</sup> Includes newborn separations.

<sup>4</sup> Includes tuberculosis annexes.

<sup>5</sup> Introduction of Newfoundland in national statistics.

<sup>6</sup> Includes Federal Tuberculosis Sanatoria statistics.

Series B261-284. Percentage occupancy (adult and children) in reporting hospitals by type, Canada, 1932 to 1975

Year	Public						Private					
	All hospitals	Total general and allied special	General, including paediatric	Allied special	Mental	Tuber- culosis	All hospitals	Total general and allied special	General	Allied special	Mental	Tuber- culosis
	261	262	263	264	265	266	267	268	269	270	271	272
1975	80.0	77.3	75.2	89.3	88.9	84.9	92.2	91.3	77.2	92.7	95.9	-
1974	80.7	77.8	75.8	89.7	90.1	71.3	92.2	91.2	79.5	92.4	96.1	-
1973	81.8 <sup>1</sup>	78.6 <sup>1</sup>	76.9 <sup>1</sup>	88.6 <sup>1</sup>	90.8 <sup>1</sup>	65.1	93.2 <sup>1</sup>	92.8 <sup>1</sup>	81.7 <sup>1</sup>	93.6 <sup>1</sup>	96.5	-
1972	82.5 <sup>1</sup>	78.7	77.2 <sup>1</sup>	89.2 <sup>1</sup>	92.6 <sup>1</sup>	57.7	94.2 <sup>1</sup>	93.2	83.5 <sup>1</sup>	94.9 <sup>1</sup>	96.0	-
1971	84.3 <sup>1</sup>	81.3	79.6 <sup>1</sup>	89.7 <sup>1</sup>	94.1 <sup>1</sup>	51.6	93.6 <sup>1</sup>	92.7	81.4 <sup>1</sup>	94.4 <sup>1</sup>	98.3	-
1970	84.3 <sup>1</sup>	80.9	79.7 <sup>1</sup>	90.4 <sup>1</sup>	93.0 <sup>1</sup>	55.8	90.9 <sup>1</sup>	89.2	79.8 <sup>1</sup>	91.7 <sup>1</sup>	98.6	-
1969	84.7 <sup>1</sup>	80.7	79.2 <sup>1</sup>	89.7 <sup>1</sup>	94.7 <sup>1</sup>	64.4	88.9 <sup>1</sup>	89.5	78.0 <sup>1</sup>	90.2 <sup>1</sup>	95.5	-
1968	86.4 <sup>1</sup>	81.2	79.7	91.0 <sup>1</sup>	93.2	64.2	91.7 <sup>1</sup>	91.1	84.0	95.0 <sup>1</sup>	91.6	-
1967	86.0 <sup>1</sup>	80.2	78.7	89.7 <sup>1</sup>	98.1	70.7	90.4 <sup>1</sup>	89.6	85.4	93.0 <sup>1</sup>	93.5	-
1966	88.4 <sup>1</sup>	81.4	80.4	87.8 <sup>1</sup>	100.0	68.4	90.0 <sup>1</sup>	89.3	85.6	91.1 <sup>1</sup>	101.9	-
1965	90.8 <sup>1</sup>	82.3	81.4	86.3 <sup>1</sup>	102.8	69.4	86.4 <sup>1</sup>	87.3	82.8	85.5 <sup>1</sup>	102.0	2.6
1964	89.9 <sup>1</sup>	81.1	80.8	82.6	106.4	72.2	89.6 <sup>1</sup>	86.4	80.3	91.4	106.2	-
1963	80.7 <sup>1</sup>	81.8	81.4	84.3	108.4	67.0	86.2 <sup>1</sup>	83.8	78.0	88.7	97.5	-
1962	77.6 <sup>1</sup>	82.3	81.6	86.8	105.8	70.0	65.7 <sup>1</sup>	63.3	76.9	85.7 <sup>2</sup>	92.3	-
1961	86.7 <sup>1</sup>	83.1	82.3	89.4	101.4	70.6	76.0 <sup>1</sup>	78.5	71.5	82.9	91.6	-
1960	91.1 <sup>1</sup>	82.0	80.8	91.1	107.2	76.7	65.3 <sup>1</sup>	76.8	67.1	79.9	95.1	-
1959	91.2 <sup>1</sup>	80.4	79.4	86.7	110.4	77.4	81.4 <sup>1</sup>	80.1	72.9	82.2	88.6	-
1958	92.2 <sup>1</sup>	80.1	79.6	83.4	115.0	77.7	80.0 <sup>1</sup>	83.9	69.1	88.9	85.0	-
1957	93.7 <sup>1</sup>	80.2	79.5 <sup>1</sup>	85.2 <sup>1</sup>	119.1 <sup>1</sup>	80.6 <sup>1</sup>	80.0 <sup>1</sup>	74.8	-	-	89.2	-
1956	92.7 <sup>1</sup>	78.9	78.9 <sup>1</sup>	81.0 <sup>1</sup>	115.5 <sup>1</sup>	85.5 <sup>1</sup>	82.5 <sup>1</sup>	76.7	-	-	93.5	-
1955	92.7 <sup>1</sup>	78.7	78.1 <sup>1</sup>	83.1 <sup>1</sup>	115.1 <sup>1</sup>	87.6 <sup>1</sup>	74.9 <sup>1</sup>	72.7 <sup>1</sup>	-	-	92.6	-
1954	-	79.8	78.9 <sup>1</sup>	85.9 <sup>1</sup>	-	91.8 <sup>1</sup>	-	73.0 <sup>1</sup>	-	-	-	-
1953 <sup>3</sup>	-	81.2	80.8 <sup>1</sup>	84.0 <sup>1</sup>	-	93.2 <sup>1</sup>	-	75.4 <sup>1</sup>	-	-	-	-
1952	-	81.1	80.5 <sup>1</sup>	87.3 <sup>1</sup>	-	91.7 <sup>1</sup>	-	74.3 <sup>1</sup>	-	-	-	-
1951	-	79.0	79.2 <sup>1</sup>	77.7 <sup>1</sup>	-	91.5 <sup>1</sup>	-	67.4 <sup>1</sup>	-	-	-	-
1950	-	78.8	78.4 <sup>1</sup>	68.5 <sup>1</sup>	-	93.1 <sup>1</sup>	-	64.4 <sup>1</sup>	-	-	-	-
1949	-	79.1	80.1 <sup>1</sup>	58.5 <sup>1</sup>	-	-	-	74.5 <sup>1</sup>	-	-	-	-
1948	-	78.2	78.4 <sup>1</sup>	68.9 <sup>1</sup>	-	-	-	67.7 <sup>1</sup>	-	-	-	-
1947	-	77.9	78.6 <sup>1</sup>	58.5 <sup>1</sup>	-	-	-	69.6 <sup>1</sup>	-	-	-	-
1946	-	77.5	77.7 <sup>1</sup>	63.0 <sup>1</sup>	-	-	-	62.3 <sup>1</sup>	-	-	-	-
1945	-	74.9	76.1 <sup>1</sup>	61.1 <sup>1</sup>	-	-	-	67.0 <sup>1</sup>	-	-	-	-
1944	-	71.6	75.9 <sup>1</sup>	66.0 <sup>1</sup>	-	-	-	47.9 <sup>1</sup>	-	-	-	-
1943	-	70.6	71.9 <sup>1</sup>	66.0 <sup>1</sup>	-	-	-	48.3 <sup>1</sup>	-	-	-	-
1942	-	69.6 <sup>1</sup>	70.1 <sup>1</sup>	65.3 <sup>1</sup>	-	-	-	52.0 <sup>1</sup>	-	-	-	-
1941	-	69.4 <sup>1</sup>	70.3 <sup>1</sup>	62.3 <sup>1</sup>	-	-	-	47.5 <sup>1</sup>	-	-	-	-
1940	-	68.2 <sup>1</sup>	69.2 <sup>1</sup>	61.1 <sup>1</sup>	-	-	-	48.1 <sup>1</sup>	-	-	-	-
1939	-	64.5 <sup>1</sup>	66.6 <sup>1</sup>	49.6 <sup>1</sup>	-	-	-	44.0 <sup>1</sup>	-	-	-	-
1938	-	65.7 <sup>1</sup>	65.8 <sup>1</sup>	65.3 <sup>1</sup>	-	-	-	37.4 <sup>1</sup>	-	-	-	-
1937	-	66.7 <sup>1</sup>	67.4 <sup>1</sup>	63.6 <sup>1</sup>	-	-	-	36.5 <sup>1</sup>	-	-	-	-
1936	-	67.4 <sup>1</sup>	68.2 <sup>1</sup>	63.3 <sup>1</sup>	-	91.1 <sup>1</sup>	-	34.9 <sup>1</sup>	-	-	-	-
1935	-	66.2 <sup>1</sup>	66.1 <sup>1</sup>	66.6 <sup>1</sup>	-	91.5 <sup>1</sup>	-	34.8 <sup>1</sup>	-	-	-	-
1934	-	63.7 <sup>1</sup>	62.9 <sup>1</sup>	67.7 <sup>1</sup>	-	91.5 <sup>1</sup>	-	30.3 <sup>1</sup>	-	-	-	-
1933	-	57.9 <sup>1</sup>	56.8 <sup>1</sup>	64.3 <sup>1</sup>	-	90.1 <sup>1</sup>	-	31.8 <sup>1</sup>	-	-	-	-
1932	-	62.7 <sup>1</sup>	62.9 <sup>1</sup>	59.7 <sup>1</sup>	-	85.2 <sup>1</sup>	-	74.1 <sup>1</sup>	44.7 <sup>1</sup>	140.7 <sup>1</sup>	-	48.3 <sup>1</sup>



Series B261-284. Percentage occupancy (adult and children) in reporting hospitals by type, Canada, 1932 to 1975 (concluded)

Year	Federal						Total					
	All hospitals	Total general and allied special	General special	Allied	Mental	Tuber-culosis	All hospitals	Total general and allied special	General, including paediatric	Allied special	Mental	Tuber-culosis
	273	274	275	276	277	278	279	280	281	282	283	284
1975	64.5	64.5	62.4	70.8	-	-	79.9	77.2	74.8	88.7	89.0	84.9
1974	65.2	65.2	63.2	72.1	-	-	80.6	77.6	75.4	89.2	90.2	71.3
1973	69.2 <sup>1</sup>	69.5 <sup>1</sup>	68.6 <sup>1</sup>	71.8 <sup>1</sup>	-	-	81.6 <sup>1</sup>	78.8 <sup>1</sup>	76.5	-	90.9	65.1
1972	71.5 <sup>1</sup>	71.3	71.3 <sup>1</sup>	72.2 <sup>1</sup>	-	-	82.4 <sup>1</sup>	78.8	76.9	-	92.7	57.7
1971	70.9 <sup>1</sup>	71.4	71.3 <sup>1</sup>	69.1 <sup>1</sup>	-	-	84.1 <sup>1</sup>	-	79.2	-	94.1	51.6
1970	74.9 <sup>1</sup>	74.5	74.9 <sup>1</sup>	74.6 <sup>1</sup>	-	-	84.2 <sup>1</sup>	-	79.4	-	93.1	55.8
1969	69.7 <sup>1</sup>	74.3	73.5 <sup>1</sup>	79.5 <sup>1</sup>	-	-	84.3 <sup>1</sup>	-	78.6	-	94.7	64.4
1968	73.9 <sup>1</sup>	73.9	73.3	77.5 <sup>1</sup>	-	61.9	86.1 <sup>1</sup>	81.8	79.4	-	93.0	66.4
1967	74.9 <sup>1</sup>	75.1	74.3	78.9 <sup>1</sup>	-	67.0	85.7 <sup>1</sup>	80.2	78.5	-	96.9	70.6
1966	75.1 <sup>1</sup>	75.4	74.6	79.6 <sup>1</sup>	-	65.4	87.8 <sup>1</sup>	81.3	80.1	-	100.0	68.2
1965	73.2 <sup>1</sup>	73.1 <sup>1</sup>	72.2 <sup>1</sup>	79.0 <sup>1</sup>	-	75.1	89.7 <sup>1</sup>	81.7	80.7	-	102.8	69.4
1964	73.6 <sup>1</sup>	73.4	72.5	79.5	-	71.9	88.9 <sup>1</sup>	80.6	80.1	83.6	106.4	72.2
1963	72.3 <sup>1</sup>	72.8	72.1	77.3	-	71.7	90.8 <sup>1</sup>	81.1	80.5	84.3	108.3	67.4
1962	74.4 <sup>1</sup>	73.9 <sup>1</sup>	73.0	80.3	-	80.0	87.1 <sup>1</sup>	80.6	80.6	80.6	105.7	71.0
1961	74.1 <sup>1</sup>	73.5 <sup>1</sup>	71.5	85.6	-	79.5	85.7 <sup>1</sup>	83.2	81.2	88.1	101.3	71.5
1960	74.6 <sup>1</sup>	73.3 <sup>1</sup>	72.8	82.6	-	75.9	89.3 <sup>1</sup>	89.4	79.7	89.2	107.1	76.6
1959	76.2 <sup>1</sup>	75.1 <sup>1</sup>	73.1	78.1	85.4	85.3	89.9 <sup>1</sup>	89.5	78.7	85.6	109.9	78.0
1958	78.3	76.8 <sup>1</sup>	77.9	46.7	82.7	82.5	-	90.9	79.2	83.3	114.8	78.1
1957	78.8 <sup>1</sup>	77.5 <sup>1</sup>	-	-	87.2	81.6 <sup>1</sup>	92.1 <sup>1</sup>	79.8 <sup>1</sup>	-	-	118.0 <sup>1</sup>	80.6 <sup>1</sup>
1956	76.2 <sup>1</sup>	79.4 <sup>1</sup>	-	-	55.4	85.9 <sup>1</sup>	91.0 <sup>1</sup>	79.3 <sup>1</sup>	-	-	112.9 <sup>1</sup>	85.5 <sup>1</sup>
1955	78.6 <sup>1</sup>	78.9 <sup>1</sup>	-	-	-	75.3 <sup>1</sup>	91.1 <sup>1</sup>	78.5 <sup>1</sup>	-	-	115.0 <sup>1</sup>	86.6 <sup>1</sup>
1954	74.2 <sup>1</sup>	81.7 <sup>1</sup>	-	-	-	90.3 <sup>1</sup>	-	79.8 <sup>1</sup>	-	-	116.0	89.6 <sup>1</sup>
1953 <sup>3</sup>	74.4 <sup>1</sup>	75.9 <sup>1</sup>	-	-	-	90.4 <sup>1</sup>	-	44.8 <sup>1</sup>	-	-	118.0	93.3 <sup>1</sup>
1952	63.7 <sup>1</sup>	78.6	-	-	-	92.0 <sup>1</sup>	-	44.5 <sup>1</sup>	-	-	118.0	92.0 <sup>1</sup>
1951	69.0	-	-	-	-	90.8 <sup>1</sup>	-	77.0 <sup>1</sup>	-	-	121.0	90.8 <sup>1</sup>
1950	-	-	-	-	-	91.0 <sup>1</sup>	-	-	-	-	120.0	92.0 <sup>1</sup>
1949	71.1 <sup>1</sup>	-	-	-	-	83.7	-	-	-	-	120.0	-
1948	68.5 <sup>1</sup>	-	-	-	-	61.8	-	-	-	-	112.0	-
1947	71.8 <sup>1</sup>	-	-	-	-	71.8	-	-	-	-	111.0	-
1946	-	-	-	-	-	58.8	-	-	-	-	109.0	-
1945	-	-	-	-	-	-	-	-	-	107.0	-	-
1944	-	-	-	-	-	-	-	-	-	112.0	-	-
1943	-	-	-	-	-	-	-	-	-	110.0	-	-
1942	-	-	-	-	-	-	-	-	-	111.0	-	-
1941	-	-	-	-	-	-	-	-	-	113.0	-	-
1940	-	-	-	-	-	-	-	-	-	112.0	-	-
1939	-	-	-	-	-	-	-	-	-	110.0	-	-
1938	-	-	-	-	-	-	-	-	-	112.0	-	-
1937	-	-	-	-	-	-	-	-	-	109.0	-	-
1936	-	-	-	-	-	-	-	-	-	105.0	-	-
1935	-	-	-	-	-	-	-	-	-	106.0	-	-
1934	-	-	-	-	-	-	-	-	-	104.0	-	-
1933	-	-	-	-	-	-	-	-	-	-	-	-
1932	-	-	64.1	-	-	-	-	63.3	-	-	-	-

<sup>1</sup> These figures were computed figures using the following formula:

$$\text{percentage occupancy} = \frac{\text{Patient - days}}{\text{Rated bed capacity}} \times \frac{100}{365}$$

Note: In most cases, it was not known if the same number of hospitals reported both 'Patient-days' and 'Rated bed capacity'.

<sup>2</sup> Contains 45 nursing homes temporarily approved as hospitals by the Ontario Hospital Services Commission.

<sup>3</sup> Introduction of Newfoundland into national statistics.

Series B285-297. Average length of stay of separated patients (adult and children) in reporting hospitals, Canada, 1939 to 1975

Year	Public			Private			Federal			Total			
	Total general and allied special	General, including paediatric	Allied general	Total general and allied special	General	Allied special	Total general and allied special	General	Allied special	Total general and allied special <sup>1</sup>	General, including paediatric <sup>1</sup>	Allied special <sup>1</sup>	Tuberculosis
	285	286	287	288	289	290	291	292	293	294	295	296	297
1975	11.2	9.5	43.2	46.4	7.9	84.2	29.1	23.2	87.7	11.5	11.7	42.0	-
1974	11.0	9.5	41.0	45.3	8.0	83.2	30.5	24.7	104.3	11.4	9.6	45.1	-
1973	10.8	9.4	64.7 <sup>1</sup>	42.0	8.6 <sup>1</sup>	85.2 <sup>1</sup>	32.1	28.0 <sup>1</sup>	92.9 <sup>1</sup>	11.3	9.7	42.0	-
1972	11.1	9.6	64.8	46.5	8.9 <sup>1</sup>	88.0 <sup>1</sup>	33.7	29.2 <sup>1</sup>	100.4 <sup>1</sup>	11.8 <sup>2</sup>	10.0	68.7	-
1971	11.3	9.9	64.0	39.6	9.5 <sup>1</sup>	83.5 <sup>1</sup>	33.8	28.2 <sup>1</sup>	99.0 <sup>1</sup>	12.0 <sup>2</sup>	10.2	67.6	-
1970	11.5	10.0	63.0	36.9	10.8 <sup>1</sup>	84.7 <sup>1</sup>	34.7	29.9 <sup>1</sup>	118.3 <sup>1</sup>	12.1 <sup>2</sup>	10.4	67.5	-
1969	11.7	10.2	63.0	33.9	10.6 <sup>1</sup>	82.7 <sup>1</sup>	39.1	34.4 <sup>1</sup>	152.7 <sup>1</sup>	12.4	10.7	67.8	-
1968	11.7	10.3	63.7 <sup>1</sup>	25.3	10.0	66.5 <sup>1</sup>	37.2	33.6	109.7 <sup>1</sup>	12.3	10.7	65.5	-
1967	11.5	10.3	56.2 <sup>1</sup>	23.2	9.7	65.0 <sup>1</sup>	36.9	32.1	153.3 <sup>1</sup>	12.3	10.7	60.0	-
1966	11.7	10.2	70.2 <sup>1</sup>	22.2	9.4	61.0 <sup>1</sup>	36.1	32.2	123.8 <sup>1</sup>	12.5	10.7	70.2	-
1965	11.6	10.3	55.7 <sup>1</sup>	19.2	8.8	56.0 <sup>1</sup>	37.0	33.0	155.6 <sup>1</sup>	12.4	10.8	58.5	-
1964	11.5	10.2	58.6 <sup>1</sup>	17.7	8.5	53.0 <sup>1</sup>	37.4	34.2	-	12.4	-	-	-
1963	11.5	10.2	52.3 <sup>1</sup>	18.8	8.3	57.1 <sup>1</sup>	37.1	32.8	-	12.3	-	-	224.0
1962	11.3	10.2	47.0 <sup>1</sup>	20.4	8.4	-	33.8	-	-	12.0	-	-	220.0
1961	11.1	10.0	52.9 <sup>1</sup>	17.0	8.5	-	32.6	-	-	11.6	-	-	241.0
1960	11.1	9.9	-	-	-	-	-	-	-	-	-	-	264.0
1959	11.2	9.8	-	-	-	-	-	-	-	-	-	-	284.0
1958	10.9	9.8	-	18.8	-	-	44.3	-	-	-	-	-	300.0
1957	10.7	9.8	-	18.5	-	-	44.4	-	-	-	-	-	310.0
1956	11.0	10.0	-	16.6	-	-	41.9	-	-	-	-	-	327.0
1955	10.9	9.9	-	15.6	-	-	44.7	-	-	-	-	-	362.0
1954	11.1	10.1	-	15.5	-	-	46.0	-	-	-	-	-	372.0
1953 <sup>3</sup>	10.9	10.0	-	18.5	-	-	41.2	-	-	-	-	-	362.0
1952	10.7	10.0	-	12.8	-	-	-	-	-	-	-	-	337.0
1951	10.5	9.9 <sup>1</sup>	30.7 <sup>1</sup>	17.4	-	-	-	-	-	-	-	-	301.0
1950	10.6	10.0 <sup>1</sup>	20.0	14.6	-	-	-	-	-	-	-	-	331.0
1949	10.3	10.1 <sup>1</sup>	15.0 <sup>1</sup>	15.4	-	-	-	-	-	-	-	-	312.0
1948	10.5	10.2 <sup>1</sup>	19.1 <sup>1</sup>	16.9	-	-	-	-	-	-	-	-	290.0
1947	10.6	10.3 <sup>1</sup>	18.4 <sup>1</sup>	17.0	-	-	-	-	-	-	-	-	298.0
1946	11.1	10.8 <sup>1</sup>	19.8 <sup>1</sup>	16.6	-	-	-	-	-	-	-	-	287.0
1945	11.4	11.0 <sup>1</sup>	19.9 <sup>1</sup>	20.5	-	-	-	-	-	-	-	-	316.0
1944	11.6	11.2 <sup>1</sup>	20.4 <sup>1</sup>	19.0	-	-	-	-	-	-	-	-	320.0
1943	12.0	11.5 <sup>1</sup>	21.1 <sup>1</sup>	17.9	-	-	-	-	-	-	-	-	322.0
1942	12.5	12.0 <sup>1</sup>	21.1 <sup>1</sup>	18.2	-	-	-	-	-	-	-	-	317.0
1941	12.7	12.3 <sup>1</sup>	20.9 <sup>1</sup>	17.9	-	-	-	-	-	-	-	-	322.0
1940	13.4	12.7 <sup>1</sup>	27.3 <sup>1</sup>	17.3	-	-	-	-	-	-	-	-	326.0
1939	13.4	12.9 <sup>1</sup>	24.3 <sup>1</sup>	18.4	-	-	-	-	-	-	-	-	311.0

<sup>1</sup> Computed figures less the average days of stay equal: Total days of stay of separations divided by the total number of separations. Note: In some cases, it was not known if the number of institutions reporting days of stay equaled the number of institutions reporting the number of separations.

<sup>2</sup> Includes newborn.

<sup>3</sup> Introduction of Newfoundland into national statistics.

**Series B298-303. Total paid hours of all employees in reporting public hospitals, Canada, 1952 to 1975**

Year <sup>1</sup>	All hospitals	Total general allied special	General, including paediatric	Allied special	Mental	Tuberculosis
	<b>298</b>	<b>299</b>	<b>300</b>	<b>301</b>	<b>302</b>	<b>303</b>
1975	–	606,196,208	546,795,156	59,401,052	–	1,264,369
1974	–	578,928,425	524,934,926	53,993,499	–	1,404,748
1973 <sup>2</sup>	–	559,389,824	504,958,348	54,431,476	–	2,286,499
1972 <sup>2</sup>	–	549,320,194	496,184,366	53,135,828	–	2,991,634
1971 <sup>2</sup>	–	543,277,761	491,398,141	51,879,620	–	4,989,907 <sup>3</sup>
1970 <sup>2</sup>	–	532,616,165	481,859,350	50,756,815	–	5,994,543
1969 <sup>2</sup>	–	518,188,197	469,630,411	48,557,786	–	6,329,063 <sup>4</sup>
1968	–	535,013,720	487,837,184	47,176,536	–	7,415,533 <sup>5</sup>
1967	–	507,971,393	463,267,730	44,703,663	–	7,732,913 <sup>4</sup>
1966	–	474,579,958	433,880,678	40,699,280	–	7,941,014 <sup>4</sup>
1965	–	452,911,188	414,311,582	38,599,606	–	9,043,004 <sup>5</sup>
1964	–	430,623,206	395,211,686	35,414,520	–	10,568,084
1963	–	402,766,473	369,734,039	33,032,434	–	–
1962	–	372,582,253	347,292,208	25,290,045	–	–
1961	–	337,780,494	315,488,375	22,292,119	–	–
1960	–	322,335,695	300,954,076	21,381,669	–	–
1959	–	297,385,866	275,275,357	22,110,509	–	–
1958	–	270,966,769	254,043,027	16,923,742	–	–
1957	–	255,349,953	–	–	–	–
1956	–	240,561,408	–	–	–	–
1955	–	232,987,928	–	–	–	–
1954	–	200,025,060	–	–	–	–
1953 <sup>6</sup>	–	185,994,344	–	–	–	–
1952	–	169,004,255	–	–	–	–

<sup>1</sup> No data available prior to 1952.

<sup>2</sup> Excludes medical staff.

<sup>3</sup> Includes paid hours for general services provided for Alberta School Hospital facilities.

<sup>4</sup> Does not include Alberta and British Columbia.

<sup>5</sup> Does not include Alberta.

<sup>6</sup> Incorporation of Newfoundland into national statistics.

Series B304-351. Total personnel (full- and part-time) in reporting hospitals, Canada, 1932 to 1975

Year	Public											
	All hospitals		Total general and allied special		General, including paediatric		Allied special		Mental		Tuberculosis	
	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel
	304	305	306	307	308	309	310	311	312	313	314	315
1975	-	-	1,041	348,971	864	314,794	177	34,177	-	-	-	386
1974	-	-	1,038	332,114	865	301,290	173	30,824	-	-	-	645
1973	-	-	1,044	315,569	863	284,290	181	31,279	-	-	-	1,195
1972	-	-	1,047	309,642	868	280,211	179	29,431	-	-	-	1,631
1971	-	-	1,039	302,371	864	274,267	175	28,104	-	-	-	2,592
1970	-	-	1,036	295,105	863	267,699	173	27,406	-	-	-	3,320
1969	-	-	1,030	290,626	867	264,111	163	26,515	-	-	-	3,945
1968	-	-	1,042	285,692	880	259,711	162	25,981	-	-	-	4,324
1967	-	-	1,034	273,018	873	248,317	161	24,701	-	-	-	4,773
1966	-	-	1,027	255,523	869	233,207	158	22,316	-	-	-	4,587
1965	-	-	1,009	238,424	850	217,435	159	20,989	-	-	-	5,035
1964	-	-	994	224,540	844	205,502	150	19,038	-	-	-	-
1963	-	-	949	208,421	821	191,018	128	17,403	-	-	-	-
1962	-	-	919	193,335	809	181,115	110	12,220	-	-	-	7,357
1961	-	-	914	179,847	834	167,604	80	12,243	-	-	-	7,352
1960	-	-	923	172,880	842	161,179	81	11,701	-	-	-	7,923
1959	-	-	932	158,137	841	146,413	91	11,724	-	-	-	7,786
1958	-	-	920	143,885	832	134,342	88	9,543	-	-	-	8,144
1957	-	-	894	133,287	820	125,297	74	7,990	-	-	-	8,711
1956	-	-	870	122,122	-	-	-	-	-	-	-	8,982
1955	-	-	856	114,553	-	-	-	-	-	-	-	9,163
1954	-	-	817	102,495	-	-	-	-	-	-	-	9,598
1953 <sup>1</sup>	-	-	807	95,051	-	-	-	-	-	-	-	10,005
1952	-	-	775	86,198	-	-	-	-	-	-	-	9,350
1951	-	-	778	83,405	707	76,921	71	6,484	-	-	-	8,168
1950	-	-	741	75,998	692	72,089	49	3,909	-	-	-	7,913
1949	-	-	719	70,662	617	66,528	102	4,134	-	-	-	6,708
1948	-	-	678	64,065	588	60,560	90	3,505	-	-	-	6,183
1947	-	-	653	60,695	567	57,248	86	3,447	-	-	-	5,771
1946	-	-	595	55,222	514	51,852	81	3,370	-	-	-	5,346
1945	-	-	587	49,166	507	46,179	80	2,987	-	-	-	4,934
1944	-	-	586	47,302	509	44,204	77	3,098	-	-	-	4,403
1943	-	-	592	44,364	510	41,149	82	3,215	-	-	-	4,456
1942	-	-	594	42,041	511	38,861	83	3,180	-	-	-	4,326
1941	-	-	592	40,868	507	37,928	85	2,940	-	-	-	4,406
1940	-	-	587	38,963	500	36,104	87	2,859	-	-	-	4,453
1939	-	-	587	36,335	497	33,754	90	2,581	-	-	-	4,557
1938	-	-	610	36,823	496	32,872	114	3,951	-	-	-	3,548
1937	-	-	584	34,465	480	30,622	104	3,843	-	-	-	-
1936	-	-	568	33,424	474	30,192	94	3,232	-	-	34	3,427
1935	-	-	572	31,350	470	28,348	102	3,002	-	-	36	3,367
1934	-	-	568	30,569	463	27,195	105	3,374	-	-	34	3,263
1933	-	-	571	29,330	466	26,266	105	3,064	-	-	32	3,148
1932	-	-	417	27,662	461	25,902	44	1,760	-	-	34	3,229

Series B304-351. Total personnel (full- and part-time) in reporting hospitals, Canada, 1932 to 1975 (continued)

Year	Private											
	All hospitals		Total general and allied special		General		Allied special		Mental		Tuberculosis	
	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel
	316	317	318	319	320	321	322	323	324	325	326	327
1975	-	-	64	4,486	9	782	55	3,704	-	-	-	-
1974	-	-	68	4,392	10	724	53	3,668	-	-	-	-
1973	-	-	74	4,571	11	891	63	3,680	-	-	-	-
1972	-	-	107	5,518	12	904	95	4,614	-	-	-	-
1971	-	-	118	5,521	20	1,101	98	4,420	-	-	-	-
1970	-	-	132	5,664	31	1,598	101	4,066	-	-	-	-
1969	-	-	136	5,503	37	1,717	99	3,786	-	-	-	-
1968	-	-	148	5,976	41	2,446	107	3,530	-	-	-	-
1967	-	-	161	6,114	49	2,674	112	3,440	-	-	-	-
1966	-	-	165	5,849	49	2,691	116	3,158	-	-	-	-
1965	-	-	185	6,124	60	2,948	125	3,176	-	-	-	-
1964	-	-	189	5,472	64	2,893	125	2,579	-	-	-	-
1963	-	-	141	4,368	66	2,685	75	1,683	-	-	-	-
1962	-	-	107	3,161	47	1,858	60	1,303	-	-	-	-
1961	-	-	139	3,376	53	1,753	86	1,623	-	-	-	-
1960	-	-	142	3,104	-	-	-	-	-	-	-	-
1959	-	-	200	4,410	-	-	-	-	-	-	-	-
1958	-	-	201	3,663	-	-	-	-	-	-	-	-
1957	-	-	211	3,568	-	-	-	-	-	-	-	-
1956	-	-	199	2,954	-	-	-	-	-	-	-	-
1955	-	-	172	2,373	-	-	-	-	-	-	-	-
1954	-	-	167	2,345	-	-	-	-	-	-	-	-
1953 <sup>1</sup>	-	-	143	1,853	-	-	-	-	-	-	-	-
1952	-	-	187	2,090	-	-	-	-	-	-	-	-
1951	-	-	220	2,538	-	-	-	-	-	-	-	-
1850	-	-	225	2,459	-	-	-	-	-	-	-	-
1949	-	-	194	2,071	-	-	-	-	-	-	-	-
1948	-	-	209	1,996	-	-	-	-	-	-	-	-
1947	-	-	212	1,924	-	-	-	-	-	-	-	-
1946	-	-	235	1,858	-	-	-	-	-	-	1	8
1945	-	-	234	1,735	-	-	-	-	-	-	1	8
1944	-	-	267	1,865	-	-	-	-	-	-	1	8
1943	-	-	263	1,800	-	-	-	-	-	-	1	8
1942	-	-	287	1,736	-	-	-	-	-	-	1	8
1941	-	-	322	1,762	-	-	-	-	-	-	1	9
1940	-	-	292	1,550	-	-	-	-	-	-	1	9
1939	-	-	276	1,485	-	-	-	-	-	-	1	10
1938	-	-	267	1,229	-	-	-	-	-	-	1	9
1937	-	-	241	1,523	-	-	-	-	-	-	-	-
1936	-	-	259	1,442	-	-	-	-	-	-	-	-
1935	-	-	267	1,472	-	-	-	-	-	-	-	-
1934	-	-	261	1,404	-	-	-	-	-	-	-	-
1933	-	-	238	1,225	-	-	-	-	-	-	-	-
1932	-	-	208	1,026	128	750	80	276	-	-	2	37





Series B304-351. Total personnel (full- and part-time) in reporting hospitals, Canada, 1932 to 1975 (concluded)

Year	Total											
	All hospitals		Total general and allied special		General, including paediatric		Allied special		Mental		Tuberculosis	
	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel
	340	341	342	343	344	345	346	347	348	349	350	351
1975	-	413,984	1,199	362,016	897	322,417	302	39,599	-	51,582	-	386
1974	-	398,459	1,194	345,000	898	308,923	291	36,077	-	52,814	-	645
1973	-	384,281	1,211	330,235	899	293,693	312	36,542	-	52,851	-	1,195
1972	-	377,719	1,245	325,306	905	289,690	340	35,616	-	50,782	-	1,631
1971	-	373,360	1,245	318,526	910	284,475	335	34,051	-	52,242	-	2,582
1970	-	365,792	1,249	311,099	918	278,137	331	32,962	-	51,373	-	3,320
1969	-	361,483	1,236	306,707	929	274,968	307	31,739	-	50,831	-	3,945
1968	-	356,096	1,260	302,751	945	271,770	315	30,981	-	48,931	-	4,414
1967	-	342,036	1,267	290,837	949	261,310	318	29,527	-	46,331	-	4,868
1966	-	319,780	1,263	272,779	945	245,840	318	26,939	-	42,124	-	4,877
1965	-	304,430	1,275	258,320	950	232,700	325	25,620	-	40,745	-	5,365
1964	-	287,564	1,259	243,425	940	220,379	319	23,046	-	37,565	-	5,674
1963	-	268,641	1,159	226,046	922	205,524	237	20,522	-	34,676	-	7,919
1962	-	246,106	1,057	206,760	886	192,029	171	14,731	-	30,862	-	8,484
1961	-	234,578	1,119	195,767	950	180,500	169	16,267	-	30,147	-	8,664
1960	-	226,284	-	188,815	-	-	-	-	-	28,254	-	9,215
1959	-	209,812	-	174,177	-	-	-	-	-	27,036	-	8,599
1958	-	194,229	-	159,643	-	-	-	-	-	25,696	-	8,890
1957	-	181,808	-	148,426	-	-	-	-	-	23,918	-	9,464
1956	-	167,714	-	136,517	-	-	-	-	-	21,458	-	9,739
1955	-	156,936	-	127,731	-	-	-	-	-	19,296	-	9,909
1954	-	145,130	-	115,027	-	-	-	-	-	19,329	-	10,864
1953 <sup>1</sup>	-	138,867	-	109,911	-	-	-	-	-	17,484	-	11,472
1952	-	124,583	-	97,947	-	-	-	-	-	15,877	-	10,759
1951	-	121,678	-	97,647	-	-	-	-	-	14,528	-	9,503
1950	-	-	-	88,933	-	-	-	-	-	13,579	-	-
1949	-	-	-	83,556	-	-	-	-	-	12,933	-	-
1948	-	-	-	76,473	-	-	-	-	-	12,124	-	-
1947	-	-	-	71,928	-	-	-	-	-	11,481	-	-
1946	-	-	-	-	-	-	-	-	-	10,346	-	-
1945	-	-	-	-	-	-	-	-	-	9,938	-	-
1944	-	-	-	-	-	-	-	-	-	9,007	-	-
1943	-	-	-	-	-	-	-	-	-	8,866	-	-
1942	-	-	-	-	-	-	-	-	-	8,533	-	-
1941	-	-	-	-	-	-	-	-	-	8,563	-	-
1940	-	-	-	-	-	-	-	-	58	8,814	-	-
1939	-	-	-	-	-	-	-	-	59	8,590	-	-
1938	-	-	-	-	-	-	-	-	57	8,515	-	-
1937	-	-	-	-	-	-	-	-	57	8,175	-	-
1936	-	-	-	-	-	-	-	-	57	7,538	-	-
1935	-	-	-	-	-	-	-	-	56	7,017	-	-
1934	-	-	-	-	-	-	-	-	56	6,915	-	-
1933	-	-	-	-	-	-	-	-	58	6,632	-	-
1932	-	-	-	29,797	-	-	-	-	56	6,605	-	-

<sup>1</sup> Entry of Newfoundland into national statistics.









Series B352-399. Total full-time personnel in reporting hospitals, Canada, 1951 to 1975 (concluded)

Year	Total											
	All hospitals		Total general and allied special		General, including paediatric		Allied special		Mental		Tuberculosis	
	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel
	388	389	390	391	392	393	394	395	396	397	398	399
1975	–	339,581	1,199	293,328	897	263,342	302	29,986	–	45,895	–	358
1974	–	329,931	1,194	282,338	898	254,862	296	27,476	–	46,985	–	608
1973	–	323,578	1,211	274,616	899	246,612	312	28,004	–	47,951	–	1,011
1972	–	323,413	1,245	275,136	905	247,029	340	28,107	–	46,808	–	1,469
1971	–	323,280	1,245	272,901	910	245,249	335	27,652	–	48,134	–	2,245
1970	–	319,835	1,249	269,304	918	242,186	331	27,118	–	47,609	–	2,922
1969	–	316,641	1,236	265,994	929	239,581	307	26,413	–	47,192	–	3,455
1968	–	–	1,260	263,642	945	237,971	315	25,671	–	45,741	–	–
1967	–	–	1,267	254,405	949	229,841	318	24,564	–	43,613	–	–
1966	–	–	1,263	240,884	945	218,216	318	22,668	–	39,910	–	–
1965	–	–	1,275	230,962	950	208,944	325	22,018	–	38,716	–	–
1964	–	259,674	1,259	218,630	940	198,715	319	19,915	–	35,849	–	5,195
1963	–	244,730	1,159	204,319	922	186,304	237	18,015	–	33,081	–	7,330
1962	–	–	1,057	186,221	886	173,468	171	12,753	–	30,862	–	–
1961	–	–	1,119	177,265	950	163,980	169	13,285	–	29,019	–	–
1960	–	–	–	160,546	–	–	–	–	–	27,182	–	–
1959	–	–	–	157,533	–	–	–	–	–	26,005	–	–
1958	–	–	–	–	–	–	–	–	–	24,773	–	–
1957	–	–	–	–	–	–	–	–	–	23,095	–	–
1956	–	–	–	–	–	–	–	–	–	20,598	–	–
1955	–	–	–	–	–	–	–	–	–	18,543	–	–
1954	–	–	–	–	–	–	–	–	–	18,561	–	–
1953 <sup>1</sup>	–	–	–	–	–	–	–	–	–	16,870	–	–
1952	–	–	–	–	–	–	–	–	–	–	–	–
1951	–	–	–	–	–	–	–	–	–	–	–	–

<sup>1</sup> Entry of Newfoundland into national statistics.



Series B400-431. Total part-time personnel employed by reporting hospitals, Canada, 1947 to 1975 (concluded)

Year	Federal								Total <sup>2</sup>									
	Total general and allied special		General		Allied special		All hospitals		Total general and allied special		General, including paediatric		Allied special		Mental		Tuberculosis	
	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel	Number reporting	Personnel
414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	
1975	46	476	19	346	27	130	..	74,403	1,124	68,688	870	59,075	254	9,613	..	5,687	..	28
1974	43	556	19	434	24	122	..	68,528	1,112	62,662	870	54,061	242	8,601	..	5,829	..	37
1973	93	424	25	323	68	101	-	60,703	1,211	55,619	899	47,061	312	8,558	-	4,900	-	184
1972	91	415	25	289	66	126	-	54,306	1,245	50,170	405	42,661	340	7,509	-	3,974	-	162
1971	88	403	26	284	62	119	-	50,080	1,245	45,625	910	39,226	335	6,399	-	4,108	-	347
1970	81	326	24	189	57	137	-	45,957	1,249	41,795	918	35,951	331	5,844	-	3,764	-	398
1969	70	316	25	259	45	57	-	44,842	1,236	40,713	929	35,387	307	5,326	-	3,639	-	490
1968	70	356	25	317	46	39	-	-	1,260	39,109	945	33,799	315	5,310	-	3,190	-	-
1967	72	426	28	391	45	35	-	-	1,267	36,432	949	31,469	318	4,963	-	2,718	-	-
1966	71	260	27	231	44	29	-	-	1,263	31,895	945	27,624	318	4,271	-	2,214	-	-
1965	81	409	40	384	41	25	-	-	1,275	27,358	950	23,756	325	3,602	-	2,029	-	-
1964	76	493	32	476	44	17	-	26,990	1,259	24,795	940	21,664	319	3,131	-	1,716	-	479
1963	69	503	35	484	34	19	-	23,911	1,159	21,727	922	19,220	237	2,507	-	1,595	-	589
1962	31	568	30	568	1	-	-	-	1,057	20,539	886	18,561	171	1,978	-	-	-	-
1961	66	742	63	728	3	14	-	-	1,119	18,502	950	16,520	169	1,982	-	1,128	-	-
1960	71	714	69	710	2	4	-	-	-	18,224	-	-	-	-	-	1,072	-	-
1959	47	499	44	492	3	7	-	-	-	16,644	-	-	-	-	-	1,031	-	-
1958	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	923	-	-
1957	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	823	-	-
1956	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	860	-	-
1955	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	753	-	-
1954	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768	-	-
1953 <sup>1</sup>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	614	-	-
1952	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1951	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1950	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1949	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1948	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	280	-	-
1947	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113	-	-

<sup>1</sup> Introduction of Newfoundland into national statistics.

<sup>2</sup> Total available in some cases, but no breakdown between public, private and federal.

Series B432-455. Total number of graduate nurses<sup>1</sup> (full- and part-time) in reporting hospitals, Canada, 1932 to 1975

Year	Public						Private					
	All hospitals	Total general and allied special	General, including paediatric	Allied special	Mental	Tuber-culosis	All hospitals	Total general and allied special	General	Allied special	Mental	Tuber-culosis
	432	433	434	435	436	437	438	439	440	441	442	443
1975	–	92,446	86,371	6,075	–	66	–	993	227	766	–	–
1974	–	87,897	82,275	5,622	–	102	–	973	180	793	–	–
1973	–	83,038	77,449	5,589	–	190	–	1,026	250	776	–	–
1972	–	79,511	74,179	5,332	–	244	–	1,025	257	768	–	–
1971	–	75,849	70,747	5,102	–	407	–	1,062	317	745	–	–
1970	–	75,018	67,198	7,820	–	507	–	1,162	457	705	–	–
1969	–	69,490	64,762	4,728	–	590	–	1,106	475	631	–	–
1968	–	67,349	62,804	4,545	–	660	–	1,348	731	617	–	–
1967	–	62,983	58,670	4,314	–	666	–	1,517	854	663	–	–
1966	–	58,036	53,726	4,310	–	635	–	1,288	813	475	–	–
1965	–	53,240	49,811	3,429	–	702	–	1,340	933	407	–	–
1964	–	49,415	46,433	2,982	–	–	–	1,230	880	350	–	–
1963	–	44,982	42,402	2,584	–	–	–	1,172	896	276	–	–
1962	–	41,204	39,350	1,854	–	–	–	–	–	–	–	–
1961	–	37,929	36,157	1,772	–	–	–	834	542	292	–	–
1960	–	36,856	35,254	1,602	–	–	–	775	–	–	–	–
1959	–	34,096	32,558	1,538	–	–	–	1,079	–	–	–	–
1958	–	30,061	28,884	1,177	–	–	–	881	–	–	–	–
1957	–	27,585	26,562	1,023	–	–	–	916	–	–	–	–
1956	–	25,204	–	–	–	1,221	–	793	–	–	–	–
1955	–	23,674	–	–	–	1,248	–	665	–	–	–	–
1954	–	21,472	–	–	–	1,280	–	620	–	–	–	–
1953 <sup>2</sup>	–	19,471	–	–	–	1,348	–	468	–	–	–	–
1952	–	17,299	–	–	–	1,280	–	583	–	–	–	–
1951	–	16,143	15,115	1,028	–	1,151	–	682	–	–	–	–
1950	–	14,923	14,137	786	–	1,111	–	735	–	–	–	–
1949	–	13,585	12,673	912	–	976	–	658	–	–	–	–
1948	–	12,220	11,456	764	–	921	–	649	–	–	–	–
1947	–	11,488	10,796	692	–	914	–	630	–	–	–	–
1946	–	10,386	9,682	704	–	820	–	573	–	–	–	1
1945	–	9,202	8,536	666	–	770	–	554	–	–	–	1
1944	–	8,923	8,266	657	–	760	–	627	–	–	–	1
1943	–	8,679	7,952	727	–	792	–	614	–	–	–	6
1942	–	8,142	7,427	715	–	828	–	584	–	–	–	6
1941	–	7,835	7,227	608	–	860	–	591	–	–	–	6
1940	–	7,486	6,612	874	–	851	–	–	–	–	–	6
1939	–	7,263	6,562	701	–	861	–	511	–	–	–	7
1938	–	7,205	6,436	769	–	–	–	459	–	–	–	–
1937	–	6,742	5,946	796	–	–	–	485	–	–	–	–
1936	–	6,442	5,761	681	–	662	–	457	–	–	–	–
1935	–	5,893	5,248	645	–	610	–	454	–	–	–	–
1934	–	5,368	4,766	602	–	564	–	426	–	–	–	–
1933	–	4,580	4,112	468	–	517	–	365	–	–	–	–
1932	–	4,231	3,900	331	–	484	–	289	222	67	–	5

Series B432-455. Total number of graduate nurses<sup>1</sup> (full- and part-time) in reporting hospitals, Canada, 1932 to 1975 (concluded)

Year	Federal						Total					
	All hospitals	Total general and allied special	General	Allied special	Mental	Tuber-culosis	All hospitals	Total general and allied special	General, including paediatric	Allied special	Mental	Tuber-culosis
	444	445	446	447	448	449	450	451	452	453	454	455
1975	1,643	1,643	1,408	235	-	-	-	95,082	88,006	7,076	7,751	-
1974	1,563	1,563	1,355	208	-	-	-	90,433	83,810	6,623	7,635	-
1973	1,897	1,897	1,701	196	-	-	-	85,961	79,400	6,561	7,994	-
1972	1,968	1,968	1,769	199	-	-	-	82,504	76,205	6,299	7,540	-
1971	2,019	2,019	1,822	197	-	-	-	78,930	72,886	6,044	7,766	-
1970	1,958	1,958	1,765	193	-	-	-	78,138	69,420	8,718	7,549	-
1969	1,914	1,914	1,727	187	-	-	-	72,510	66,964	5,546	7,037	-
1968	-	2,050	1,793	257	-	-	-	70,747	65,328	5,419	6,000	-
1967	-	2,282	2,039	243	-	-	-	66,782	61,563	5,220	5,859	-
1966	-	2,119	1,890	229	-	-	-	61,443	56,429	5,014	5,294	-
1965	-	2,389	2,169	220	-	-	-	56,969	52,913	4,056	4,897	-
1964	-	2,336	2,130	206	-	-	-	52,981	49,343	3,538	4,563	-
1963	-	2,241	2,041	200	-	-	53,914	48,395	45,339	3,060	4,345	1,174
1962	-	1,458	1,326	132	-	-	-	-	-	-	3,902	1,206
1961	-	1,985	1,801	184	-	-	45,908	40,748	38,500	2,248	4,001	1,159
1960	-	2,092	2,067	25	-	-	44,872	39,723	-	-	3,945	1,204
1959	-	1,886	1,863	23	-	-	41,961	37,061	-	-	3,790	1,110
1958	-	2,162	-	-	-	-	36,934	32,223	-	-	3,513	1,198
1957	-	2,180	-	-	-	-	35,214	30,681	-	-	3,280	1,252
1956	-	2,002	-	-	-	112	32,394	27,999	-	-	3,062	1,333
1955	-	2,030	-	-	-	106	30,419	26,369	-	-	2,696	1,354
1954	-	1,965	-	-	-	188	28,253	24,057	-	-	2,728	1,468
1953 <sup>2</sup>	-	1,933	-	-	-	200	25,830	21,872	-	-	2,410	1,548
1952	-	1,754	-	-	-	176	23,569	19,636	-	-	2,477	1,456
1951	-	1,986	-	-	-	-	-	18,811	-	-	2,492	-
1950	-	1,834	-	-	-	-	-	17,492	-	-	1,957	-
1949	-	1,873	-	-	-	-	-	16,116	-	-	1,429	-
1948	-	1,528	-	-	-	-	-	14,397	-	-	1,268	-
1947	-	-	-	-	-	-	-	-	-	-	1,131	-
1946	-	-	-	-	-	-	-	-	-	-	855	-
1945	-	-	-	-	-	-	-	-	-	-	886	-
1944	-	-	-	-	-	-	-	-	-	-	935	-
1943	-	-	-	-	-	-	-	-	-	-	969	-
1942	-	-	-	-	-	-	-	-	-	-	985	-
1941	-	-	-	-	-	-	-	-	-	-	1,135	-
1940	-	-	-	-	-	-	-	-	-	-	1,147	-
1939	-	-	-	-	-	-	-	-	-	-	1,140	-
1938	-	-	-	-	-	-	-	-	-	-	1,128	-
1937	-	-	-	-	-	-	-	-	-	-	1,091	-
1936	-	-	-	-	-	-	-	-	-	-	1,032	-
1935	-	170	-	-	-	-	-	6,517	-	-	838	-
1934	-	170	-	-	-	-	-	5,964	-	-	938	-
1933	-	184	-	-	-	-	-	5,129	-	-	772	-
1932	-	201	-	-	-	-	-	4,721	-	-	598	-

<sup>1</sup> Includes psychiatric, registered and non-registered nurses.

<sup>2</sup> Introduction of Newfoundland into national statistics.



**Series B456-460. Reporting public hospitals, operating expenditure per patient-day, Canada, 1942 to 1975<sup>1</sup>**

Year	Total general and allied special	General	Allied special	Mental	Tuber- culosis
	<b>456</b>	<b>457</b>	<b>458</b>	<b>459</b>	<b>460</b>
1975	109.98	121.82	54.84	46.59	79.70
1974	92.45	101.20	47.26	38.61	65.34
1973	77.09	84.09	41.02	31.57	48.07
1972	68.52	75.31	37.35	27.52	44.95
1971	61.58	66.61	33.36	22.49 <sup>2</sup>	41.56
1970	56.24	60.72	31.90	19.93 <sup>2</sup>	35.85
1969	50.69	54.30	28.53	16.67 <sup>2</sup>	30.77
1968	45.01	48.44	25.73	14.34 <sup>2</sup>	27.19
1967	40.38	43.40	23.16	12.23 <sup>2</sup>	23.41
1966	36.06	38.56	21.19	9.92	21.76
1965	31.92	34.05	18.70	8.33	18.72
1964	29.18	31.00	17.26	7.10	16.67
1963	26.87	28.58	15.77	6.69	15.64
1962	24.82	26.36	13.68	6.01	14.02
1961	23.10	24.34	13.00	5.37	12.77
1960	21.32	22.75	10.96	4.94	10.76
1959	18.88	20.45	8.56	5.31	10.23
1958	17.84	19.05	8.95	4.08	9.57
1957	16.11	17.36	7.37	3.70	8.84
1956	14.91	15.95	6.81	3.34	7.90
1955	14.05	15.21	6.30	2.97	7.42
1954	12.85	13.78	6.62	2.92	—
1953 <sup>3</sup>	11.95	12.79	5.96	2.70	—
1952	13.09	11.67	—	2.53	—
1951	9.60	9.05	6.40	2.40	—
1950	8.54	8.13	7.03	2.23	—
1949	7.85	8.00	6.51	1.94	—
1948	7.04	7.20	5.48	1.77	—
1947	6.14	6.28	4.82	1.45	—
1946	5.16	5.27	4.10	1.20	—
1945	4.73	4.81	3.74	1.05	—
1944	4.50	—	—	1.01	—
1943	4.08	—	—	.96	—
1942	4.06	—	—	.92	—

<sup>1</sup> Figures published in the form of a historical series in "Hospital Statistics", 1975 and 1958, published by Statistics Canada.

<sup>2</sup> Excludes Newfoundland from 1967 to 1971.

<sup>3</sup> Introduction of Newfoundland into national statistics.

Series B461-475. Operating expenditures of reporting public hospitals, by salary and non-salary expenditures, Canada, 1943 to 1975

(thousands of dollars)

Year	Total operating expense					Salary					Non-salary				
	Total general and allied special	General, including paediatric	Allied special	Mental	Tuber-culosis	Total general and allied special	General, including paediatric	Allied special	Mental	Tuber-culosis	Total general and allied special	General, including paediatric	Allied special	Mental	Tuber-culosis
	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475
1975	4,712,385	4,296,933	415,452	681,899	8,265	3,306,929	3,011,789	295,140	524,950	6,100	1,405,456	1,285,144	120,312	156,949	2,165
1974	3,860,724	3,540,335	320,389	593,098	7,410	2,703,430	2,473,341	230,089	453,336	5,525	1,157,295	1,066,995	90,300	139,762	1,885
1973	3,121,287	2,853,972	267,315	523,855	10,545 <sup>1</sup>	2,175,796	1,982,172	193,724	410,041	7,740 <sup>1</sup>	945,491	871,901	73,591	117,182	2,805 <sup>1</sup>
1972	2,779,371	2,537,646	241,724	470,250	13,455	1,946,682	1,770,656	176,025	363,607	10,049	832,689	766,990	65,699	109,359	3,406
1971	2,509,232	2,292,804	216,427	435,643 <sup>2</sup>	20,854	1,764,014	1,606,594	157,420	335,855	15,530	745,218	686,211	59,007	102,154	5,324
1970	2,244,333	2,047,676	196,657	400,730 <sup>2</sup>	24,493	1,584,555	1,440,475	144,079	307,622	18,449	659,778	607,200	52,578	95,347	6,044
1969	1,961,026	1,790,378	170,647	352,168 <sup>2</sup>	26,908	1,378,887	1,255,604	123,282	267,131	19,665	582,139	534,774	47,365	87,243	7,242
1968	1,718,990	1,573,595	145,395	309,402 <sup>2</sup>	27,514	1,150,711	1,048,687	102,024	232,482	18,953	568,279	524,908	43,371	78,957	8,560
1967	1,475,438	1,348,443	126,995	274,942	26,916	984,378	895,601	88,778	200,369	18,320	491,060	452,843	38,217	76,529	8,595
1966	1,275,200	1,167,521	107,679	241,199	26,230	836,060	762,681	73,380	171,935	17,426	439,140	404,841	34,299	72,238	8,803
1965	1,107,348	1,016,743	90,606	201,881 <sup>3</sup>	26,307	720,529	658,601	61,928	141,129	17,398	386,819	358,141	28,678	63,760	8,908
1964	983,568	906,346	77,223	177,363	26,477	634,359	582,405	51,954	122,078	17,424	349,209	323,941	25,269	55,558	9,054
1963	872,250	804,239	68,012	159,726	30,661	556,363	511,534	44,829	106,846	20,027	315,888	292,704	23,183	52,880	10,634
1962	769,164	717,537	51,626	141,645	33,115	502,528	468,216	34,312	94,099	21,961	266,636	249,321	17,315	47,546	11,154
1961	677,551	635,226	42,324	132,206 <sup>4</sup>	30,034	438,292	410,739	27,553	86,352 <sup>4</sup>	19,052	239,258	224,487	14,771	45,854 <sup>4</sup>	10,942
1960	592,842	555,814	37,029	116,585	31,900	376,897	353,129	23,768	76,498	20,504	215,945	202,684	13,260	41,274	12,384
1959	509,846	477,736	32,110	89,923	29,607	316,606	296,642	19,964	59,820	18,685	193,239	181,094	12,146	30,848	12,010
1958	444,161	416,026	28,134	96,327 <sup>5</sup>	30,410	281,787	264,468	17,319	61,560	19,049	162,374	151,559	10,815	36,149 <sup>5</sup>	12,506
1957	393,401	369,947	23,454	85,302 <sup>6</sup>	32,190	245,123	230,788	14,335	53,735 <sup>6</sup>	19,950	148,278	139,159	9,120	32,852 <sup>6</sup>	13,400
1956	347,356	326,745	20,611	76,942	32,003	213,280	200,945	12,335	47,494	19,800	134,076	125,800	8,276	31,367	13,695
1955	309,722	290,394	19,328	68,048	31,133	190,468	178,721	11,747	42,172	18,875	119,254	111,673	7,581	27,720	13,770
1954	273,604	255,349	18,256	64,087	31,180	167,768	156,835	10,933	38,617	17,152	105,836	98,513	7,323	26,854	14,028
1953 <sup>7</sup>	235,513	221,085	14,427	57,229 <sup>8</sup>	32,204 <sup>4</sup>	141,799	133,348	8,452	34,459	17,119	93,713	87,738	5,975	23,935 <sup>8</sup>	15,085
1952	204,041	191,721	12,321	59,925 <sup>9</sup>	29,184	111,765	105,182	6,583	29,888	14,275	92,276	86,538	5,738	30,933	14,909
1951	196,203	182,332	13,872	57,078 <sup>10</sup>	26,815	101,099	94,220	6,879	26,288 <sup>10</sup>	12,245	95,105	88,112	6,992	31,585 <sup>10</sup>	14,570
1950	162,714	155,252	7,462	48,453	22,893	82,646	79,025	3,621	22,614	10,639	80,068	76,227	3,841	26,530	12,254
1949	146,867	138,636	8,231	39,413	19,166	72,975	69,060	3,915	20,460	9,191	73,892	69,576	4,316	19,722	9,975
1948	125,005	119,187	5,818	34,879	17,043	60,219	57,728	2,491	17,876	7,999	64,786	61,459	3,327	17,936	9,044
1947	106,792	101,390	5,402	27,757	14,223	51,167	48,847	2,320	14,859	6,706	55,759	52,543	3,216	13,844	7,517
1946	84,503	79,816	4,687	27,316	11,483	39,904	37,805	2,098	14,359	5,311	44,599	42,011	2,589	12,957	6,172
1945	74,059	70,189	3,870	22,951	10,189	34,539	32,753	1,786	11,238	4,697	39,520	37,436	2,084	11,713	5,396
1944	68,940	64,680	4,260	21,878	—	31,114	29,203	1,911	9,922	—	37,826	35,477	2,348	11,956	—
1943	59,403	—	—	19,199	—	25,963	—	—	8,929	—	33,440	—	—	10,208	—

<sup>1</sup> Excludes Newfoundland, New Brunswick, Ontario, Manitoba and Alberta.

<sup>2</sup> Estimations for British Columbia.

<sup>3</sup> Does not include depreciation.

<sup>4</sup> Estimations for Quebec.



**Series B476-499. Operating expenditures of public general and allied special hospitals by selected services, Canada, 1943 to 1975 (concluded)**

(thousands of dollars)

Year	Radiology			Administrative and supportive			Education			Other <sup>3</sup>		
	Total general and allied special	General, including paediatric	Allied special	Total general and allied special	General, including paediatric	Allied special	Total general and allied special	General, including paediatric	Allied special	Total general and allied special	General, including paediatric	Allied special
	<b>488</b>	<b>489</b>	<b>490</b>	<b>491</b>	<b>492</b>	<b>493</b>	<b>494</b>	<b>495</b>	<b>496</b>	<b>497</b>	<b>498</b>	<b>499</b>
1975	188,186	179,072	9,113	1,840,632	1,652,818	187,813	144,219	140,838	3,381	—	—	—
1974	159,801	152,912	6,889	1,506,353	1,364,323	141,980	118,988	116,601	2,387	—	—	—
1973	137,694	131,917	5,777	1,222,875	1,103,766	119,109	119,456	117,261	2,194	—	—	—
1972	124,715	119,165	5,550	1,059,046	954,845	104,202	120,856	118,575	2,282	—	—	—
1971	118,906	114,021	4,886	959,940	865,402	94,538	118,343	115,890	2,452	—	—	—
1970	104,611	100,354	4,257	862,468	777,312	85,156	116,116	113,336	2,779	—	—	—
1969	92,050	88,335	3,715	762,586	687,936	74,650	102,969	100,545	2,425	—	—	—
1968	84,383	80,905	3,478	677,937	569,336	108,601	86,031	84,001	2,030	—	—	—
1967	69,182	66,813	2,369	597,426	539,650	57,776	76,006	74,057	1,949	—	—	—
1966	58,202	56,430	1,772	523,807	472,602	51,205	64,091	62,574	1,516	—	—	—
1965	50,484	48,928	1,556	471,614	427,807	43,807	54,020	52,577	1,443	—	—	—
1964	44,349	43,012	1,337	427,263	388,920	38,343	49,537	48,307	1,230	—	—	—
1963	38,868	37,820	1,048	388,250	357,913	30,337	43,678	42,340	1,339	—	—	—
1962	34,146	33,195	951	348,347	321,547	26,800	35,568	34,952	617	—	—	—
1961	29,880	29,122	758	313,767	290,578	23,189	31,693	31,211	483	—	—	—
1960	27,185	26,486	699	277,006	251,982	25,024	24,816	24,469	347	—	—	—
1959	21,622	21,130	492	244,429	226,176	18,352	18,198	17,999	199	—	—	—
1958	18,852	18,533	319	218,681	202,494	16,187	10,524 <sup>7</sup>	10,475 <sup>7</sup>	48 <sup>7</sup>	20,723	17,669	3,054
1957	16,206	16,083	124	196,667	183,171	13,496	8,806 <sup>7</sup>	8,701 <sup>7</sup>	104 <sup>7</sup>	23,818	20,748	3,070
1956	14,358	14,252	106	176,951	165,085	11,866	7,116 <sup>7</sup>	7,083 <sup>7</sup>	33 <sup>7</sup>	21,302	18,116	3,187
1955	12,039	11,930	109	157,468	146,285	11,183	6,321 <sup>7</sup>	6,257 <sup>7</sup>	64 <sup>7</sup>	25,789	21,931	3,858
1954	10,029	9,897	132	135,702	124,950	10,753	5,153 <sup>7</sup>	5,050 <sup>7</sup>	102 <sup>7</sup>	35,305	29,173	6,132
1953 <sup>8</sup>	8,529	8,453	76	117,189	108,995	8,193	4,297 <sup>7</sup>	4,251 <sup>7</sup>	46 <sup>7</sup>	34,617	32,177	2,441
1952	—	—	—	—	—	—	—	—	—	—	—	—
1951	—	—	—	—	—	—	—	—	—	—	—	—
1950	—	—	—	—	—	—	—	—	—	—	—	—
1949	—	—	—	—	—	—	—	—	—	—	—	—
1948	—	—	—	—	—	—	—	—	—	—	—	—
1947	—	—	—	—	—	—	—	—	—	—	—	—
1946	—	—	—	—	—	—	—	—	—	—	—	—
1945	—	—	—	—	—	—	—	—	—	—	—	—
1944	—	—	—	—	—	—	—	—	—	—	—	—
1943	—	—	—	—	—	—	—	—	—	—	—	—

<sup>1</sup> In all years, expenses for drug, medical and surgical supplies are included in the 'Total' figures only.

<sup>2</sup> Excluding laboratory and radiology.

**Series B500-503. Operating revenue of reporting mental institutions by source, Canada, 1933 to 1975**

(dollars)

Year	Government	Patient revenue <sup>1</sup>	Other <sup>1</sup>	Total
	<b>500</b>	<b>501</b>	<b>502</b>	<b>503</b>
1975	656,286,000	9,160,000	15,726,000	681,172,000
1974	570,606,000	9,862,000	12,408,000	592,876,000
1973 <sup>2</sup>	505,324,000	8,656,000	10,505,000	524,485,000
1972 <sup>2</sup>	452,481,000	8,843,000	8,816,000	470,140,000
1971 <sup>2</sup>	419,108,000	10,422,000	7,684,000	437,214,000
1970 <sup>2</sup>	381,431,000	9,135,000	5,528,000	396,094,000
1969 <sup>2</sup>	328,958,000	9,536,000	5,376,000	343,870,000
1968 <sup>2</sup>	289,976,000	9,960,000	4,936,000	304,872,000
1967 <sup>2</sup>	258,109,000	9,711,000	4,972,000	272,792,000
1966 <sup>2</sup>	217,975,000	9,221,000	4,159,000	231,355,000
1965 <sup>2</sup>	187,209,000	8,434,000	3,949,000	199,592,000
1964 <sup>2</sup>	162,438,000	8,990,000	3,964,000	175,392,000
1963 <sup>2</sup>	145,179,000	6,353,000	4,254,000	155,786,000
1962 <sup>2</sup>	129,945,000	5,226,000	4,659,000	139,830,000
1961 <sup>2</sup>	123,324,000	4,701,000	2,278,000	130,303,000
1960 <sup>2</sup>	110,282,000	4,383,000	2,034,000	116,700,000
1959 <sup>2,3</sup>	81,007,000	3,807,000	5,831,000	90,645,000
1958 <sup>2</sup>	87,098,000	8,268,000	1,083,000	96,449,000
1957 <sup>2</sup>	76,013,000	8,072,000	1,650,000	85,735,000
1956	67,186,000	8,875,000	1,784,000	77,845,000
1955	57,697,466	9,108,957	1,217,182	68,023,605
1954	52,035,029	9,374,214	1,575,005	62,984,248
1953	46,867,524	9,021,163	1,814,405	57,703,092
1952	50,857,972	7,205,951	1,919,123	59,983,046
1951	47,976,192	5,286,288	2,657,842	55,920,322
1950	41,253,952	4,516,725	2,353,797	48,124,474
1949 <sup>4</sup>	32,589,945	4,646,384	2,139,978	39,376,307
1948	28,766,403	4,203,697	2,089,087	35,059,187
1947	22,591,216	3,380,693	1,642,476	27,614,385
1946	22,203,060	3,259,516	1,515,840	26,978,416
1945	18,414,131	3,017,471	1,201,965	22,633,567
1944	17,468,554	3,139,441	1,255,781	21,863,776
1943	15,476,261	2,625,219	1,113,956	19,215,436
1942	15,069,935	2,347,508	1,119,712	18,537,155
1941	16,031,626	2,064,222	988,302	19,084,150
1940	14,037,916	2,062,418	3,445,240	19,545,574
1939	13,138,352	1,986,521	1,498,895	16,623,768
1938	12,671,623	2,094,696	1,020,382	15,786,701
1937	10,934,608	2,225,054	891,866	14,051,528
1936	10,064,049	1,974,131	2,262,772	14,300,952
1935	8,346,897	1,418,700	1,175,200	10,940,797
1934	10,080,689	1,884,538	1,755,331	13,720,558
1933	8,069,032	2,394,263	931,790	11,395,085

<sup>1</sup> Variations in data over the years could be explained by changes in definitions of "patient revenue" and "other revenue".

<sup>2</sup> Does not include private or federal institutions.

<sup>3</sup> Does not include Quebec.

<sup>4</sup> Introduction of Newfoundland into national statistics.

**Series B504-513. Health expenditures, Canada, 1926 to 1975**  
(thousands of dollars)

Year	Hospitals	Physicians	Dentists	Subtotal	Prescribed drugs	Subtotal	Other drugs and appliances	Other personal health care	Other health expenses	Total
	504	505	506	507	508	509	510	511	512	513
1975	5,533,707	1,900,483	592,304	8,026,494	573,715	8,600,209	703,303	969,549	1,476,180	11,749,241
1974	4,579,041	1,647,025	482,115	6,708,181	498,026	7,206,207	611,232	791,280	1,303,569	9,912,288
1973	3,803,610	1,471,971	418,294	5,693,875	466,929	6,160,804	556,756	652,430	1,085,665	8,455,655
1972	3,384,801	1,375,127	350,141	5,110,069	421,074	5,531,143	499,986	564,878	969,584	7,565,591
1971	3,095,367	1,239,775	311,229	4,646,371	402,498	5,048,869	462,544	500,080	936,333	6,947,826
1970	2,775,391	1,031,555	264,820	4,071,766	368,663	4,440,429	410,715	424,090	805,791	6,081,025
1969	2,456,687	901,435	241,038	3,599,160	331,835	3,930,995	360,217	371,677	728,735	5,391,624
1968	2,179,906	788,089	212,157	3,180,152	297,288	3,477,440	327,547	330,789	678,406	4,814,182
1967	1,880,699	686,189	187,166	2,754,054	265,478	3,019,532	298,272	291,509	635,534	4,244,847
1966	1,637,647	605,200	176,402	2,419,249	231,954	2,651,203	265,831	260,987	592,835	3,770,856
1965	1,434,274	545,056	160,062	2,139,392	211,540	2,350,932	243,008	235,365	532,788	3,362,093
1964	1,273,380	495,657	147,824	1,916,861	178,584	2,095,445	218,180	218,393	485,214	3,017,232
1963	1,150,306	453,395	136,946	1,740,647	161,734	1,902,381	205,366	193,906	467,821	2,769,474
1962	1,031,749	406,075	121,491	1,559,315	144,431	1,703,746	191,429	181,826	456,184	2,533,185
1961	930,568	388,305	116,729	1,435,602	135,841	1,571,443	184,621	168,820	423,899	2,348,783
1960	834,932	355,014	109,644	1,299,590	132,602	1,432,192	177,828	159,834	385,222	2,155,076
1959	735,626	325,689	98,966	1,160,281	130,188	—	—	—	—	1,290,469
1958	640,608	301,337	90,505	1,032,450	112,439	—	—	—	—	1,144,889
1957	587,370	271,795	85,008	944,173	103,230	—	—	—	—	1,047,403
1956	541,455	240,100	81,500	863,055	71,849	—	—	—	—	934,904
1955	480,058	206,500	68,600	755,158	59,503	—	—	—	—	814,661
1954	446,824	188,600	66,400	701,824	52,108	—	—	—	—	753,932
1953	404,019	176,600	60,500	641,119	48,818	—	—	—	—	689,937
1952	356,500	168,000	56,000	580,500	46,200	—	—	—	—	626,700
1951	326,400	153,000	51,000	530,400	42,900	—	—	—	—	573,300
1950	283,300	135,000	46,500	464,800	37,800	—	—	—	—	502,600
1949	247,100	117,000	43,000	407,100	34,600	—	—	—	—	441,700
1948	215,000	101,400	40,000	356,400	32,400	—	—	—	—	388,800
1947	186,700	91,000	38,800	316,500	28,900	—	—	—	—	345,400
1946	150,700	86,700	36,300	273,700	26,800	—	—	—	—	300,500
1945	129,500	76,200	29,500	235,200	23,200	—	—	—	—	258,400
1944	115,300	66,000	25,500	206,800	—	—	—	—	—	—
1943	102,200	68,600	23,100	193,900	—	—	—	—	—	—
1942	93,100	68,900	21,200	183,200	—	—	—	—	—	—
1941	89,200	66,700	21,900	177,800	—	—	—	—	—	—
1940	89,700	62,800	19,000	171,500	—	—	—	—	—	—
1939	81,400	57,100	16,700	155,200	—	—	—	—	—	—
1938	76,000	54,800	15,100	145,900	—	—	—	—	—	—
1937	75,500	50,100	13,400	139,000	—	—	—	—	—	—
1936	68,100	44,500	13,200	125,800	—	—	—	—	—	—
1935	61,300	43,800	11,100	116,200	—	—	—	—	—	—
1934	55,300	36,700	11,400	103,400	—	—	—	—	—	—
1933	55,000	37,900	13,800	106,700	—	—	—	—	—	—
1932	58,000	45,900	19,100	123,000	—	—	—	—	—	—
1931	58,000	63,600	21,400	143,000	—	—	—	—	—	—
1930	57,000	71,100	23,300	151,400	—	—	—	—	—	—
1929	56,000	77,500	23,300	156,800	—	—	—	—	—	—
1928	54,000	74,100	22,300	150,400	—	—	—	—	—	—
1927	52,000	69,200	20,800	142,000	—	—	—	—	—	—
1926	17,600	64,600	19,500	101,700	—	—	—	—	—	—

**Series B514-516. Estimated enrolment in non-profit<sup>1</sup> medical insurance plans, Canada, at 31 December, 1937 to 1975**

(number of persons)

Year	Total	Comprehensive plans	Limited plans	Year	Total	Comprehensive plans	Limited plans
	<b>514</b>	<b>515</b>	<b>516</b>		<b>514</b>	<b>515</b>	<b>516</b>
1975	–	–	–	1955 <sup>3</sup>	3,143,000	1,695,000	1,448,000
1974	–	–	–	1954	2,688,000	–	–
1973	–	–	–	1953	2,353,000	1,105,000	1,249,000
1972	–	–	–	1952	1,948,000	930,000	1,019,000
1971	–	–	–	1951	1,569,000	735,000	834,000
1970	1,142,000	1,132,000	10,000	1950	1,240,000	562,000	678,000
1969	1,982,000	1,910,000	72,000	1949	888,000	411,000	478,000
1968	8,281,000	5,603,000	2,678,000	1948	632,000	332,000	300,000
1967	8,962,000	6,802,000	2,160,000	1947	417,000	237,000	180,000
1966	8,883,000	6,630,000	2,253,000	1946	167,000	154,000	13,000
1965	7,809,000	6,541,000	1,268,000	1945	112,000	–	–
1964	7,389,000	6,506,000	883,000	1944	75,000	–	–
1963	6,682,000	5,303,000	1,379,000	1943	50,000	–	–
1962	6,023,000	5,555,000	468,000	1942	41,000	–	–
1961	5,684,000	5,370,000	314,000	1941	35,000	–	–
1960 <sup>2</sup>	5,201,000	5,075,000	126,000	1940	25,000	–	–
1959	4,861,000	3,146,000	1,715,000	1939	13,000	–	–
1958	4,446,000	2,730,000	1,717,000	1938	4,000	–	–
1957	4,154,000	2,353,000	1,801,000	1937	1,000	–	–
1956	3,601,000	2,006,000	1,595,000				

<sup>1</sup> "Non-profit" plans include: (a) plans operated or sponsored by medical associations; (b) plans operated by Blue Cross-type agencies; and (c) independent plans, such as those sponsored or operated by co-operatives and labour unions.

<sup>2</sup> Beginning in 1960, the term "comprehensive" is defined as comprising surgical and medical benefits, and the term "limited" as comprising major medical (i.e., so-called catastrophic) coverage and/or extended benefits.

<sup>3</sup> Includes Newfoundland beginning in 1955. The Yukon Territory and the Northwest Territories excluded throughout.

**Series B517-525 Annual rates of notifiable diseases, Canada, 1926 to 1975**  
(per 100,000 population)

Year <sup>1</sup>	Chickenpox <sup>2</sup> 052 <sup>4</sup>	Diphtheria 032 <sup>4</sup>	Measles <sup>3</sup> 055 <sup>4</sup>	Mumps <sup>2</sup> 072 <sup>4</sup>	Pertussis (Whooping cough) 033 <sup>4</sup>	Poliomyelitis (all types) 040-043 <sup>4</sup>	Scarlet fever and streptococ- cal sore throat 034 <sup>4</sup>	Tuberculosis 010-019 <sup>4</sup>	Typhoid and paratyphoid fever 001-002 <sup>4</sup>
	517	518	519	520	521	522	523	524	525
1975	..	0.5	57.9	..	14.9	– <sup>5</sup>	94.9	13.5	0.8
1974	..	0.8	53.7	..	7.0	– <sup>5</sup>	90.3	14.9	0.8
1973	..	0.8	49.4	..	4.5	– <sup>5</sup>	71.8	16.1	0.7
1972	..	0.3	14.4	..	5.9	–	56.0	17.9	0.7
1971	..	0.3	34.4	..	13.8	–	50.0	18.2	0.6
1970	..	0.2	135.8	..	9.8	–	48.8	18.3	0.3
1969 <sup>6</sup>	..	0.2	64.2	..	5.9	–	53.0	21.1	0.6
1968	..	0.3	..	..	12.1	–	64.6	22.3	0.4
1967	..	0.2	..	..	24.3	–	98.3	22.5	0.6
1966	..	0.2	..	..	22.8	–	100.9	22.5	0.6
1965	..	0.3	..	..	12.6	–	69.2	24.5	0.8
1964	..	0.1	..	..	25.1	0.1	55.0	23.5	1.0
1963	..	0.4	..	..	32.4	0.6	52.4	30.1	0.8
1962	..	0.4	..	..	43.5	0.5	55.1	33.8	1.5
1961	..	0.5	..	..	30.0	1.0	71.6	32.7	1.5
1960	..	0.3	..	..	33.6	5.1	119.1	35.5	1.9
1959	..	0.2	..	..	41.5	10.8	133.9	37.6	3.1
1958	..	0.4	..	..	40.7	1.9	65.2	42.3	1.8
1957	–	0.9	–	–	45.0	1.6	52.5	46.2	1.7
1956	–	0.8	336.1	–	53.0	3.8	72.7	52.3	2.8
1955	214.5	0.9	363.3	173.5	87.3	6.5	59.7	58.6	2.4
1954	247.3	1.4	241.5	176.3	76.0	15.7	86.0	63.0	3.1
1953	320.2	0.9	390.5	244.9	63.3	59.8	107.8	65.7	3.1
1952	317.9	1.3	389.2	266.3	59.0	33.0	145.4	70.0	3.5
1951	333.5	1.8	438.3	251.6	63.6	18.2	110.4	77.8	4.0
1950 <sup>1</sup>	260.1	3.1	406.6	319.0	89.0	6.8	71.9	87.0	5.2
1949	346.2	6.1	447.4	187.8	60.7	18.6	71.2	94.8	5.8
1948	326.3	7.0	515.7	192.2	55.3	9.1	63.5	93.9	4.4
1947	258.9	12.4	315.0	257.5	82.4	18.3	63.2	105.7	5.6
1946	237.3	20.7	550.4	212.4	62.5	20.6	80.5	119.1	7.5
1945	262.5	23.1	223.8	169.2	101.1	3.2	105.5	113.9	7.3
1944	297.6	27.0	463.7	166.1	103.8	6.1	181.1	125.3	10.4
1943	258.6	23.8	513.5	410.1	162.0	2.8	163.4	104.5	9.8
1942	265.7	25.4	225.6	449.8	158.0	5.9	185.2	100.6	9.8
1941	242.5	24.9	705.4	199.6	144.9	16.4	153.9	88.0	13.5
1940	288.3	20.5	403.5	118.8	174.9	1.7	128.0	86.6	13.8
1939	225.1	25.8	395.3	51.9	159.8	3.2	140.5	88.4	11.7
1938	242.3	33.0	236.4	75.4	143.7	5.2	154.9	81.0	16.5
1937	220.1	26.7	520.5	130.9	157.7	35.4	156.5	77.4	20.5
1936	232.6	18.6	509.6	272.1	148.7	8.9	198.5	79.2	16.7
1935	255.2	18.5	767.6	209.1	166.1	3.4	167.3	81.0	18.2
1934	218.7	21.1	271.4	78.9	181.6	4.8	154.0	76.3	21.7
1933	219.8	22.4	127.8	108.9	137.7	2.4	97.1	79.6	22.0
1932	170.5	37.3	510.7	118.3	114.9	9.1	93.8	84.2	23.6
1931	185.8	57.1	247.6	107.7	88.5	12.9	125.8	69.4	28.4
1930 <sup>1</sup>	199.7	78.8	211.9	92.8	115.2	10.1	173.1	64.4	22.1
1929	180.7	90.6	424.3	121.4	106.1	7.7	161.5	57.6	19.0
1928	165.3	90.2	284.9	245.8	68.3	8.1	151.3	56.9	23.1
1927	143.5	89.1	295.2	–	70.2	6.4	162.5	55.4	85.1
1926	139.5	76.7	421.6	–	74.5	1.2	152.3	59.7	19.6

<sup>1</sup> Newfoundland is included since 1950 and Prince Edward Island since 1930.

<sup>2</sup> Not reportable since 1958.

<sup>3</sup> Not reportable for the years 1958 to 1968.

<sup>4</sup> Numbers refer to categories of the International Statistical Classification of Diseases, Injuries and Causes of Death (Seventh Revision).

<sup>5</sup> Less than 0.05 cases per 100,000 population.

<sup>6</sup> Seventh edition of the International Classification used until 1968; 8th edition used from 1969 on.



Series B526-543. Number of separations, days of stay and percentages, by chapter, in Canada, 1967 to 1975

Year	Total	Infective and parasitic diseases	Neoplasms	Endocrine, nutritional and metabolic diseases	Diseases of the blood and blood-forming organs	Mental disorders	Diseases of the nervous system and sense organs	Diseases of the circulatory system	Diseases of the respiratory system	Diseases of the digestive system	Diseases of the genitourinary system	Complications of pregnancy, childbirth, puerperium	Diseases of skin and subcutaneous tissue	Diseases of the musculoskeletal system and connective tissue	Congenital anomalies	Symptoms and ill-defined conditions	Accidents, poisonings and violence (nature)	Supplementary classifications
	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543
1975																		
Separations	3,677,274	103,619	220,616	71,850	24,833	150,498	157,521	379,311	442,840	421,261	342,831	503,960	60,776	162,936	42,807	154,213	345,100	92,302
Days of stay	40,924,511	895,976	3,547,653	1,187,648	279,656	2,744,451	2,714,380	8,829,057	3,158,413	3,802,297	2,415,835	2,620,946	547,424	2,277,231	455,377	1,039,100	3,681,198	727,869
% of separations	100.0	2.8	6.0	2.0	0.7	4.1	4.3	10.3	12.0	11.5	9.3	13.7	1.6	4.4	1.2	4.2	9.4	2.5
% of days of stay	100.0	2.2	8.7	2.9	0.7	6.7	6.6	21.6	7.7	9.3	5.9	6.4	1.3	5.6	1.1	2.5	9.0	1.8
1974																		
Separations	3,714,932	109,705	217,703	72,620	25,457	152,070	155,536	377,599	465,330	433,921	349,811	496,633	62,561	162,111	42,659	148,675	348,359	94,182
Days of stay	41,841,489	988,814	3,549,667	1,239,800	282,491	2,745,663	2,825,919	8,935,200	3,270,714	4,012,848	2,502,367	2,610,689	566,100	2,302,668	468,668	997,484	3,811,124	731,273
% of separations	100.0	2.9	5.9	1.9	0.7	4.1	4.2	10.2	12.5	11.7	9.4	13.4	1.7	4.4	1.1	4.0	9.4	2.5
% of days of stay	100.0	2.4	8.5	3.0	0.7	6.6	6.7	21.4	7.8	9.6	6.0	6.2	1.3	5.5	1.1	2.4	9.1	1.7
1973																		
Separations	3,693,552	109,290	208,912	73,899	26,400	148,566	155,060	365,357	470,106	447,856	350,154	490,342	64,099	159,730	43,310	139,597	347,512	93,362
Days of stay	41,590,230	1,024,269	3,510,643	1,286,225	291,571	2,573,827	2,688,680	8,519,504	3,366,261	4,200,378	2,618,091	2,642,880	582,168	2,312,438	501,084	947,927	3,794,184	730,100
% of separations	100.0	3.0	5.7	2.0	0.7	4.0	4.2	9.9	12.7	12.1	9.5	13.3	1.7	4.3	1.2	3.8	9.4	2.5
% of days of stay	100.0	2.5	8.4	3.1	0.7	6.2	6.5	20.5	8.1	10.1	6.3	6.3	1.4	5.6	1.2	2.3	9.1	1.7
1972																		
Separations	3,634,706	103,625	205,792	71,816	26,933	138,313	150,391	357,075	496,376	446,240	343,711	492,108	61,522	151,930	41,077	127,024	340,271	80,502
Days of stay	42,027,231	962,656	3,573,087	1,302,848	293,593	2,465,048	2,742,162	8,673,825	3,608,302	4,301,969	2,709,948	2,709,499	575,278	2,306,056	513,010	873,615	3,753,193	663,141
% of separations	100.0	2.9	5.7	2.0	0.7	3.8	4.1	9.8	13.7	12.3	9.5	13.5	1.7	4.2	1.1	3.5	9.4	2.2
% of days of stay	100.0	2.3	8.5	3.1	0.7	5.9	6.5	20.6	8.6	10.2	6.5	6.4	1.4	5.5	1.2	2.1	8.9	1.6
1971																		
Separations	3,568,887	106,704	196,164	71,527	28,042	131,231	147,733	344,994	503,424	434,614	336,218	505,788	63,475	143,897	40,512	117,000	328,559	69,005
Days of stay	41,228,313	1,013,510	3,494,342	1,295,179	307,597	2,366,826	2,779,363	8,137,623	3,522,124	4,291,892	2,753,185	2,810,376	600,357	2,231,508	551,762	804,781	3,672,537	595,351
% of separations	100.0	3.0	5.5	2.0	0.8	3.7	4.1	9.7	14.1	12.2	9.4	14.2	1.8	4.0	1.1	3.3	9.2	2.1
% of days of stay	100.0	2.5	8.5	3.1	0.7	5.7	6.7	19.7	8.5	10.4	6.7	6.8	1.5	5.4	1.3	2.0	8.9	1.4
1970																		
Separations	3,449,323	109,150	188,588	70,013	28,293	124,606	138,568	324,210	517,401	412,655	328,768	504,101	64,690	133,209	36,622	99,224	318,221	51,004
Days of stay	40,357,019	1,021,614	3,384,090	1,271,358	315,102	2,163,380	2,453,761	7,616,093	3,706,599	4,231,096	2,726,073	2,853,997	681,630	2,103,705	493,275	726,565	3,571,273	1,037,408
% of separations	100.0	3.2	5.5	2.0	0.8	3.6	4.0	9.4	15.0	12.0	9.5	14.6	1.9	3.9	1.1	2.9	9.2	1.6
% of days of stay	100.0	2.5	8.4	3.2	0.8	5.4	6.1	18.9	9.2	10.5	6.8	7.1	1.7	5.2	1.2	1.8	8.8	0.3
1969																		
Separations	3,308,647	95,389	179,678	69,137	27,866	112,837	131,497	314,163	513,564	398,523	308,266	490,452	64,741	124,132	37,318	94,712	309,732	36,640
Days of stay	39,320,982	924,741	3,306,060	1,275,512	324,922	2,040,588	2,146,575	7,689,341	3,647,704	4,188,272	2,661,562	2,815,188	631,240	2,064,617	509,348	705,087	3,481,967	899,258
% of separations	100.0	2.9	5.4	2.1	0.8	3.4	4.0	9.5	15.5	12.0	9.3	14.8	2.0	3.8	1.1	2.9	9.4	1.1
% of days of stay	100.0	2.4	8.4	3.2	0.8	5.2	5.5	19.6	9.3	10.6	6.8	7.2	1.6	5.3	1.3	1.8	8.8	2.3
1968 <sup>1</sup>																		
Separations	3,245,540	40,436	188,105	98,515	19,209	106,745	170,783	275,890	505,278	444,683	290,025	488,581	56,198	123,871	33,991	91,495	294,979	16,635
Days of stay	37,289,823	571,315	3,216,740	1,528,364	274,270	1,947,631	3,822,164	5,358,414	3,339,221	4,519,147	2,544,666	2,832,547	559,621	2,108,396	483,244	674,036	3,263,513	245,839
% of separations	100.0	1.2	5.8	3.0	1.0	3.3	5.3	8.5	15.6	13.7	8.9	15.0	1.7	3.8	1.0	2.8	9.1	1.0
% of days of stay	100.0	1.5	8.6	4.1	0.7	5.2	10.2	14.4	9.0	12.1	6.8	7.6	1.5	5.7	1.3	1.8	8.8	1.1
1967 <sup>1</sup>																		
Separations	3,180,209	44,444	186,461	94,052	18,221	98,611	163,972	270,213	486,429	438,312	278,100	496,956	57,620	116,268	32,732	85,545	287,875	19,006
Days of stay	35,486,000	617,042	3,290,775	1,395,890	264,432	1,683,755	3,035,198	5,027,102	3,157,676	4,453,557	2,486,164	2,878,669	561,737	1,919,454	450,101	618,218	3,108,108	523,759
% of separations	100.0	1.4	5.9	3.0	0.6	3.1	5.2	8.5	15.3	13.8	8.7	15.6	1.8	3.6	1.0	2.7	9.0	0.8
% of days of stay	100.0	1.7	9.3	3.9	0.7	4.7	8.6	14.2	8.9	12.6	7.0	8.1	1.6	5.4	1.3	1.7	8.8	1.5

<sup>1</sup> ICDA 7th classification used for 1967 and 1968.