

Table 5-7
Absence rates for full-time employees by sex and occupation — Health

| | Incidence | | | Inactivity rate | | | Days lost per worker in year | | |
|--------------------------------|-----------|-----------------------------|---|-----------------|-----------------------------|---|------------------------------|-----------------------------|---|
| | Total | Illness or disability | Personal or family responsibilities | Total | Illness or disability | Personal or family responsibilities | Total | Illness or disability | Personal or family responsibilities |
| | percent | | | | | | days | | |
| Both sexes ¹ | | | | | | | | | |
| 1998 | 8.3 | 6.8 | 1.4 | 5.4 | 4.7 | 0.7 | 13.4 | 11.8 | 1.6 |
| 1999 | 8.3 | 6.7 | 1.6 | 5.3 | 4.6 | 0.7 | 13.2 | 11.5 | 1.7 |
| 2000 | 8.6 | 7.3 | 1.3 | 5.3 | 4.7 | 0.6 | 13.3 | 11.8 | 1.5 |
| 2001 | 8.7 | 7.1 | 1.5 | 5.2 | 4.4 | 0.7 | 12.9 | 11.1 | 1.9 |
| 2002 | 10.2 | 8.2 | 2.0 | 5.9 | 5.0 | 0.9 | 14.7 | 12.6 | 2.1 |
| 2003 | 9.1 | 7.3 | 1.8 | 5.2 | 4.4 | 0.8 | 13.0 | 11.0 | 2.0 |
| 2004 | 9.8 | 8.2 | 1.7 | 6.0 | 5.3 | 0.7 | 15.0 | 13.2 | 1.8 |
| 2005 | 10.4 | 8.5 | 1.9 | 6.0 | 5.2 | 0.8 | 15.0 | 13.1 | 1.9 |
| 2006 | 10.2 | 8.0 | 2.2 | 5.8 | 4.8 | 1.1 | 14.6 | 12.0 | 2.7 |
| 2007 | 10.7 | 8.8 | 1.9 | 6.3 | 5.5 | 0.8 | 15.6 | 13.7 | 1.9 |
| 2008 | 11.0 | 8.8 | 2.1 | 6.4 | 5.6 | 0.8 | 16.1 | 14.0 | 2.1 |
| Males | | | | | | | | | |
| 1998 | 6.7 | 5.6 | F | 3.8 | 3.4 | F | 9.4 | 8.4 | F |
| 1999 | 5.1 | 4.1 | F | 2.9 | 2.5 | F | 7.3 | 6.3 | F |
| 2000 | 5.6 | 4.5 | F | 3.5 | 2.8 | F | 8.7 | 7.1 | F |
| 2001 | 7.0 | 5.9 | F | 4.3 | 3.6 | F | 10.8 | 9.0 | F |
| 2002 | 7.2 | 5.3 | F | 3.6 | 2.9 | F | 8.9 | 7.3 | F |
| 2003 | 7.2 | 5.4 | F | 3.7 | 3.0 | F | 9.1 | 7.5 | F |
| 2004 | 7.2 | 5.4 | 1.9 | 4.1 | 3.2 | 0.8 | 10.2 | 8.1 | 2.1 |
| 2005 | 9.6 | 7.9 | 1.7 | 5.5 | 4.6 | 0.9 | 13.9 | 11.6 | 2.3 |
| 2006 | 7.3 | 5.2 | 2.1 | 3.9 | 2.9 | 1.0 | 9.7 | 7.2 | 2.5 |
| 2007 | 8.7 | 6.7 | 2.0 | 4.4 | 3.5 | 1.0 | 11.1 | 8.7 | 2.4 |
| 2008 | 8.5 | 6.7 | 1.8 | 5.0 | 4.2 | 0.8 | 12.6 | 10.5 | 2.1 |
| Females ¹ | | | | | | | | | |
| 1998 | 8.6 | 7.1 | 1.5 | 5.7 | 5.0 | 0.7 | 14.3 | 12.6 | 1.8 |
| 1999 | 9.0 | 7.3 | 1.7 | 5.9 | 5.1 | 0.8 | 14.7 | 12.8 | 1.9 |
| 2000 | 9.2 | 7.9 | 1.4 | 5.8 | 5.1 | 0.6 | 14.4 | 12.9 | 1.5 |
| 2001 | 9.0 | 7.4 | 1.6 | 5.4 | 4.6 | 0.7 | 13.4 | 11.6 | 1.9 |
| 2002 | 10.8 | 8.7 | 2.1 | 6.4 | 5.5 | 0.9 | 15.9 | 13.7 | 2.2 |
| 2003 | 9.5 | 7.7 | 1.8 | 5.5 | 4.7 | 0.8 | 13.8 | 11.8 | 2.0 |
| 2004 | 10.4 | 8.7 | 1.6 | 6.4 | 5.7 | 0.7 | 16.0 | 14.3 | 1.7 |
| 2005 | 10.6 | 8.6 | 1.9 | 6.1 | 5.4 | 0.7 | 15.2 | 13.4 | 1.8 |
| 2006 | 10.7 | 8.5 | 2.2 | 6.2 | 5.2 | 1.1 | 15.6 | 12.9 | 2.7 |
| 2007 | 11.1 | 9.2 | 1.9 | 6.6 | 5.9 | 0.7 | 16.6 | 14.7 | 1.8 |
| 2008 | 11.4 | 9.2 | 2.2 | 6.7 | 5.9 | 0.8 | 16.8 | 14.7 | 2.1 |

1. Data from 1987 to 1996 include maternity leave.