

Table 2-1

Lip — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	1 year of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
Lip (ICD-O-3: C00.0-C00.9) ²									
1992									
Total, 15 to 99 years	98	93	102	97	92	101	102	90	110
15 to 44 years	96	84	100	96	84	100	F	F	F
45 to 54 years	96	86	100	95	84	100	F	F	F
55 to 64 years	95	86	100	93	83	99	104	..	..
65 to 74 years	96	87	102	97	88	104	88	63	101
75 to 99 years	105	92	117	103	87	116	117	85	136
1993									
Total, 15 to 99 years	95	90	100	96	91	101	91	77	101
15 to 44 years	101	..	..	101	..	..	F	F	F
45 to 54 years	91	78	98	91	77	98	F	F	F
55 to 64 years	90	79	97	90	78	98	87	50	100
65 to 74 years	94	86	101	94	85	101	96	72	106
75 to 99 years	99	85	112	104	87	119	84	58	106
1994									
Total, 15 to 99 years	91	85	96	90	84	96	95	83	105
15 to 44 years	90	74	97	88	71	96	F	F	F
45 to 54 years	92	78	98	93	79	99	F	F	F
55 to 64 years	90	80	97	89	77	97	96	59	103
65 to 74 years	92	83	99	91	80	100	94	74	103
75 to 99 years	91	77	103	88	72	103	99	73	119
1995									
Total, 15 to 99 years	94	89	98	96	91	101	84	70	95
15 to 44 years	101	..	..	101	..	..	F	F	F
45 to 54 years	88	72	96	89	73	97	F	F	F
55 to 64 years	95	86	100	94	84	99	104	..	..
65 to 74 years	93	84	100	95	85	103	84	60	98
75 to 99 years	95	81	107	100	84	114	79	54	100
1996									
Total, 15 to 99 years	91	85	96	90	84	95	95	81	105
15 to 44 years	98	83	100	97	79	100	F	F	F
45 to 54 years	93	82	98	92	80	98	F	F	F
55 to 64 years	90	76	98	90	74	99	F	F	F
65 to 74 years	90	81	97	88	77	96	99	78	107
75 to 99 years	88	75	101	88	72	103	89	61	112
1997									
Total, 15 to 99 years	96	90	101	95	89	101	98	84	108
15 to 44 years	88	71	96	90	72	97	F	F	F
45 to 54 years	99	82	102	103	..	..	F	F	F
55 to 64 years	99	89	103	98	87	103	F	F	F
65 to 74 years	92	83	100	92	82	100	93	65	105
75 to 99 years	99	85	111	97	80	112	106	79	124
1998									
Total, 15 to 99 years	93	88	98	94	87	99	92	79	101
15 to 44 years	95	81	99	95	79	99	F	F	F
45 to 54 years	98	85	101	97	84	101	F	F	F
55 to 64 years	95	84	101	93	81	100	F	F	F
65 to 74 years	96	87	103	93	81	102	107	84	111
75 to 99 years	88	74	101	93	76	109	76	53	95
1999									
Total, 15 to 99 years	95	89	100	94	87	99	99	86	108
15 to 44 years	101	..	..	101	..	..	F	F	F
45 to 54 years	95	82	100	97	81	101	F	F	F
55 to 64 years	101	91	105	103	91	106	96	56	103
65 to 74 years	91	80	99	91	78	100	91	66	103
75 to 99 years	94	80	107	89	72	104	109	82	127

See footnotes at the end of the table.

Table 2-1 – continued

Lip — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	1 year of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
2000									
Total, 15 to 99 years	94	88	99	91	84	97	103	90	111
15 to 44 years	93	71	99	92	70	99	F	F	F
45 to 54 years	90	74	98	89	66	98	93	55	100
55 to 64 years	100	90	104	100	89	104	F	F	F
65 to 74 years	91	80	98	87	74	96	105	79	110
75 to 99 years	95	81	107	90	74	105	105	79	123
2001									
Total, 15 to 99 years	94	87	99	94	87	100	91	77	103
15 to 44 years	95	64	100	95	64	100	F	F	F
45 to 54 years	90	72	97	88	69	97	F	F	F
55 to 64 years	94	82	100	95	82	102	87	50	99
65 to 74 years	88	76	97	87	72	98	93	65	104
75 to 99 years	99	86	112	104	86	119	91	68	111
2002									
Total, 15 to 99 years	90	83	96	91	83	97	88	73	99
15 to 44 years	86	68	94	85	63	95	F	F	F
45 to 54 years	91	75	98	96	77	101	F	F	F
55 to 64 years	95	82	101	97	83	103	85	47	99
65 to 74 years	89	77	98	91	77	101	83	52	100
75 to 99 years	89	71	105	84	63	104	96	67	120
2003									
Total, 15 to 99 years	90	83	96	91	83	98	86	71	97
15 to 44 years	96	73	100	101	..	..	F	F	F
45 to 54 years	84	66	94	81	58	93	91	48	100
55 to 64 years	94	81	101	95	80	102	F	F	F
65 to 74 years	101	89	108	102	88	110	96	64	106
75 to 99 years	78	62	94	77	56	96	80	53	102

See footnotes at the end of the table.

Table 2-1 – continued

Lip — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
Lip (ICD-O-3: C00.0-C00.9) ²									
1992/1994									
Total, 15 to 99 years	95	92	98	95	91	98	96	89	102
15 to 44 years	96	90	99	96	89	98	100	..	..
45 to 54 years	93	88	97	93	87	97	94	60	101
55 to 64 years	92	86	96	91	85	96	96	81	102
65 to 74 years	94	90	98	94	89	99	93	81	100
75 to 99 years	98	90	106	98	89	107	99	83	111
1993/1995									
Total, 15 to 99 years	94	91	96	94	91	97	90	83	96
15 to 44 years	97	92	100	97	91	99	100	..	..
45 to 54 years	90	83	95	91	84	96	F	F	F
55 to 64 years	92	87	96	91	86	96	95	79	101
65 to 74 years	93	88	97	94	88	99	91	80	99
75 to 99 years	95	87	102	97	88	106	87	73	100
1994/1996									
Total, 15 to 99 years	92	89	95	92	89	95	92	84	98
15 to 44 years	96	90	99	96	89	99	101	..	..
45 to 54 years	91	85	95	92	85	96	87	55	98
55 to 64 years	92	87	96	91	85	96	97	79	103
65 to 74 years	92	87	96	92	86	97	93	82	100
75 to 99 years	91	84	99	92	83	101	89	74	102
1995/1997									
Total, 15 to 99 years	93	90	96	94	90	97	92	85	98
15 to 44 years	96	90	99	96	90	99	94	62	100
45 to 54 years	93	86	97	93	86	98	91	65	99
55 to 64 years	95	90	99	94	88	98	100	77	104
65 to 74 years	92	87	96	92	86	97	92	80	100
75 to 99 years	94	86	101	95	86	104	90	76	103
1996/1998									
Total, 15 to 99 years	93	90	96	93	89	96	95	88	101
15 to 44 years	94	87	98	94	87	98	93	57	99
45 to 54 years	96	91	99	96	90	99	96	71	101
55 to 64 years	95	89	99	94	88	99	100	76	103
65 to 74 years	93	88	97	91	85	96	101	90	106
75 to 99 years	92	84	99	92	83	101	90	75	103
1997/1999									
Total, 15 to 99 years	95	92	98	94	91	98	97	89	102
15 to 44 years	95	88	98	96	89	99	F	F	F
45 to 54 years	97	91	100	98	92	101	92	69	99
55 to 64 years	98	93	101	98	92	101	100	80	104
65 to 74 years	93	88	98	92	86	97	98	86	104
75 to 99 years	94	86	101	93	83	102	96	82	108
1998/2000									
Total, 15 to 99 years	94	91	97	93	89	96	98	91	104
15 to 44 years	97	90	99	96	89	99	F	F	F
45 to 54 years	95	88	98	95	88	99	93	73	99
55 to 64 years	99	94	102	98	93	102	100	80	104
65 to 74 years	93	87	97	90	83	96	101	91	106
75 to 99 years	92	84	100	91	81	100	96	82	108
1999/2001									
Total, 15 to 99 years	94	91	97	93	89	97	98	91	104
15 to 44 years	97	89	100	97	88	100	F	F	F
45 to 54 years	92	85	97	92	83	97	93	73	99
55 to 64 years	98	93	102	99	94	103	94	75	101
65 to 74 years	90	84	95	88	81	94	96	84	103
75 to 99 years	96	88	103	94	84	103	101	87	113

See footnotes at the end of the table.

Table 2-1 – continued

Lip — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
2000/2002									
Total, 15 to 99 years	93	89	96	92	88	96	94	86	101
15 to 44 years	90	80	95	90	79	96	F	F	F
45 to 54 years	91	83	95	91	82	96	89	67	97
55 to 64 years	96	91	100	98	91	101	90	70	98
65 to 74 years	89	83	95	88	81	94	95	82	102
75 to 99 years	95	86	103	94	83	104	97	83	110
2001/2003									
Total, 15 to 99 years	91	87	95	92	88	96	89	80	95
15 to 44 years	91	81	96	93	82	97	F	F	F
45 to 54 years	88	80	94	89	79	95	87	64	97
55 to 64 years	94	88	98	96	89	100	88	69	97
65 to 74 years	92	86	98	93	85	99	91	76	100
75 to 99 years	90	81	99	90	79	101	90	75	103

1. Data from Quebec have been excluded because of issues in correctly ascertaining the vital status of cases.

2. Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.

Note(s): See "Data quality, concepts and methodology — Footnotes" section. Please note that CANSIM tables also provide the number of cases on which analyses were based, the number of deaths within the first five years of follow-up, as well as estimates of observed survival and their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR), Canadian Vital Statistics (Death Database) and life tables (CANSIM tables 103-1569 and 103-1570).