

Table 5-1

Floor of mouth — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	1 year of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
Floor of mouth (ICD-O-3: C04.0-C04.9) ²									
1992									
Total, 15 to 99 years	50	42	57	49	40	58	52	36	66
15 to 44 years	F	F	F	F	F	F	F	F	F
45 to 54 years	67	50	80	72	54	85	F	F	F
55 to 64 years	52	39	65	50	35	65	58	32	78
65 to 74 years	34	21	48	30	15	47	42	19	65
75 to 99 years	41	18	68	24	4	62	67	24	104
1993									
Total, 15 to 99 years	51	43	59	48	38	58	56	42	68
15 to 44 years	64	30	85	F	F	F	F	F	F
45 to 54 years	51	33	67	43	24	62	F	F	F
55 to 64 years	57	43	70	52	34	68	66	42	83
65 to 74 years	54	38	68	45	26	63	69	41	88
75 to 99 years	29	13	50	48	19	80	8	1	34
1994									
Total, 15 to 99 years	56	48	63	53	43	62	61	47	73
15 to 44 years	F	F	F	F	F	F	F	F	F
45 to 54 years	62	46	75	56	37	72	75	44	91
55 to 64 years	53	40	64	52	36	66	55	30	75
65 to 74 years	60	44	74	61	40	79	58	33	78
75 to 99 years	38	17	63	29	7	62	49	15	85
1995									
Total, 15 to 99 years	52	44	60	47	37	56	64	48	76
15 to 44 years	81	41	96	F	F	F	F	F	F
45 to 54 years	64	45	78	51	30	70	F	F	F
55 to 64 years	53	38	66	51	33	67	59	31	79
65 to 74 years	51	36	66	44	25	62	64	37	85
75 to 99 years	28	12	51	24	6	53	35	8	71
1996									
Total, 15 to 99 years	46	37	54	44	34	54	49	33	65
15 to 44 years	61	25	83	F	F	F	F	F	F
45 to 54 years	61	42	76	59	38	76	F	F	F
55 to 64 years	39	25	52	35	20	50	52	22	77
65 to 74 years	49	31	66	46	25	67	54	23	80
75 to 99 years	25	8	51	30	7	64	F	F	F
1997									
Total, 15 to 99 years	55	46	63	54	44	63	57	41	71
15 to 44 years	73	37	91	71	33	90	F	F	F
45 to 54 years	69	50	82	72	50	86	F	F	F
55 to 64 years	59	44	71	60	44	74	52	19	79
65 to 74 years	46	30	61	36	18	55	61	35	81
75 to 99 years	34	14	59	14	1	51	50	18	83
1998									
Total, 15 to 99 years	59	51	67	58	47	67	64	47	77
15 to 44 years	F	F	F	F	F	F	F	F	F
45 to 54 years	72	56	83	78	57	90	61	32	81
55 to 64 years	65	47	79	61	42	77	F	F	F
65 to 74 years	61	45	75	52	34	69	83	51	99
75 to 99 years	32	11	59	32	8	68	31	5	73
1999									
Total, 15 to 99 years	53	43	62	47	36	57	66	48	81
15 to 44 years	F	F	F	F	F	F	F	F	F
45 to 54 years	53	32	71	51	29	70	F	F	F
55 to 64 years	52	35	68	43	24	62	75	38	94
65 to 74 years	58	41	73	48	28	67	75	44	94
75 to 99 years	41	17	69	29	5	69	50	15	87

See footnotes at the end of the table.

Table 5-1 – continued

Floor of mouth — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	1 year of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
2000									
Total, 15 to 99 years	58	49	67	59	48	69	57	41	72
15 to 44 years	F	F	F	F	F	F	F	F	F
45 to 54 years	74	53	87	72	49	87	F	F	F
55 to 64 years	49	33	63	49	31	65	47	17	73
65 to 74 years	67	49	82	64	41	82	73	41	93
75 to 99 years	42	21	66	51	21	84	31	7	65
2001									
Total, 15 to 99 years	47	39	56	45	34	56	51	36	64
15 to 44 years	F	F	F	F	F	F	F	F	F
45 to 54 years	71	51	85	67	43	83	F	F	F
55 to 64 years	41	26	57	39	22	57	47	17	73
65 to 74 years	47	31	62	45	24	66	49	26	70
75 to 99 years	23	8	44	24	6	54	22	3	54
2002									
Total, 15 to 99 years	55	46	63	47	37	57	70	54	82
15 to 44 years	50	23	73	F	F	F	F	F	F
45 to 54 years	59	38	76	53	31	72	F	F	F
55 to 64 years	66	51	78	59	40	75	79	51	94
65 to 74 years	42	27	57	34	17	53	54	28	75
75 to 99 years	55	26	82	39	9	79	F	F	F
2003									
Total, 15 to 99 years	51	42	60	47	36	58	59	42	74
15 to 44 years	F	F	F	F	F	F	F	F	F
45 to 54 years	57	36	73	55	33	73	F	F	F
55 to 64 years	56	39	71	47	26	66	71	42	89
65 to 74 years	56	37	72	54	32	73	61	25	87
75 to 99 years	27	10	52	13	1	49	38	12	70

See footnotes at the end of the table.

Table 5-1 – continued

Floor of mouth — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
Floor of mouth (ICD-O-3: C04.0-C04.9) ²									
1992/1994									
Total, 15 to 99 years	52	48	57	50	44	55	56	48	64
15 to 44 years	63	41	79	62	36	80	F	F	F
45 to 54 years	61	51	69	59	48	68	69	48	83
55 to 64 years	54	46	61	51	42	60	60	46	72
65 to 74 years	49	40	58	45	34	56	57	42	70
75 to 99 years	35	23	49	34	18	54	36	19	57
1993/1995									
Total, 15 to 99 years	53	48	57	49	44	55	60	52	67
15 to 44 years	71	50	85	66	41	83	F	F	F
45 to 54 years	60	50	68	51	39	61	84	64	94
55 to 64 years	54	46	62	51	42	61	60	46	72
65 to 74 years	55	46	63	50	39	61	63	49	76
75 to 99 years	31	20	44	34	19	52	28	13	47
1994/1996									
Total, 15 to 99 years	52	47	56	48	43	54	59	50	67
15 to 44 years	70	48	84	64	38	81	F	F	F
45 to 54 years	62	52	71	56	44	66	81	61	92
55 to 64 years	49	41	56	46	37	55	55	40	69
65 to 74 years	54	44	63	51	39	62	59	43	73
75 to 99 years	31	19	44	28	14	45	35	17	57
1995/1997									
Total, 15 to 99 years	51	46	56	48	43	54	57	48	66
15 to 44 years	72	52	85	69	47	83	F	F	F
45 to 54 years	65	54	74	61	49	71	77	53	91
55 to 64 years	50	42	58	49	39	58	55	37	70
65 to 74 years	49	39	58	42	30	53	61	45	74
75 to 99 years	29	18	43	23	10	41	37	18	58
1996/1998									
Total, 15 to 99 years	54	49	58	52	46	58	57	48	66
15 to 44 years	59	37	76	58	34	77	F	F	F
45 to 54 years	68	58	76	70	58	79	62	41	77
55 to 64 years	53	44	62	52	42	61	60	39	76
65 to 74 years	53	43	62	45	34	57	67	50	80
75 to 99 years	30	18	45	26	12	46	35	17	58
1997/1999									
Total, 15 to 99 years	56	51	61	53	47	59	62	52	71
15 to 44 years	58	34	77	63	35	82	F	F	F
45 to 54 years	66	56	75	68	56	78	61	39	77
55 to 64 years	59	49	67	56	46	66	69	48	84
65 to 74 years	55	46	64	46	35	57	72	56	84
75 to 99 years	35	22	50	26	10	47	44	24	66
1998/2000									
Total, 15 to 99 years	57	52	62	55	49	61	62	53	71
15 to 44 years	53	28	74	55	23	79	F	F	F
45 to 54 years	68	57	76	68	56	78	66	43	82
55 to 64 years	55	45	64	51	41	62	67	45	82
65 to 74 years	62	52	70	54	43	65	77	60	89
75 to 99 years	38	25	54	40	21	61	37	18	59
1999/2001									
Total, 15 to 99 years	53	48	58	51	44	57	57	48	66
15 to 44 years	73	46	88	71	33	90	F	F	F
45 to 54 years	67	55	76	64	51	74	81	51	94
55 to 64 years	47	38	56	44	33	54	57	38	72
65 to 74 years	57	47	66	53	40	64	64	48	77
75 to 99 years	35	22	49	36	19	56	33	16	55

See footnotes at the end of the table.

Table 5-1 – continued

Floor of mouth — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
2000/2002									
Total, 15 to 99 years	53	48	58	51	44	57	59	50	67
15 to 44 years	63	42	79	51	23	73	77	44	92
45 to 54 years	68	57	77	64	52	75	88	57	98
55 to 64 years	53	44	61	50	39	60	61	44	75
65 to 74 years	51	42	60	48	35	59	57	42	70
75 to 99 years	38	25	52	38	21	58	39	20	60
2001/2003									
Total, 15 to 99 years	51	46	56	47	40	53	60	51	68
15 to 44 years	61	39	77	47	21	70	80	41	95
45 to 54 years	63	51	72	58	46	69	86	52	97
55 to 64 years	55	46	64	49	38	60	68	52	81
65 to 74 years	48	38	57	44	32	56	53	38	67
75 to 99 years	33	21	47	25	11	45	41	23	62

1. Data from Quebec have been excluded because of issues in correctly ascertaining the vital status of cases.

2. Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.

Note(s): See "Data quality, concepts and methodology — Footnotes" section. Please note that CANSIM tables also provide the number of cases on which analyses were based, the number of deaths within the first five years of follow-up, as well as estimates of observed survival and their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR), Canadian Vital Statistics (Death Database) and life tables (CANSIM tables 103-1569 and 103-1570).