

Table 20-2

Other digestive system — Age-standardized five-year relative survival ratios, October 2011 CCR file, by sex, population aged 15 to 99, 3 years of cases, Canada and selected provinces^{1,2}

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
Other digestive system (ICD-O-3: C22.1, C24.0-C24.9, C26.8-C26.9, C48.0, C48.1-C48.2, C48.8) ³									
1992/1994									
Canada	17	16	19	16	14	19	19	16	21
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	19	17	22	17	14	21	21	18	25
Manitoba	12	6	20	F	F	F	F	F	F
Saskatchewan	16	9	25	F	F	F	F	F	F
Alberta	17	12	22	18	11	26	15	9	22
British Columbia	13	9	18	16	10	23	12	7	20
1993/1995									
Canada	18	17	20	19	16	21	19	16	21
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	21	19	24	21	18	25	22	19	26
Manitoba	11	6	18	F	F	F	F	F	F
Saskatchewan	19	12	28	F	F	F	F	F	F
Alberta	18	13	23	23	15	32	13	8	20
British Columbia	13	9	18	13	8	19	14	8	21
1994/1996									
Canada	18	16	20	18	16	21	18	16	21
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	21	19	24	21	17	25	22	18	26
Manitoba	13	7	20	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	18	13	23	21	13	30	14	9	20
British Columbia	14	10	18	15	10	22	13	8	19
1995/1997									
Canada	17	15	19	17	14	19	18	15	20
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	20	17	22	19	16	23	21	18	25
Manitoba	10	5	17	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	15	11	19	18	12	25	14	9	20
British Columbia	14	10	18	17	11	24	11	7	15
1996/1998									
Canada	17	15	18	15	12	17	19	16	21
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	18	15	20	16	13	20	20	16	23
Manitoba	15	10	23	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	13	9	17	8	4	15	16	11	22
British Columbia	16	12	20	17	11	23	15	11	20

See footnotes at the end of the table.

Table 20-2 – continued

Other digestive system — Age-standardized five-year relative survival ratios, October 2011 CCR file, by sex, population aged 15 to 99, 3 years of cases, Canada and selected provinces^{1,2}

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
1997/1999									
Canada	16	15	18	15	13	17	18	16	20
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	13	7	21	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	18	16	20	17	14	21	18	15	22
Manitoba	17	11	24	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	12	9	16	8	4	14	14	10	19
British Columbia	16	12	19	13	9	19	18	13	23
1998/2000									
Canada	16	15	18	16	14	18	17	15	19
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	11	5	18	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	18	16	20	19	16	22	17	14	20
Manitoba	16	11	23	14	7	24	F	F	F
Saskatchewan	15	10	22	F	F	F	F	F	F
Alberta	13	9	17	8	4	15	15	11	20
British Columbia	14	11	18	10	6	15	18	13	23
1999/2001									
Canada	16	15	18	17	15	19	17	15	19
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	11	5	19	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	20	18	22	20	17	24	19	16	23
Manitoba	15	9	21	F	F	F	F	F	F
Saskatchewan	18	12	25	F	F	F	F	F	F
Alberta	12	9	16	9	5	14	14	10	18
British Columbia	11	8	14	9	6	14	12	8	17
2000/2002									
Canada	17	15	18	16	14	19	17	15	19
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	14	7	22	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	20	18	22	20	17	23	21	18	24
Manitoba	15	10	22	F	F	F	F	F	F
Saskatchewan	18	12	25	F	F	F	F	F	F
Alberta	12	9	16	11	6	18	13	9	18
British Columbia	11	8	14	10	6	15	10	7	14
2001/2003									
Canada	18	17	20	18	16	20	19	16	21
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	16	10	23	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	22	20	24	21	18	24	24	20	27
Manitoba	22	15	29	F	F	F	F	F	F
Saskatchewan	20	14	28	F	F	F	F	F	F
Alberta	13	10	17	15	9	21	12	9	17
British Columbia	14	11	17	16	11	21	12	8	16

1. Data from Quebec have been excluded because of issues in correctly ascertaining the vital status of cases.

2. In the years under study, there was a known under reporting of cancer cases in Newfoundland and Labrador. There is likely to be some overestimation of survival for this province as the survival of such "missed" cases is generally less favourable than that of cases in the registry population. As such, survival estimates from the province of Newfoundland and Labrador should be treated with caution.

3. Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.

Note(s): See "Data quality, concepts and methodology — Footnotes" section. Please note that CANSIM tables also provide the number of cases on which analyses were based, the number of deaths within the first five years of follow-up, as well as estimates of observed survival and their corresponding 95% confidence intervals. Survival estimates based on cases from individual years are available through CANSIM tables.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR), Canadian Vital Statistics (Death Database) and life tables (CANSIM table 103-1572).