

Table 23-1

Other respiratory system — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	1 year of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
Other respiratory system (ICD-O-3: C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.3, C38.4, C38.8, C39.0, C39.8, C39.9) ²									
1992									
Total, 15 to 99 years	45	38	52	36	28	45	59	47	69
15 to 44 years	62	46	74	49	30	65	87	57	97
45 to 54 years	34	18	51	34	12	58	34	12	57
55 to 64 years	43	28	58	29	13	48	64	37	83
65 to 74 years	41	29	53	33	20	49	53	32	71
75 to 99 years	49	26	73	39	14	70	61	25	98
1993									
Total, 15 to 99 years	37	30	44	39	31	48	33	23	45
15 to 44 years	54	35	69	57	35	74	F	F	F
45 to 54 years	59	38	75	59	34	78	F	F	F
55 to 64 years	44	30	58	42	25	58	49	24	70
65 to 74 years	24	14	37	28	14	44	17	4	37
75 to 99 years	23	11	39	20	5	47	24	9	47
1994									
Total, 15 to 99 years	45	38	53	46	37	55	44	31	57
15 to 44 years	54	35	69	54	34	71	F	F	F
45 to 54 years	61	37	79	62	33	82	F	F	F
55 to 64 years	50	34	64	43	25	60	67	36	87
65 to 74 years	44	31	57	44	29	60	44	22	65
75 to 99 years	26	11	46	30	9	60	21	5	47
1995									
Total, 15 to 99 years	44	37	51	44	35	53	43	32	55
15 to 44 years	49	32	64	47	28	64	F	F	F
45 to 54 years	70	51	84	66	43	81	F	F	F
55 to 64 years	45	31	59	47	27	64	43	22	63
65 to 74 years	40	27	53	32	18	47	58	32	79
75 to 99 years	28	15	44	36	16	62	19	6	40
1996									
Total, 15 to 99 years	37	30	44	35	27	44	40	29	51
15 to 44 years	40	22	57	38	18	58	F	F	F
45 to 54 years	44	26	61	45	20	67	44	18	67
55 to 64 years	40	25	56	37	20	54	52	19	78
65 to 74 years	41	28	54	34	19	51	51	29	72
75 to 99 years	28	16	44	30	12	54	27	12	48
1997									
Total, 15 to 99 years	44	37	50	45	35	54	42	32	52
15 to 44 years	47	30	63	43	22	63	54	25	76
45 to 54 years	56	36	72	60	33	80	51	21	75
55 to 64 years	44	30	58	48	29	65	38	17	60
65 to 74 years	42	30	54	41	25	57	44	27	62
75 to 99 years	37	22	53	37	14	68	36	19	55
1998									
Total, 15 to 99 years	40	33	47	37	28	45	45	34	56
15 to 44 years	62	45	75	59	39	74	F	F	F
45 to 54 years	50	33	65	42	21	62	61	32	81
55 to 64 years	34	20	49	38	20	56	28	9	51
65 to 74 years	34	20	49	23	8	43	46	23	67
75 to 99 years	28	16	43	19	6	39	38	19	60
1999									
Total, 15 to 99 years	43	36	51	45	35	56	41	29	52
15 to 44 years	71	52	84	62	38	79	91	48	99
45 to 54 years	58	38	74	60	33	80	55	25	77
55 to 64 years	34	17	52	30	11	52	42	13	70
65 to 74 years	34	21	48	38	20	57	30	13	49
75 to 99 years	34	18	55	44	18	78	24	8	44

See footnotes at the end of the table.

Table 23-1 – continued

Other respiratory system — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	1 year of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
	percent								
2000									
Total, 15 to 99 years	37	30	44	32	23	42	43	31	54
15 to 44 years	46	26	64	54	27	75	F	F	F
45 to 54 years	42	23	61	29	9	54	61	26	84
55 to 64 years	44	28	59	40	20	59	49	24	71
65 to 74 years	37	24	52	31	15	50	47	24	69
75 to 99 years	25	13	40	19	6	39	32	13	56
2001									
Total, 15 to 99 years	45	37	53	44	35	54	46	34	58
15 to 44 years	71	49	85	65	35	84	80	41	95
45 to 54 years	54	36	69	53	32	71	F	F	F
55 to 64 years	26	13	41	27	11	46	24	6	49
65 to 74 years	48	32	63	50	31	68	44	18	70
75 to 99 years	39	24	55	37	17	61	42	21	64
2002									
Total, 15 to 99 years	43	36	50	39	30	48	49	38	61
15 to 44 years	68	48	82	73	49	87	F	F	F
45 to 54 years	55	37	70	60	37	78	47	19	71
55 to 64 years	42	27	57	27	12	45	67	39	85
65 to 74 years	31	20	44	16	6	31	52	31	70
75 to 99 years	36	19	56	36	14	64	34	12	61
2003									
Total, 15 to 99 years	43	36	50	40	31	49	47	35	58
15 to 44 years	63	44	77	50	27	70	84	48	96
45 to 54 years	56	37	72	56	33	74	F	F	F
55 to 64 years	39	25	53	32	16	50	52	25	73
65 to 74 years	39	26	54	41	21	61	38	19	58
75 to 99 years	32	19	48	31	14	54	33	15	55

See footnotes at the end of the table.

Table 23-1 – continued

Other respiratory system — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
Other respiratory system (ICD-O-3: C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.3, C38.4, C38.8, C39.0, C39.8, C39.9) ²									
1992/1994									
Total, 15 to 99 years	43	38	47	41	35	46	46	39	53
15 to 44 years	57	47	66	53	41	63	67	47	81
45 to 54 years	50	38	61	52	37	66	45	27	62
55 to 64 years	46	37	54	39	28	49	60	44	72
65 to 74 years	37	30	44	36	27	45	40	28	52
75 to 99 years	31	21	42	29	16	46	32	19	48
1993/1995									
Total, 15 to 99 years	42	38	46	43	38	48	40	33	47
15 to 44 years	52	42	61	52	41	63	50	29	68
45 to 54 years	64	52	74	63	49	74	68	43	84
55 to 64 years	46	38	54	43	33	54	51	37	64
65 to 74 years	36	29	44	35	26	44	39	27	53
75 to 99 years	26	17	35	30	17	45	22	12	34
1994/1996									
Total, 15 to 99 years	42	38	46	42	37	47	42	36	49
15 to 44 years	48	38	57	47	35	58	50	28	69
45 to 54 years	59	47	69	59	44	71	59	37	75
55 to 64 years	45	36	54	42	31	52	52	37	66
65 to 74 years	42	34	49	37	28	46	51	37	63
75 to 99 years	28	19	37	32	20	47	23	13	35
1995/1997									
Total, 15 to 99 years	42	38	46	41	36	47	42	36	48
15 to 44 years	46	36	55	43	31	54	52	33	68
45 to 54 years	57	46	67	58	44	70	55	37	71
55 to 64 years	43	35	52	44	33	54	43	29	56
65 to 74 years	41	34	48	36	27	45	50	37	61
75 to 99 years	31	23	40	34	21	49	28	19	40
1996/1998									
Total, 15 to 99 years	40	36	44	39	34	44	42	36	49
15 to 44 years	51	41	60	48	36	59	57	37	73
45 to 54 years	50	39	60	49	35	61	52	36	66
55 to 64 years	40	31	48	41	30	51	38	23	52
65 to 74 years	40	32	47	34	25	44	47	35	58
75 to 99 years	31	23	40	27	16	41	34	23	45
1997/1999									
Total, 15 to 99 years	42	38	46	42	36	47	43	36	49
15 to 44 years	60	50	69	55	43	66	71	52	84
45 to 54 years	54	44	64	53	39	66	56	39	70
55 to 64 years	38	29	47	40	29	51	35	21	50
65 to 74 years	37	30	45	35	25	46	40	29	51
75 to 99 years	33	24	42	31	18	47	34	23	46
1998/2000									
Total, 15 to 99 years	40	36	44	38	32	43	43	36	50
15 to 44 years	61	50	70	59	46	69	67	46	81
45 to 54 years	50	40	60	44	31	58	59	41	73
55 to 64 years	38	28	47	36	25	48	40	25	54
65 to 74 years	35	27	43	31	21	42	40	28	52
75 to 99 years	29	20	38	25	15	39	32	20	45
1999/2001									
Total, 15 to 99 years	42	37	46	41	35	46	43	36	50
15 to 44 years	64	52	73	60	45	73	69	49	83
45 to 54 years	52	41	62	49	35	62	57	38	72
55 to 64 years	35	26	44	32	21	44	39	24	54
65 to 74 years	40	31	48	40	29	51	39	26	52
75 to 99 years	33	24	42	32	20	46	33	21	47

See footnotes at the end of the table.

Table 23-1 – continued

Other respiratory system — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
2000/2002									
Total, 15 to 99 years	42	37	46	39	33	44	46	39	53
15 to 44 years	62	50	72	65	50	77	56	35	73
45 to 54 years	52	41	61	50	37	62	54	35	70
55 to 64 years	38	29	47	31	20	42	49	33	62
65 to 74 years	38	30	47	32	22	42	48	35	61
75 to 99 years	33	24	43	30	19	44	36	24	50
2001/2003									
Total, 15 to 99 years	44	39	48	41	36	47	47	41	54
15 to 44 years	67	56	76	63	49	74	75	55	88
45 to 54 years	55	45	64	56	44	67	52	34	68
55 to 64 years	36	28	45	29	19	39	50	34	63
65 to 74 years	39	31	47	35	25	45	45	32	57
75 to 99 years	36	27	45	34	22	48	36	24	50

1. Data from Quebec have been excluded because of issues in correctly ascertaining the vital status of cases.

2. Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.

Note(s): See "Data quality, concepts and methodology — Footnotes" section. Please note that CANSIM tables also provide the number of cases on which analyses were based, the number of deaths within the first five years of follow-up, as well as estimates of observed survival and their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR), Canadian Vital Statistics (Death Database) and life tables (CANSIM tables 103-1569 and 103-1570).