

Table 23-2

Other respiratory system — Age-standardized five-year relative survival ratios, October 2011 CCR file, by sex, population aged 15 to 99, 3 years of cases, Canada and selected provinces^{1,2}

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
Other respiratory system (ICD-O-3: C30.0-C30.1, C31.0-C31.9, C33.9, C38.1-C38.3, C38.4, C38.8, C39.0, C39.8, C39.9) ³									
1992/1994									
Canada	41	37	45	39	34	44	46	39	52
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	38	33	43	36	30	42	44	36	53
Manitoba	F	F	F	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	F	F	F	F	F	F	F	F	F
British Columbia	54	43	65	F	F	F	62	46	76
1993/1995									
Canada	41	37	45	41	36	46	42	35	48
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	38	33	43	39	33	45	39	31	47
Manitoba	F	F	F	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	F	F	F	F	F	F	F	F	F
British Columbia	56	46	66	53	39	65	F	F	F
1994/1996									
Canada	41	37	45	41	36	46	44	37	50
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	40	35	45	41	35	48	40	32	48
Manitoba	31	17	46	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	F	F	F	F	F	F	F	F	F
British Columbia	47	36	58	41	28	53	F	F	F
1995/1997									
Canada	41	38	45	41	36	46	43	37	49
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	41	36	46	42	35	49	41	33	48
Manitoba	F	F	F	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	40	27	54	F	F	F	F	F	F
British Columbia	44	34	54	37	25	48	F	F	F
1996/1998									
Canada	40	36	44	37	32	42	43	37	49
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	40	35	45	38	31	45	41	33	49
Manitoba	F	F	F	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	39	28	50	38	27	48	F	F	F
British Columbia	36	26	46	21	12	32	F	F	F

See footnotes at the end of the table.

Table 23-2 – continued

Other respiratory system — Age-standardized five-year relative survival ratios, October 2011 CCR file, by sex, population aged 15 to 99, 3 years of cases, Canada and selected provinces^{1,2}

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
1997/1999									
Canada	41	38	45	40	35	45	43	38	49
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	42	37	47	42	35	50	41	34	48
Manitoba	F	F	F	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	35	25	46	32	22	44	F	F	F
British Columbia	43	33	53	F	F	F	52	37	66
1998/2000									
Canada	39	35	43	36	31	41	44	37	50
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	39	34	44	35	29	42	45	36	53
Manitoba	F	F	F	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	26	18	35	22	13	33	F	F	F
British Columbia	39	29	49	38	25	52	41	28	54
1999/2001									
Canada	41	37	46	40	35	46	44	37	50
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	41	35	46	39	32	46	44	35	53
Manitoba	F	F	F	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	30	20	42	19	10	30	F	F	F
British Columbia	49	39	60	61	45	75	38	26	51
2000/2002									
Canada	42	38	46	38	33	43	47	40	53
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	F	F	F
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	39	33	44	34	27	40	46	37	55
Manitoba	F	F	F	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	44	29	58	34	19	50	F	F	F
British Columbia	51	40	61	57	41	72	45	32	59
2001/2003									
Canada	43	39	47	40	35	45	48	42	55
Newfoundland and Labrador	F	F	F	F	F	F	F	F	F
Prince Edward Island	F	F	F	F	F	F	..	..	..
Nova Scotia	F	F	F	F	F	F	F	F	F
New Brunswick	F	F	F	F	F	F	F	F	F
Ontario	39	34	44	36	30	43	42	34	51
Manitoba	F	F	F	F	F	F	F	F	F
Saskatchewan	F	F	F	F	F	F	F	F	F
Alberta	49	35	63	41	25	56	F	F	F
British Columbia	53	43	62	54	39	67	49	35	61

1. Data from Quebec have been excluded because of issues in correctly ascertaining the vital status of cases.

2. In the years under study, there was a known under reporting of cancer cases in Newfoundland and Labrador. There is likely to be some overestimation of survival for this province as the survival of such "missed" cases is generally less favourable than that of cases in the registry population. As such, survival estimates from the province of Newfoundland and Labrador should be treated with caution.

3. Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.

Note(s): See "Data quality, concepts and methodology — Footnotes" section. Please note that CANSIM tables also provide the number of cases on which analyses were based, the number of deaths within the first five years of follow-up, as well as estimates of observed survival and their corresponding 95% confidence intervals. Survival estimates based on cases from individual years are available through CANSIM tables.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR), Canadian Vital Statistics (Death Database) and life tables (CANSIM table 103-1572).