

Table 39-1

Ureter — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	1 year of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
Ureter (ICD-O-3: C66.9) ²									
1992									
Total, 15 to 99 years	56	43	69	69	51	84	35	18	55
15 to 54 years	F	F	F	F	F	F	F	F	F
55 to 64 years	54	26	77	67	33	89	F	F	F
65 to 74 years	53	30	73	68	37	92	F	F	F
75 to 84 years	52	29	77	68	33	100	32	8	66
85 to 99 years	F	F	F	F	F	F	F	F	F
1993									
Total, 15 to 99 years	55	43	67	60	44	74	47	28	65
15 to 54 years	F	F	F	F	F	F	F	F	F
55 to 64 years	59	34	79	67	33	89	F	F	F
65 to 74 years	59	39	76	68	42	88	43	16	69
75 to 84 years	55	29	81	62	25	97	45	14	80
85 to 99 years	F	F	F	F	F	F	F	F	F
1994									
Total, 15 to 99 years	61	49	73	62	48	75	60	35	82
15 to 54 years	F	F	F	F	F	F	F	F	F
55 to 64 years	70	46	87	72	46	89	F	F	F
65 to 74 years	55	36	71	56	33	76	51	19	80
75 to 84 years	45	20	73	41	13	77	F	F	F
85 to 99 years	F	F	F	F	F	F	F	F	F
1995									
Total, 15 to 99 years	56	43	68	60	44	75	49	29	69
15 to 54 years	F	F	F	F	F	F	F	F	F
55 to 64 years	60	30	82	53	19	80	F	F	F
65 to 74 years	48	29	66	54	30	76	33	8	63
75 to 84 years	56	34	77	57	29	84	55	23	86
85 to 99 years	F	F	F	F	F	F	F	F	F
1996									
Total, 15 to 99 years	49	37	60	57	41	72	38	22	54
15 to 54 years	61	26	84	F	F	F	F	F	F
55 to 64 years	58	24	83	F	F	F	F	F	F
65 to 74 years	65	46	81	71	46	91	55	25	80
75 to 84 years	29	12	51	44	14	81	17	3	43
85 to 99 years	F	F	F	F	F	F	F	F	F
1997									
Total, 15 to 99 years	63	51	75	71	54	85	49	30	68
15 to 54 years	F	F	F	F	F	F	F	F	F
55 to 64 years	76	39	95	F	F	F	F	F	F
65 to 74 years	64	44	80	67	44	86	55	20	83
75 to 84 years	55	32	79	63	32	94	42	13	74
85 to 99 years	F	F	F	F	F	F	F	F	F
1998									
Total, 15 to 99 years	59	48	70	56	41	70	65	47	80
15 to 54 years	F	F	F	F	F	F	F	F	F
55 to 64 years	56	30	76	41	15	67	F	F	F
65 to 74 years	60	43	75	53	32	72	71	42	91
75 to 84 years	55	32	78	62	30	94	44	16	75
85 to 99 years	F	F	F	F	F	F	F	F	F
1999									
Total, 15 to 99 years	41	30	52	46	32	60	33	17	50
15 to 54 years	F	F	F	F	F	F	F	F	F
55 to 64 years	79	43	96	F	F	F	F	F	F
65 to 74 years	47	28	66	47	24	69	F	F	F
75 to 84 years	24	11	42	27	10	51	19	3	48
85 to 99 years	0	..	..	F	F	F	F	F	F

See footnotes at the end of the table.

Table 39-1 – continued

Ureter — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	1 year of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
2000									
Total, 15 to 99 years	54	41	67	58	40	75	49	31	66
15 to 54 years	F	F	F	F	F	F	F	F	F
55 to 64 years	53	24	76	F	F	F	F	F	F
65 to 74 years	62	39	81	63	33	88	60	25	86
75 to 84 years	43	21	66	40	15	71	46	14	80
85 to 99 years	F	F	F	F	F	F	F	F	F
2001									
Total, 15 to 99 years	66	54	76	62	46	76	72	54	86
15 to 54 years	87	55	98	92	48	101	F	F	F
55 to 64 years	86	55	98	85	43	100	F	F	F
65 to 74 years	60	41	77	48	23	72	74	45	92
75 to 84 years	56	34	77	49	22	78	65	30	95
85 to 99 years	59	14	117	F	F	F	F	F	F
2002									
Total, 15 to 99 years	50	39	60	48	35	61	51	34	68
15 to 54 years	F	F	F	F	F	F	F	F	F
55 to 64 years	74	47	90	68	40	87	F	F	F
65 to 74 years	44	28	60	51	29	72	35	14	58
75 to 84 years	41	23	61	30	11	55	57	26	86
85 to 99 years	52	13	107	F	F	F	F	F	F
2003									
Total, 15 to 99 years	52	41	64	48	34	62	61	40	80
15 to 54 years	F	F	F	F	F	F	F	F	F
55 to 64 years	43	22	63	46	21	70	F	F	F
65 to 74 years	58	36	77	56	29	80	61	25	87
75 to 84 years	53	33	73	42	19	70	68	35	94
85 to 99 years	58	18	111	48	8	116	F	F	F

See footnotes at the end of the table.

Table 39-1 – continued

Ureter — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
Ureter (ICD-O-3: C66.9) ²									
1992/1994									
Total, 15 to 99 years	58	50	65	63	54	72	46	34	58
15 to 54 years	83	58	94	82	51	95	F	F	F
55 to 64 years	62	47	74	69	52	82	35	11	62
65 to 74 years	56	44	67	63	49	76	40	23	58
75 to 84 years	51	36	66	58	37	79	41	22	63
85 to 99 years	60	18	109	F	F	F	F	F	F
1993/1995									
Total, 15 to 99 years	58	51	64	61	52	69	51	39	63
15 to 54 years	83	58	94	78	50	92	F	F	F
55 to 64 years	64	49	76	66	49	80	56	26	79
65 to 74 years	54	43	64	59	45	72	42	25	60
75 to 84 years	53	38	67	54	35	73	50	29	71
85 to 99 years	61	15	125	F	F	F	F	F	F
1994/1996									
Total, 15 to 99 years	56	49	62	60	51	68	47	35	59
15 to 54 years	80	56	92	80	54	93	F	F	F
55 to 64 years	64	48	78	61	43	75	F	F	F
65 to 74 years	56	45	66	61	47	73	48	29	65
75 to 84 years	44	31	58	49	31	68	38	21	58
85 to 99 years	51	12	107	F	F	F	36	6	88
1995/1997									
Total, 15 to 99 years	56	49	63	63	54	72	45	34	56
15 to 54 years	73	51	87	74	50	88	F	F	F
55 to 64 years	64	46	79	56	33	75	80	46	95
65 to 74 years	59	48	70	65	51	77	49	30	66
75 to 84 years	48	35	61	56	38	75	37	21	55
85 to 99 years	39	10	87	F	F	F	14	1	53
1996/1998									
Total, 15 to 99 years	58	51	64	61	52	70	51	40	61
15 to 54 years	78	57	90	78	53	91	F	F	F
55 to 64 years	62	44	76	49	28	68	83	52	97
65 to 74 years	63	52	72	63	50	75	62	44	77
75 to 84 years	47	34	61	58	39	78	34	18	51
85 to 99 years	30	8	69	F	F	F	15	1	57
1997/1999									
Total, 15 to 99 years	55	48	61	57	48	66	50	39	60
15 to 54 years	81	59	93	86	60	96	F	F	F
55 to 64 years	68	51	81	64	41	81	73	45	90
65 to 74 years	58	47	68	56	43	68	61	42	77
75 to 84 years	43	31	56	48	32	65	35	19	53
85 to 99 years	26	6	59	38	6	95	15	1	56
1998/2000									
Total, 15 to 99 years	52	45	59	53	44	62	50	39	60
15 to 54 years	76	54	89	86	52	98	64	30	86
55 to 64 years	61	45	75	61	40	78	61	34	81
65 to 74 years	57	46	67	54	40	67	62	43	78
75 to 84 years	39	28	52	41	26	58	36	20	55
85 to 99 years	33	10	66	44	11	93	17	1	60
1999/2001									
Total, 15 to 99 years	54	47	61	55	46	64	53	42	63
15 to 54 years	76	56	88	86	60	97	59	27	81
55 to 64 years	73	56	85	81	58	94	61	34	81
65 to 74 years	57	45	68	52	37	66	64	45	79
75 to 84 years	40	28	52	37	23	53	43	25	63
85 to 99 years	41	17	74	50	16	97	29	5	71

See footnotes at the end of the table.

Table 39-1 – continued

Ureter — Five-year relative survival ratios, October 2011 CCR file, by age group and sex, 1 and 3 years of cases, Canada (excluding Quebec)¹

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
2000/2002									
Total, 15 to 99 years	57	50	63	56	47	64	58	48	68
15 to 54 years	75	55	87	75	49	90	74	38	92
55 to 64 years	72	56	83	73	53	86	69	39	88
65 to 74 years	54	43	65	54	39	68	55	39	70
75 to 84 years	46	34	59	39	24	55	57	37	76
85 to 99 years	59	29	93	64	26	109	47	11	94
2001/2003									
Total, 15 to 99 years	56	49	62	52	44	60	62	51	72
15 to 54 years	81	58	93	80	52	93	F	F	F
55 to 64 years	65	51	77	64	47	78	69	39	88
65 to 74 years	53	43	64	52	37	66	56	39	70
75 to 84 years	50	38	62	40	26	56	64	44	81
85 to 99 years	56	29	89	54	22	95	62	19	114

1. Data from Quebec have been excluded because of issues in correctly ascertaining the vital status of cases.

2. Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.

Note(s): See "Data quality, concepts and methodology — Footnotes" section. Please note that CANSIM tables also provide the number of cases on which analyses were based, the number of deaths within the first five years of follow-up, as well as estimates of observed survival and their corresponding 95% confidence intervals.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR), Canadian Vital Statistics (Death Database) and life tables (CANSIM tables 103-1563 and 103-1564).