

Table 43-3

Other nervous system — Five-year relative survival ratios, October 2011 CCR file, by sex, population aged 15 to 99, 3 years of cases, selected provinces^{1,2}

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
Other nervous system (ICD-O-3: C71.0-C71.9, M-9530-M-9539; C70.0-C70.9, C72.0-C72.9) ³									
Newfoundland and Labrador									
1992/1994	F	F	F	F	F	F	F	F	F
1993/1995	F	F	F	F	F	F	F	F	F
1994/1996	F	F	F	F	F	F	F	F	F
1995/1997	F	F	F	F	F	F	F	F	F
1996/1998	F	F	F	F	F	F	F	F	F
1997/1999	F	F	F	F	F	F	F	F	F
1998/2000	F	F	F	F	F	F	F	F	F
1999/2001	F	F	F	F	F	F	F	F	F
2000/2002	F	F	F	F	F	F	F	F	F
2001/2003	F	F	F	F	F	F	F	F	F
Prince Edward Island									
1992/1994	F	F	F	F	F	F	F	F	F
1993/1995	F	F	F	F	F	F	F	F	F
1994/1996	F	F	F	F	F	F	F	F	F
1995/1997	F	F	F	F	F	F	F	F	F
1996/1998	F	F	F	F	F	F	F	F	F
1997/1999	F	F	F	F	F	F	F	F	F
1998/2000	F	F	F	F	F	F	F	F	F
1999/2001	F	F	F	F	F	F	F	F	F
2000/2002	F	F	F	F	F	F	F	F	F
2001/2003	F	F	F	..	..	..	F	F	F
Nova Scotia									
1992/1994	F	F	F	F	F	F	F	F	F
1993/1995	F	F	F	F	F	F	F	F	F
1994/1996	F	F	F	F	F	F	F	F	F
1995/1997	70	30	97	F	F	F	F	F	F
1996/1998	71	36	95	F	F	F	F	F	F
1997/1999	90	49	109	F	F	F	F	F	F
1998/2000	102	53	111	F	F	F	F	F	F
1999/2001	F	F	F	F	F	F	F	F	F
2000/2002	F	F	F	F	F	F	F	F	F
2001/2003	F	F	F	F	F	F	F	F	F
New Brunswick									
1992/1994	F	F	F	F	F	F	F	F	F
1993/1995	F	F	F	F	F	F	F	F	F
1994/1996	F	F	F	F	F	F	F	F	F
1995/1997	98	55	106	F	F	F	F	F	F
1996/1998	F	F	F	F	F	F	F	F	F
1997/1999	F	F	F	F	F	F	F	F	F
1998/2000	F	F	F	F	F	F	F	F	F
1999/2001	F	F	F	F	F	F	F	F	F
2000/2002	F	F	F	F	F	F	F	F	F
2001/2003	F	F	F	F	F	F	F	F	F
Ontario									
1992/1994	66	59	73	64	53	74	68	58	77
1993/1995	63	55	70	62	50	72	64	53	73
1994/1996	71	63	77	70	59	80	71	60	80
1995/1997	70	62	77	66	54	76	73	62	82
1996/1998	69	61	76	69	57	79	69	58	78
1997/1999	69	61	75	64	52	74	72	62	81
1998/2000	67	59	73	61	49	71	71	61	80
1999/2001	62	55	69	54	43	64	69	59	79
2000/2002	59	52	66	53	41	63	64	54	73
2001/2003	59	51	66	51	39	63	64	54	73

See footnotes at the end of the table.

Table 43-3 – continued

Other nervous system — Five-year relative survival ratios, October 2011 CCR file, by sex, population aged 15 to 99, 3 years of cases, selected provinces^{1,2}

Primary site of cancer	3 years of cases								
	Both sexes			Males			Females		
	Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval		Relative survival ratio	95% confidence interval	
		Low	High		Low	High		Low	High
percent									
Manitoba									
1992/1994	73	45	90	F	F	F	89	48	103
1993/1995	61	30	83	F	F	F	F	F	F
1994/1996	75	41	95	F	F	F	F	F	F
1995/1997	62	31	85	F	F	F	F	F	F
1996/1998	54	22	79	F	F	F	F	F	F
1997/1999	52	22	77	F	F	F	F	F	F
1998/2000	58	25	84	F	F	F	F	F	F
1999/2001	65	32	86	F	F	F	F	F	F
2000/2002	F	F	F	F	F	F	F	F	F
2001/2003	F	F	F	F	F	F	F	F	F
Saskatchewan									
1992/1994	73	41	93	F	F	F	F	F	F
1993/1995	69	37	90	F	F	F	F	F	F
1994/1996	67	33	89	F	F	F	F	F	F
1995/1997	52	19	78	F	F	F	F	F	F
1996/1998	42	15	69	F	F	F	F	F	F
1997/1999	48	22	73	F	F	F	F	F	F
1998/2000	62	34	83	F	F	F	75	35	96
1999/2001	74	43	92	F	F	F	86	47	100
2000/2002	56	26	79	F	F	F	F	F	F
2001/2003	53	19	80	F	F	F	F	F	F
Alberta									
1992/1994	66	40	85	54	23	80	F	F	F
1993/1995	79	53	94	71	36	91	F	F	F
1994/1996	75	50	91	F	F	F	80	44	98
1995/1997	82	62	94	83	50	98	81	52	96
1996/1998	77	54	91	87	48	101	70	39	89
1997/1999	74	48	90	86	44	102	62	26	86
1998/2000	52	24	75	F	F	F	F	F	F
1999/2001	47	17	73	F	F	F	F	F	F
2000/2002	69	39	87	F	F	F	F	F	F
2001/2003	78	52	92	F	F	F	66	31	88
British Columbia									
1992/1994	70	45	87	72	33	95	68	34	87
1993/1995	58	36	76	47	17	75	67	36	87
1994/1996	60	35	78	47	17	74	73	34	93
1995/1997	56	31	77	F	F	F	72	37	93
1996/1998	59	37	77	31	7	60	78	46	94
1997/1999	62	43	77	49	22	72	72	45	89
1998/2000	71	53	84	55	30	75	88	60	100
1999/2001	72	53	84	64	37	82	79	52	93
2000/2002	82	63	93	76	45	93	87	58	100
2001/2003	76	54	90	80	44	98	72	43	90

1. Data from Quebec have been excluded because of issues in correctly ascertaining the vital status of cases.

2. In the years under study, there was a known under reporting of cancer cases in Newfoundland and Labrador. There is likely to be some overestimation of survival for this province as the survival of such "missed" cases is generally less favourable than that of cases in the registry population. As such, survival estimates from the province of Newfoundland and Labrador should be treated with caution.

3. Excluding morphology types M-9050 to M-9055; M-9140; M-9590 to M-9989.

Note(s): See "Data quality, concepts and methodology — Footnotes" section. Please note that CANSIM tables also provide the number of cases on which analyses were based, the number of deaths within the first five years of follow-up, as well as estimates of observed survival and their corresponding 95% confidence intervals. Survival estimates based on cases from individual years are available through CANSIM tables.

Source(s): Statistics Canada, Canadian Cancer Registry (CCR), Canadian Vital Statistics (Death Database) and life tables (CANSIM table 103-1574).