

Table 59

Distribution of the household population by the concentration of urine bisphenol A standardized with urine creatinine, by age and sex, Canada, 2007 to 2009

	Concentration of urine bisphenol A standardized with urine creatinine															
	Geometric mean				5 th percentile				10 th percentile				25 th percentile			
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		
		From	To		From	To		From	To		From	To		From	To	
micrograms per gram of creatinine																
Both sexes																
Age 6 to 11	2.00	1.79	2.23	0.40	0.27	0.53	0.65	0.54	0.76	1.14	0.99	1.29				
Age 12 to 19	1.31	1.17	1.46	0.31 E	0.19	0.42	0.42	0.35	0.49	0.75	0.63	0.86				
Age 20 to 39	1.49	1.41	1.57	0.32	0.23	0.40	0.44	0.35	0.54	0.87	0.79	0.95				
Age 40 to 59	1.33	1.20	1.47	0.21 E	0.12	0.29	0.35 E	0.21	0.49	0.76	0.61	0.91				
Age 60 to 79	1.26	1.14	1.40	0.23	0.15	0.30	0.34	0.26	0.43	0.68	0.60	0.76				
Age 6 to 79	1.40	1.32	1.49	0.27	0.20	0.34	0.42	0.35	0.49	0.79	0.72	0.86				
Males																
Age 6 to 11	1.93	1.75	2.13	0.34 E	0.16	0.52	0.65	0.50	0.79	1.17	0.99	1.35				
Age 12 to 19	1.22	1.02	1.45	0.34 E	0.18	0.49	0.41	0.33	0.49	0.71	0.54	0.89				
Age 20 to 39	1.30	1.17	1.45	0.31	0.24	0.39	0.44	0.35	0.53	0.75	0.64	0.85				
Age 40 to 59	1.23	1.08	1.40	0.21 E	0.11	0.30	0.32 E	0.14	0.50	0.69	0.56	0.82				
Age 60 to 79	1.14	1.02	1.27	0.20 E	0.07	0.33	0.32	0.21	0.43	0.64	0.55	0.74				
Age 6 to 79	1.28	1.18	1.38	0.27	0.19	0.34	0.41	0.32	0.50	0.72	0.65	0.79				
Females																
Age 6 to 11	2.08	1.77	2.45	0.45	0.33	0.56	0.65	0.51	0.79	1.12	0.94	1.30				
Age 12 to 19	1.41	1.28	1.56	0.28 E	0.08	0.48	0.45	0.36	0.55	0.79	0.69	0.90				
Age 20 to 39	1.70	1.53	1.89	0.33 E	0.20	0.46	0.50	0.36	0.64	1.02	0.87	1.16				
Age 40 to 59	1.43	1.27	1.62	0.20 E	0.07	0.33	0.37 E	0.22	0.52	0.82	0.61	1.03				
Age 60 to 79	1.39	1.23	1.56	0.26	0.21	0.32	0.34	0.23	0.46	0.72	0.61	0.82				
Age 6 to 79	1.54	1.44	1.64	0.27	0.18	0.36	0.44	0.36	0.52	0.88	0.82	0.94				
Concentration of urine bisphenol A standardized with urine creatinine																
	50 th percentile				75 th percentile				90 th percentile				95 th percentile			
	Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		Estimate	Confidence interval		
		From	To		From	To		From	To		From	To		From	To	
	micrograms per gram of creatinine															
Both sexes																
Age 6 to 11	1.94	1.64	2.23	3.54	2.93	4.15	5.99	4.85	7.13	9.80	7.29	12.31				
Age 12 to 19	1.27	1.09	1.44	2.31	1.89	2.74	4.23	3.37	5.09	6.43 E	4.03	8.83				
Age 20 to 39	1.47	1.32	1.62	2.61	2.39	2.83	4.39	3.38	5.39	6.83	5.93	7.73				
Age 40 to 59	1.34	1.20	1.47	2.35	1.96	2.74	4.74	3.79	5.69	7.45	6.13	8.78				
Age 60 to 79	1.27	1.15	1.38	2.31	1.91	2.72	4.28	2.97	5.58	7.63	5.40	9.86				
Age 6 to 79	1.39	1.27	1.50	2.50	2.26	2.75	4.74	4.08	5.41	7.23	6.45	8.01				
Males																
Age 6 to 11	1.99	1.67	2.30	3.31	2.71	3.91	5.24	4.12	6.35	7.88	5.61	10.14				
Age 12 to 19	1.17	1.00	1.35	2.14	1.56	2.71	4.04	3.31	4.77	5.78 E	2.64	8.92				
Age 20 to 39	1.32	1.07	1.58	2.28	1.85	2.71	3.75	3.06	4.43	5.08	4.12	6.03				
Age 40 to 59	1.27	1.13	1.41	2.17	1.68	2.66	3.75	2.82	4.67	6.19	4.60	7.79				
Age 60 to 79	1.22	1.09	1.36	2.06	1.76	2.35	3.76	2.52	5.00	5.96	4.47	7.45				
Age 6 to 79	1.29	1.17	1.41	2.29	1.99	2.59	3.93	3.51	4.34	6.08	5.32	6.85				
Females																
Age 6 to 11	1.90	1.58	2.23	3.77	2.89	4.64	6.68	4.82	8.55	11.89 E	6.33	17.44				
Age 12 to 19	1.43	1.20	1.67	2.50	2.04	2.95	4.81 E	3.02	6.60	F				
Age 20 to 39	1.58	1.27	1.88	2.93	2.56	3.30	6.08	5.13	7.03	7.87	5.78	9.95				
Age 40 to 59	1.40	1.20	1.61	2.67	1.94	3.39	5.77	4.15	7.39	8.79 E	5.46	12.13				
Age 60 to 79	1.40	1.22	1.58	2.44	1.78	3.09	4.89 E	2.30	7.47	8.89 E	4.92	12.86				
Age 6 to 79	1.51	1.39	1.63	2.79	2.43	3.15	5.86	4.92	6.80	8.59	6.98	10.19				

E use with caution (data with a coefficient of variation (CV) from 16.6% to 33.3%)

F too unreliable to be published (data with a coefficient of variation (CV) greater than 33.3%; suppressed due to extreme sampling variability)

Note(s): Total household population aged 6 to 79, except those meeting the exclusion criteria.

For more information regarding the exclusion criteria and the limit of detection for urine bisphenol A and urine creatinine, please refer to the Canadian Health Measures Survey (CHMS) Data User Guide: Cycle 1.

This table was produced using the software package SUDAAN and the variables LAB_BPA and LAB_UCRE.

Source(s): Canadian Health Measures Survey, Cycle 1.