

Table 8-1
Live births, by weeks of gestation and geography — Both sexes

| Weeks of gestation | Place of residence of mother | | | | | | |
|---------------------------|------------------------------|---------------------------|----------------------|--------------|---------------|---------------|----------------|
| | Canada | Newfoundland and Labrador | Prince Edward Island | Nova Scotia | New Brunswick | Quebec | Ontario |
| | number | | | | | | |
| Total | 377,886 | 4,898 | 1,483 | 9,188 | 7,402 | 87,870 | 140,791 |
| 42 weeks or more | 1,939 | 14 | 7 | 95 | 23 | 242 | 458 |
| 37 to 41 weeks | 345,680 | 4,440 | 1,364 | 8,341 | 6,835 | 80,977 | 128,907 |
| 37 to 39 weeks | 197,102 | 2,311 | 808 | 4,286 | 3,709 | 47,625 | 75,584 |
| 40 to 41 weeks | 148,578 | 2,129 | 556 | 4,055 | 3,126 | 33,352 | 53,323 |
| Less than 37 weeks | 30,117 | 443 | 112 | 752 | 544 | 6,633 | 11,365 |
| 28 to 36 weeks | 28,456 | 417 | 111 | 703 | 516 | 6,280 | 10,773 |
| 28 to 31 weeks | 2,648 | 36 | 7 | 71 | 48 | 553 | 985 |
| 32 to 33 weeks | 3,605 | 37 | 9 | 94 | 79 | 749 | 1,334 |
| 34 to 36 weeks | 22,203 | 344 | 95 | 538 | 389 | 4,978 | 8,454 |
| 20 to 27 weeks | 1,589 | 25 | 1 | 43 | 23 | 332 | 578 |
| 20 to 23 weeks | 483 | 12 | 0 | 9 | 4 | 121 | 137 |
| 24 to 27 weeks | 1,106 | 13 | 1 | 34 | 19 | 211 | 441 |
| Less than 20 weeks | 72 | 1 | 0 | 6 | 5 | 21 | 14 |
| Not stated | 150 | 1 | 0 | 0 | 0 | 18 | 61 |
| | percent | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 42 weeks or more | 0.5 | 0.3 | 0.5 | 1.0 | 0.3 | 0.3 | 0.3 |
| 37 to 41 weeks | 91.5 | 90.6 | 92.0 | 90.8 | 92.3 | 92.2 | 91.6 |
| 37 to 39 weeks | 52.2 | 47.2 | 54.5 | 46.6 | 50.1 | 54.2 | 53.7 |
| 40 to 41 weeks | 39.3 | 43.5 | 37.5 | 44.1 | 42.2 | 38.0 | 37.9 |
| Less than 37 weeks | 8.0 | 9.0 | 7.6 | 8.2 | 7.3 | 7.5 | 8.1 |
| 28 to 36 weeks | 7.5 | 8.5 | 7.5 | 7.7 | 7.0 | 7.1 | 7.7 |
| 28 to 31 weeks | 0.7 | 0.7 | 0.5 | 0.8 | 0.6 | 0.6 | 0.7 |
| 32 to 33 weeks | 1.0 | 0.8 | 0.6 | 1.0 | 1.1 | 0.9 | 0.9 |
| 34 to 36 weeks | 5.9 | 7.0 | 6.4 | 5.9 | 5.3 | 5.7 | 6.0 |
| 20 to 27 weeks | 0.4 | 0.5 | 0.1 | 0.5 | 0.3 | 0.4 | 0.4 |
| 20 to 23 weeks | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 |
| 24 to 27 weeks | 0.3 | 0.3 | 0.1 | 0.4 | 0.3 | 0.2 | 0.3 |
| Less than 20 weeks | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 |
| Not stated | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Table 8-1 – continued

Live births, by weeks of gestation and geography — Both sexes

| Weeks of gestation | Place of residence of mother | | | | | | | | |
|---------------------------|------------------------------|---------------|---------------|---------------|------------------|--------------|-----------------------|--------------|--------------|
| | Canada | Manitoba | Saskatchewan | Alberta | British Columbia | Yukon | Northwest Territories | Nunavut | Unknown |
| | number | | | | | | | | |
| Total | 377,886 | 15,485 | 13,737 | 50,856 | 44,276 | 373 | 721 | 805 | 1 |
| 42 weeks or more | 1,939 | 387 | 182 | 248 | 231 | 17 | 30 | 5 | 0 |
| 37 to 41 weeks | 345,680 | 13,842 | 12,540 | 46,222 | 40,569 | 328 | 624 | 690 | 1 |
| 37 to 39 weeks | 197,102 | 7,003 | 6,280 | 26,052 | 22,490 | 177 | 292 | 484 | 1 |
| 40 to 41 weeks | 148,578 | 6,839 | 6,260 | 20,170 | 18,079 | 151 | 332 | 206 | 0 |
| Less than 37 weeks | 30,117 | 1,253 | 1,014 | 4,385 | 3,411 | 28 | 67 | 110 | 0 |
| 28 to 36 weeks | 28,456 | 1,174 | 956 | 4,075 | 3,260 | 25 | 60 | 106 | 0 |
| 28 to 31 weeks | 2,648 | 109 | 103 | 401 | 318 | 0 | 8 | 9 | 0 |
| 32 to 33 weeks | 3,605 | 152 | 121 | 551 | 447 | 5 | 10 | 17 | 0 |
| 34 to 36 weeks | 22,203 | 913 | 732 | 3,123 | 2,495 | 20 | 42 | 80 | 0 |
| 20 to 27 weeks | 1,589 | 73 | 58 | 297 | 149 | 3 | 3 | 4 | 0 |
| 20 to 23 weeks | 483 | 29 | 14 | 119 | 37 | 0 | 0 | 1 | 0 |
| 24 to 27 weeks | 1,106 | 44 | 44 | 178 | 112 | 3 | 3 | 3 | 0 |
| Less than 20 weeks | 72 | 6 | 0 | 13 | 2 | 0 | 4 | 0 | 0 |
| Not stated | 150 | 3 | 1 | 1 | 65 | 0 | 0 | 0 | 0 |
| | percent | | | | | | | | |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 42 weeks or more | 0.5 | 2.5 | 1.3 | 0.5 | 0.5 | 4.6 | 4.2 | 0.6 | 0.0 |
| 37 to 41 weeks | 91.5 | 89.4 | 91.3 | 90.9 | 91.6 | 87.9 | 86.5 | 85.7 | 100.0 |
| 37 to 39 weeks | 52.2 | 45.2 | 45.7 | 51.2 | 50.8 | 47.5 | 40.5 | 60.1 | 100.0 |
| 40 to 41 weeks | 39.3 | 44.2 | 45.6 | 39.7 | 40.8 | 40.5 | 46.0 | 25.6 | 0.0 |
| Less than 37 weeks | 8.0 | 8.1 | 7.4 | 8.6 | 7.7 | 7.5 | 9.3 | 13.7 | 0.0 |
| 28 to 36 weeks | 7.5 | 7.6 | 7.0 | 8.0 | 7.4 | 6.7 | 8.3 | 13.2 | 0.0 |
| 28 to 31 weeks | 0.7 | 0.7 | 0.7 | 0.8 | 0.7 | 0.0 | 1.1 | 1.1 | 0.0 |
| 32 to 33 weeks | 1.0 | 1.0 | 0.9 | 1.1 | 1.0 | 1.3 | 1.4 | 2.1 | 0.0 |
| 34 to 36 weeks | 5.9 | 5.9 | 5.3 | 6.1 | 5.6 | 5.4 | 5.8 | 9.9 | 0.0 |
| 20 to 27 weeks | 0.4 | 0.5 | 0.4 | 0.6 | 0.3 | 0.8 | 0.4 | 0.5 | 0.0 |
| 20 to 23 weeks | 0.1 | 0.2 | 0.1 | 0.2 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 |
| 24 to 27 weeks | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.8 | 0.4 | 0.4 | 0.0 |
| Less than 20 weeks | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 |
| Not stated | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 |

Note(s): See "Data quality, concepts and methodology — Explanatory notes for the tables".

Source(s): Statistics Canada, Canadian Vital Statistics, Birth Database (CANSIM table 102-4512).